LATE-MODEL CNC **MACHINING**

JUCTION ROSEN SYSTEMS, INC.

PREVIEW

Monday, March 14 10:00 A.M. - 4:00 P.M.

TUESDAY, MARCH 15 AT 10:00 A.M. CDT

RANGER MACHINING, INC.



8420 N. Sam Houston Parkway West Houston, Texas 77064



FARO LG-10 COORDINATE MEASURING MACHINE



SNK RB4-VM CNC VERTICAL MACHINING CENTER



YOU JI YV-3000ATC+C VERTICAL BORING MILL



DMG DMC-100U CNC MACHINING CENTER

IF YOU CANNOT ATTEND THIS AUCTION, ONLINE BIDDING IS AVAILABLE AT BIDS OF THE PROPERTY OF THE





(972) 248-2266 (800) 527-5134 Fax (972) 248-6887

2323 Langford St. Dallas, Texas 75208 info@rosensystems.com • Michael D. Rosen TX Lic. #6732 For complete description and photos of all items, visit our website at www.rosensystems.com

In Conjunction With 1 10 10 10 PRESTIGE **AUCTIONS**

35 Pinelawn Rd., Melville, NY 11747

Phone: (631) 249-5566 Fax: (631) 249-9494

www.prestigeequipment.com



YOU JI YV-2000ATC VERTICAL BORING MILL



YOU JI YV-1200ATC VERTICAL BORING MILL

CNC VERTICAL BORING MILLS

2008 YOU JI YV-3000ATC + C Vertical Boring Mill with Live Milling, Fanuc 18i-TB, 118" face plate type chuck w/4-jaws, 138" swing, 90.55" max. turning height, vertical ram head w/32-station auto. tool changer, travels: max. cross travel (X-axis): -59.4"; +71.8", cross rail vertical travel: 55.11", vertical travel of ram (Z-axis): 59.05", table speeds (2 ranges): 1–120 RPM, table weight capacity: 44,000-lbs., C-axis contouring .001 degree, live spindle speeds (2 ranges): 1–2,400 RPM, 20 HP live spindle motor, cutting feed rate: .04–78 IPM, rapid feed rates: X, Z-axis 394 IPM, turbo chip conveyor, 100 HP table motor, S/N: 08V30TC1979.

2006 YOU JI YV-2000ATC + C Vertical Boring Mill with Live Milling, Fanuc 18i-TB, 78" dia. face plate type chuck w/4-jaws, 98.74" swing, 78.74" max. turning height, vertical ram head w/16-position auto. tool changer, travels: max. cross travel (X-axis): -19.7"; +53.1", cross rail vertical travel: 45.27", vertical travel of ram (Z-axis): 37.40", table speeds (2 ranges): 2–200 RPM, table weight capacity: 22,000-lbs., C-Axis contouring .001 degree, live spindle speeds (2 ranges): 2–2,400 RPM, 20 HP live spindle motor, cutting feed rate: .04–78 IPM, rapid feed rates: X, Z-axis 394 IPM, turbo chip conveyor, 75 HP table motor, S/N: .06N20TC1419.

2006 YOU JI YV-1200ATC Vertical Boring Mill, Fanuc Oi-TC, 49" dia. face plate type chuck w/4-jaws, 63" swing, 47" max. turning height, vertical ram head w/12-position auto. tool changer, travels: max. cross travel (X-axis): -3.94"; +34.5", cross rail vertical travel: 31.5", vertical travel of ram (Z-axis): 35.94", table speeds (2 ranges): 1–350 RPM, table weight capacity: 11,000-lbs., cutting feed rate: .01–197 IPM, rapid feed rates: X-axis 472 IPM, Z-axis 394 IPM, chip conveyor, 60 HP table motor, S/N: 06VI2T1480.



YAMA SEIKI GS-460 CNC LATHE



OKUMA LB 45II CNC LATHE

CNC BRIDGE TYPE 4-AXIS VERTICAL MACHINING CENTER

2008 SNK RB4-VM CNC 5-Face Bridge-Type Vertical Machining Center, Fanuc 31i-A CNC controls, 167.32" X-axis table travel, 94.48" Y-axis spindle head travel, 23.62" Z-axis vertical ram travel, 43.30" W-axis cross rail vertical travel, 94.48" between columns, 0–59.05" spindle to table top, 78.74" x 157.48" T-slotted work table, 33,000-lbs. table weight capacity, #50 taper, spindle speeds: 40–6,000 RPM, auto.indexing right angle head, 40-station auto. tool changer, auto. attachment changer, Troyke 36" dia. B-axis rotary table, dual full length chip conveyors, chip blaster high pressure coolant system, 30 HP spindle motor, S/N: 453070.

CNC HORIZONTAL LATHES

2007 YAMA SEIKI GS-460L CNC Lathe, Fanuc 0i-TC CNC control, 29.13" max. swing, 24.95" swing over saddle, 78.74" max. turning length, 8.07" hole thru spindle, 21" 3-jaw power chuck, 12-position turret, spindle speeds to 900 RPM, travels: X-13.38", Z-+3.93/-34.64", hydraulic steady rest, tailstock, chip conveyor, 40 HP, S/N: 91C030.

2007 YAMA SEIKI GS-460 CNC Lathe, Fanuc 0i-TC CNC control, 29.13" max. swing, 24.95" swing over saddle, 37.4" max. turning length, 8.07" hole thru spindle, 21" SMW 3-jaw power chuck, 12-position turret, spindle speeds to 900 RPM, travels: X-13.38", Z- +3.93/-34.64", tailstock, chip conveyor, 40 HP, S/N: 89A038.

1997 OKUMA LB 45II CNC Lathe, OSP 7000L CNC control, 25.98" max. turning dia., 21.7" swing over saddle, 81.10" between centers, 4.33" spindle bore, 21" 3-jaw power chuck, 12-position turret, spindle speeds 2,800 RPM, travels: X-17.32", Z-81.10", tailstock, chip conveyor, 50 HP, S/N: 0054.

TUESDAY, MARCH 15 AT 10:00 A.M. CDT

IF YOU CANNOT ATTEND THIS AUCTION,
ONLINE BIDDING IS AVAILABLE AT





YAMA **SEIKI** GS 460L CNC LATHE

CNC UNIVERSAL 5-AXIS MACHINING CENTER

2005 DMG DMC-100U DuoBlock 5-Axis Machining Center, Heidenhain MillPlus iT V600 CNC control, A-axis swivel milling head, travels: X-39.37", Y-39.37", Z-39.37", (2) 43.3" x 35.4" pallets, max. table load 3,300-lbs., max. table speed 30 RPM, B-axis table rotation (full contouring) .001 degree, (2) C-Axis vertical rotary tables, HSK 100 taper, spindle speeds to 10,000 RPM, 120-position auto. tool changer, paper filtration system, 37.5 HP spindle motor, S/N 1148-00051-3.

COORDINATE MEASURING MACHINE

NEW 2012 FARO Mdl. LG-10 Portable, 9', 7-axis, w/case.

OPTICAL COMPARATOR

SCHERR TUMICO, 15" w/Quadra-Chek Heidenhain CNC controls.

BLAST BOOTH

EMPIRE, 15'W x 18'D x 12'H, w/dust collector.

PAINT BOOTH

KAYCO, 15' x 21' x 12'H, w/exhaust, explosion proof lights, etc.

(2) ECONOLINE Reach-In Type.



BLAST BOOTH



KAYCO PAINT BOOTH



HYSTER H80XL FORKLIFT



SCHERR

TUMICO **OPTICAL**


COMPARATOR

Monday

March 14

10:00 A.M. -4:00 P.M.

EMPIRE DUST COLLECTOR



PROFAX WELDING MANIPULATOR



KOIKE ARONSON WELDING TABLE



PANDJIRIS TURNING ROLL

WELDING MANIPULATORS

PROFAX 7' x 7', w/Lincoln DC-1000 power source.

PRESTON EASTIN Mdl. MA60MD, 9'H x 7', S/N MP66MD21.

WELDING POSITIONER

KOIKE ARONSON/RANSOME, w/60" rotary table.

TURNING ROLL

PANDJIRIS Mdl. MM-15PR, 15-ton cap., power and idler, S/N 19723X06-2.

WELDERS

LINCOLN 275 Precision Tig. MILLER SRH-444.

LINCOLN Idealarc 600 w/LN-9 Wire Feed.



FORKLIFTS HYSTER H80XL

S/N G005D12499V. CAT Mdl. C3000 2,500-Lb. Cap., 187" lift height, LPG, side shift, S/N AT81F00288.

8,100-Lb. Cap., 169" lift height, LPG.

LINCOLN WELDER



2323 Langford St. Dallas, Texas 75208 (972) 248-2266 • (800) 527-5134 • Fax (972) 248-6887 info@rosensystems.com • Michael D. Rosen TX Lic. #6732

www.rosensystems.com







RANGER MACHINING, INC.

Houston, Texas

TUESDAY, MARCH 15 AT 10:00 A.M. CDT

PREVIEW

Monday, March 14, 10:00 A.M. - 4:00 P.M.

LATE-MODEL CNC MACHINING LATE-MODEL CNC MACHINING



SULLIVAN PALETEK 50 HP AIR COMPRESSOR



JET 16" X 60" ENGINE LATHE

VERTICAL MILL

New 2015 SULLIVAN Paletek, 50 HP, w/receiving tank.

AIR COMPRESSORS

QUINCY, 25 HP, tank-mounted.

CAMARGO, 10 HP.

QUINCY Air Dryer.
Air Receiving Tanks.

Presorted
First Class Mail
U.S. Postage
PAID
Eugene, Oregon
Permit No. 17

FREJOTH MdI. AM-25, 2 HP, $\rm w/42"$ power feed table, Newall digital readout for $\rm X/Y$ -axis, $\rm S/N$ 000163.

ENGINE LATHE

JET Mdl. GH-1660ZX, 16" x 60" c.c. w/tailstock, tool post, 3-jaw chuck, S/N 077110-61.

MISCELLANEOUS EQUIPMENT

40' Storage Container • Large Quantity Tooling
• QC Equipment and Accessories • Jib Cranes • Hoists

Warehouse Equipment • Office Furniture and Equipment.

TUESDAY, MARCH 15 AT 10:00 A.M. CDT

PREVIEW: Monday, March 14, 10:00 A.M. – 4:00 P.M.



IF YOU CANNOT ATTEND THIS AUCTION, ONLINE BIDDING IS AVAILABLE AT



required. Final payment by cash, cashier's check or check with bank letter of guarantee. Check our website for complete terms.

Bank Letter of Guarantee to read as follows: (Customer Name) is a customer of this bank. This bank will guarantee unqualified payment of checks written on the Account #____by (Name of Company/Individual) in the amount of \$____.This letter is valid from (Date to Date).

TERMS: 15% Buyer's Premium will apply. (18% for Bidspotter). 25% deposit