



AUCTION

INCREDIBLE DEEP HOLE BORING & TURNING FACILITY

FEATURING: (7) WOHLBERG COUNTER ROTATING DEEP HOLE BORING MACHINES UP TO 433" DEPTH, AS LATE AS 2006, TBT BORING MACHINE, SIG CNC GUN DRILL, (5) LARGE CAP. HOLLOW SPINDLE LATHES, 1,000 T. X 45' & 350 T. X 35' SAVAGE TRAVELING COLUMN STRAIGHTENING PRESSES, HUGE ASSORTMENT OF TOOLING, MATERIAL HANDLING EQUIPMENT, & MUCH, MUCH MORE!

1998



4 AVAILABLE

433" DEPTH

WOHLBERG PB2-1000 X 11M COUNTER ROTATING DEEP HOLE BORING MACHINE



1998

157" DEPTH

TBT COUNTER ROTATING DEEP HOLE BORING AND GUN DRILLING MACHINE



2013

CNC

BARNES MDL. HH-12 30' HORIZONTAL HONING MACHINE

Formerly Assets of

TRIDENT METALS

405 N. PLANO ROAD

BUILDING #3

RICHARDSON, TX 75081

INSPECTION:

Monday, June 26

9:00 A.M.

to 4:00 P.M.

& Morning


of Sale

AUCTION:
TUESDAY, JUNE 27
9:30 A.M.

On-Site Bidding in
Richardson, Texas or
Bid Via Webcast at

BidSpotter.com

BUYER'S PREMIUM: 15% ON-SITE • 18% WEBCAST



14" BORE

2010

SPARK 39" X 20' HOLLOW SPINDLE LATHE

*Read Partial Terms and Conditions
on Back Page of Brochure*



46' BED

1998

SAVAGE 1,000 T. TRAVELING COLUMN STRAIGHTENING PRESS

Sale Conducted By:

PLANT & MACHINERY INC.

AUCTIONEERS • APPRAISERS • LIQUIDATORS • REAL ESTATE

1304 Langham Creek Drive, Suite 454, Houston, Texas 77084

PHONE: (713) 691-4401

FAX: (713) 672-7905

Ron Moore TX Lic. #7314

E-MAIL: pmi@pmi-auction.com • WEBSITE: www.pmi-auction.com

HOUSTON • DALLAS • ST. LOUIS

In Conjunction With:



35 Pinelawn Road
Melville, New York 11747

Phone: (631) 249-5566

www.prestigeequipment.com

WOHLENBERG COUNTER ROTATING

1998

4 AVAILABLE



433" DEPTH

WOHLENBERG PB2-1000 X 11M COUNTER ROTATING DEEP HOLE BORING MACHINE

(4) **WOHLENBERG MDL. PB2-1000 X 11M**, new 1983–1998, 39.37" sw. over bed, 433" (11 M) max. boring depth, 7.87" solid boring cap., 22,000-lb. max. workpiece weight, 13.93" counterboring cap., 1.19–196 IPM boring spds., 2.9–1,120 RPM main spndl. spds., 4.09" spndl. bore, 100 HP main spndl. drive, 100 HP boring spndl. drive, double rack drive carriage, Fanuc Powermate or 0-T PLC, (3) damper rests w/med. dampers, med. size pressure head, 20" 3-jaw universal chuck, (3) H.D. steady rests, chip conveyor, 50 HP vert. coolant pump, coolant chiller unit, Polo Mdl. SAFI-T1.7 pressure filter unit w/paper filter or American Heller cartridge filter, S/N 4538 (1998), S/N D4516 (1995), S/N 4436 (1988), S/N 4293 (1983).



WOHLENBERG PB2-1000 X 10M COUNTER ROTATING DEEP HOLE BORING MACHINE

WOHLENBERG MDL. PB2-1000 X 10M, new 1991, 39.37" sw. over bed, 393" (10 M) max. boring depth, 7.87" solid boring cap., 22,000-lb. max. workpiece weight, 13.93" counterboring cap., 1.19–196 IPM boring spds., 2.9–1,120 RPM main spndl. spds., 4.09" spndl. bore, 24-1/2" 3-jaw universal chuck, 100 HP main spndl. drive, 100 HP boring spndl. drive, double rack drive carriage, Fanuc Powermate PLC, (3) damper rests w/med. dampers, med. size pressure head, chip conveyor, (3) H.D. steady rests, Koolant Koolers Mdl. AFD25000P-ST coolant chiller system, fabricated coolant tank, (2) 50 HP coolant pumps, Polo Mdl. SAFI-T1.7 pressure filter unit w/paper filter, S/N 4466.



WOHLENBERG PB2-1000 X 11M COUNTER ROTATING DEEP HOLE BORING MACHINE



WOHLENBERG PB2-1000 X 10M COUNTER ROTATING DEEP HOLE BORING MACHINE

1995

4 AVAILABLE



433" DEPTH

WOHLENBERG PB2-1000 X 11M COUNTER ROTATING DEEP HOLE BORING MACHINE



VIEW OF DAMPERS, PRESSURE HEADS AND LANTERN CHUCK

DEEP HOLE BORING MACHINES

2006



WOHLENBERG PB2-1000 X 4M COUNTER ROTATING DEEP HOLE BORING MACHINE

(2) **WOHLENBERG MDL. PB2-1000 X 4M**, new 2006, 39.37" sw. over bed, 157" (4 M) max. boring depth, 7.87" solid boring cap., 17,600-lb. max. workpiece weight, 13.93" counterboring cap., 1.19-196 IPM boring spds., 2.9-1,120 RPM main spndl. spds., 4.09" spndl. bore, 24-1/2" 3-jaw universal chuck, 100 HP main spndl. drive, 100 HP boring spndl. drive, double rack drive carriage, Fanuc 21iTB CNC, (2) damper rests w/med. dampers, med. size pressure head, chip conveyor, (2) H.D. steady rests, Koolant Koolers Mdl. AFD25000P-ST coolant chiller system, fabricated coolant tank, (2) 50 HP coolant pumps, Polo Mdl. SAFI-T1.7 pressure filter unit w/paper filter, S/N D4583, S/N D4582.

**AUCTION: TUESDAY,
JUNE 27 • 9:30 A.M.**

INSPECTION:

Monday, June 26, 9:00 A.M. to 4:00 P.M.
& Morning of Sale

**WOHLENBERG
BORING BARS**

DOZENS OF BORING BARS FOR THE ABOVE MACHINES FROM BAR #11 TO #29, IN LENGTHS FROM 19.5' TO 48' W/RELATED BAR STORAGE RACKS AND LIFTING BEAMS.



PARTIAL VIEW OF BORING BARS



EXAMPLE OF BORING MACHINE COOLANT SYSTEMS



VIEW OF PRESSURE HEAD FLANGES



PHENOLIC BUSHINGS

WOHLENBERG ACCESSORIES

SMALL AND LARGE PRESSURE HEADS; STUFFING BOXES; FLANGE RINGS; SMALL AND LARGE SIZE DAMPER SETS; HUGE ASSORTMENT OF PHENOLIC DAMPER BUSHINGS; BORING BAR ADAPTERS; SPARE STEADY RESTS; LANTERN CHUCKS AND CHIP SHROUDS; 35.5" 4-JAW CHUCKS; HYD. SKIVING RESTS; FIXTURE TABLES.



SPLIT CLAMPS AND STUFFING BOXES



PILOTED COUNTERBORING TOOLS



PARTIAL VIEW OF STUFFING BOXES



CNC COUNTER ROTATING DEEP HOLE BORING & GUN DRILLING MACHINE

TIEFBOHRTECHNIK (TBT) MDL. 630-1-3700NC, new 1998, 33.4" sw. over bed, 145.6" max. boring depth, .78" to 5.9" solid drilling cap., 0-100 RPM headstock spds., 10-2,000 RPM drilling spds., 22kW headstock motor, Fanuc Powermate PLC, 12-1/2" 3-jaw universal chuck, Shenck TM2000 balancer unit, (2) damper rests, large selection of bushings, stuffing boxes, flanges and boring bars, chip conveyor, Koolant Koolers Mdl. HAV10000-P-CL-SO coolant filtration system, paper filter coolant unit, S/N 11.05509.026.

CNC COUNTER ROTATING GUN DRILL

SIG MDL. B 17/4, new 1983, Fanuc CNC control, 157" max. drilling depth, 10" max. swing, V/S headstock and drill spndls., assorted pressure heads w/accessories, (3) steady rests, (2) fixture tbls., 10" 3-jaw chuck, S/N 25-350.



**AUCTION:
TUESDAY,
JUNE 27
9:30 A.M.**



ROLLER BURNISHING TOOLS



BTA CUTTER HEADS



VIEW OF GUN DRILLS

BORING TOOLING

HUGE SELECTION OF BORING HEADS AND TOOLING INCL. BTA CUTTER HEADS, COUNTERBORING HEADS, BOTTOMING HEADS, PULL BORING HEADS, REAMING TOOLS AND TREPANNING TOOLS IN VARIOUS SIZES UP TO 14" DIA.

ROLLER BURNISHING HEADS

WIDE RANGE OF ROLLER BURNISHING HEADS, approx. 30 ranging from 2" to 5-1/2" cap. in size sorted in rack.



GENERAL HONE MDL. GH210, 41' HORIZONTAL HONING MACHINE



VIEW OF BARNES MDL. 15-HH, 40' HORIZONTAL HONING MACHINES

HORIZONTAL HONING MACHINES

GENERAL (SUNNEN) MDL. GH210-25-41R, new 1998, AB panel view PLC control, 41' stroke, 18" swing, 1" to 12" bore cap., 10-90 FPM stroking spds., 10-230 RPM spds., 25 HP, hyd. hone expansion, hyd. chain drive, (3) whip rests, (2) bushing style steady rests, 32"W. x 42'L. double rail fixture tbl., Flowcon Mdl. HP-150/PBLS-28M paper filter honing oil system, S/N 0898212.

(2) BARNES DRILLS MDL. 15-HH, new 1981, 40' stroke, 10-80 FPM stroking spds., 25 HP, hydraulic chain drive, 30"W. x 45'L. fixture tbl., (3) bushing style steady rests, shared Barnes Mdl. RMB100, paper filter honing oil system (*offered separately*), S/N ZP-10915, S/N ZP-10914.

BARNES MDL. HH-12-30 CNC HORIZONTAL HONING MACHINE, new 2013, 30' stroke, 36" max. workpiece dia., 10-70 FPM stroking spds., spds.: 50-500 RPM, 25 HP, (5) honing rods, (4) work support rests, sliding guards, A B panel view controls, hyd. chain drive, S/N ZP11125.

(2) BARNES MDL. 6D, 25' stroke, mechanical chain drive, 25 HP, 18"W. x 30"L. fixture tbl., 4-point steady rest, open style steady rest, Barnes paper filter honing oil system, (*offered separately*), S/N 8780, S/N 9207.



BARNES MDL. HH-12 30' HORIZONTAL HONING MACHINE



VIEW OF BARNES MDL. 6D, 25' HORIZONTAL HONING MACHINES

Formerly Assets of
TRIDENT METALS
 405 N. PLANO ROAD
 BUILDING #3
 RICHARDSON, TX 75081

On-Site Bidding in Richardson,
 Texas or Bid Via Webcast at

BidSpotter.com



PARTIAL VIEW OF HONING HEADS

HONING HEADS

(17) SINGLE, DOUBLE, AND TRIPLE GANG HEADS BY BARNES AND OTHERS, incl., 2" to 2-1/2" bore dia. triple gang, .35" to 4" triple gang, 5" to 5-1/2", 6" to 6-1/2", 7" to 7-1/2", 8" to 8-1/2" heads w/wide array of stone holders and selection of new and used stones.



AUCTION



LARGE CAP.

WOHLBERG 40" X 36" HOLLOW SPINDLE ENGINE LATHE

Formerly Assets of
TRIDENT METALS
405 N. PLANO ROAD
BUILDING #3
RICHARDSON,
TEXAS 75081



14" BORE


2010

SPARK 39" X 20" HOLLOW SPINDLE LATHE

HOLLOW SPINDLE ENGINE LATHES

WOHLBERG MDL. V1180, new 1983, 40.35" sw. over bed, 26.37" sw. over cross slide, 36' distance btwn. centers, 14.76" spndl. bore, spds.: 1.8-355 RPM, front and rear 31-1/2" dia. 4-jaw chucks, (3) lrg. steady rests, (3) med. steady rests, pwr. compound, grinding attachment, inch/metric threading, 4-way tool post, taper attachment, (2) outboard roller steady rests on pedestals on sliding base, S/N 4300.

SPARK MDL. CW6636, new 2010, 39.37" sw. over bed, 25.19" sw. over cross slide, 20' distance btwn. centers, 14.17" spndl. bore, spds.: 8-315 RPM, 22kW drive motor, 31-1/2" front and rear 4-jaw chucks, pwr. compound, (2) steady rests, pwr. tailstock body, taper attachment, inch/metric threading, control pendant, 4-way tool post, follow rest, outboard steady rest w/adjustable ht. V roller unit, S/N 12-480.



10" BORE

2 AVAILABLE

1998

WOHLBERG 39" X 30' HOLLOW SPINDLE ENGINE LATHE

(2) WOHLBERG MDL. V1000, new 1998, 39.37" sw. over bed, 28.34" sw. over cross slide, 30' distance btwn. centers, 10.23" spndl. bore, spds.: 2.8-560 RPM, 30kW, pwr. compound, 4-way tool post, inch metric threading, pwr. rapid traverse, (3) heavy-duty roller jaw steady rests, follow rests, lower front carriage support way, front and rear 31-1/2" dia. 4-jaw chucks, S/N 1234 w/ (2) outboard steady rest stands S/N 1233 w/(1) outboard steady rest stand.

LEHMANN MDL. 2516, 25" sw. over bed, 16" sw. over crossslide, 240" distance btwn. centers, 12" spndl. hole, spds.: 10-397 RPM, airtrid threading, 4-way tool posts, roller jaw steady rest, front and rear 24" dia. hollow spndl. chucks, S/N 241215121, rapid traverse.



12" BORE

20' CC

LEHMANN MDL. 2516 HOLLOW SPINDLE LATHE

On-Site Bidding
in Richardson, Texas
or Bid Via Webcast at
BidSpotter.com



SAVAGE 1,000 T. TRAVELING COLUMN STRAIGHTENING PRESS

HYDRAULIC STRAIGHTENING PRESSES

SAVAGE 1,000 T. MDL. TFS TRAVELING COLUMN, new 1998, 46' bed length, 34" bed width, approx. 48" distance btwn. columns, pwr. motion V blocks, pwr. motion lift blocks w/hydraulic lift and pwr. rotation, approx. 40" ram face to bed, approx. 14" stroke, pwr. gantry travel, digital tonnage meter, .001" digital ram position readout, top-mounted hydraulics, S/N 2120.

SAVAGE 350 T. TRAVELING COLUMN, new 1980, 35' bed length, 34" bed width, 25" distance btwn. uprights, 34-3/4" distance bed to ram face, (2) 2" thick x 15-1/2" tall V rests, (3) 4" thick x 15-1/2" tall V rests, (2) hyd. adjustable ball roller traveling rests, traveling operator platform, top-mounted hydraulics, S/N 1429.

SAVAGE 42 T., fixed frame machine, 12" btwn. uprights, approx. 10" max. distance bed to spndl. face, (2) pop-up pneumatic roller rests, 20' infeed and outfeed heavy-duty roller conveyor, 6" wide, independent hydraulic system, S/N 1532.

**AUCTION:
TUESDAY,
JUNE 27
9:30 A.M.**

INSPECTION:

Monday, June 26
9:00 A.M. to 4:00 P.M.
& Morning of Sale

PROXY BIDS

If you cannot attend this sale or bid online, we will bid on your behalf. Contact Houston office at (713) 691-4401 for instructions, or go to our website at www.pmi-auction.com.



SAVAGE 350 T. TRAVELING COLUMN STRAIGHTENING PRESS

ALUMINUM PLATE SAW

SAVAGE TRAVELING HEAD, 144" max. cutting width, 144" max. material length, 12" max. material thickness, 40" blade dia., 75 HP blade drive, 16,000 SFPM blade spd., arranged for non-ferrous material, chip conveyor, cyclone style dust collector, PLC tbl. and head feed system.

VERTICAL BANDSAWS

METLSAW MDL. CC-510 CIRCULAR, 20" throat depth, variable spd., 10" to 72" circle dia., pneumatic hold down, blade welder and grinder S/N N.A.

HEM MDL. V100LM TILT FRAME, 18" cutting width, 22" cutting ht., 1.25" blade width, 5 HP, dual front hydraulic vises, S/N 326390.

MSC INDUSTRIAL MDL. 09514654, 24" throat depth, blade welder, grinder, variable spd., tilt tbl., S/N 0144.



SAVAGE TRAVELING HEAD PLATE SAW

THE ITEMS IN THIS BOX ARE LOCATED OFF-SITE AND WILL BE SOLD BY PHOTO IN RICHARDSON



TRAVELING COLUMN CNC HORIZONTAL MACHINING CENTERS

(2) SHW MDL. POWERSPEED 5, new 2007, Heidenhain TNC530 4-axis CNC control, 39.37" x 354.3" T-slotted work tbl., 314.96" X-, 63" Y-, 51" Z-axis travels, 1,181 IPM rapids, 360 deg. C-axis head swivel, 180 deg. A-axis head swivel, CAT-50 spdl. taper, spdl. spds: 36-6,000 RPM, 45 kW spdl. drive motor, 90-pos. ATC, roll work holding and rotation system incl.; FIBRO CNC B-axis vert. rotary tbl. w/13.77" thru hole, 27.5" center ht., 5,500-lb. max. rotary tbl. cap., 27.5" 4-jaw chuck, (3) Autoblok hyd. steady rests, 3.93" to 13.77" cap., probe system, (1) manual suppt. rest, scale feed back system, roller chip shields, S/N 5236, S/N 5237.

CNC HOLLOW SPINDLE LATHES

LODGE & SHIPLEY MDL. PROFITURN 40, rebuilt and retrofitted 2015 w/ FANUC 0iTD CNC control, 34-1/2" sw. over bed and carriage wings, 20" sw. over crossslide, spds: 6-650 RPM in (3) ranges, 12-1/2" spdl. hole, 14' dist. btwn. centers, 4-pos. sq. turning turret, 12-pos. hex boring turret, 45 kW main spdl. drive motor, front and rear 28" dia. 4-jaw chucks, outboard work suppt. rest w/pneu. lift, roller jaw steady rest, pwr. tailstock, additional control axis for customized tooling, full length chip conveyor, S/N 50938 (Auctioneers Note: S/N 50938-is 90+% finished on rebuilt and retrofit. The bid for finishing this machine will be available at time of inspection).



LODGE & SHIPLEY MDL. PROFITURN 40, FANUC 18iT CNC control, 34-1/2" sw. over bed and carriage wings, 20" sw. over crossslide, spds: 6-650 RPM in (3) ranges, 12-1/2" spdl. bore, 14' dist. btwn. centers, 8-pos. sq. turning turret, 12-pos. hex boring turret, interchangeable 4-pos. turning turret and 6-pos. boring turret, 37 kW main spdl. drive motor, front and rear 32" dia. 4-jaw hollow spdl. chucks, outboard work suppt. rest w/pneu. lift, chip conveyor, roller jaw steady rest, pwr. tailstock, S/N 50937.

INSPECTION IN CYPRESS (HOUSTON, TX) BY APPOINTMENT - CALL 1-800 AUCTION



These machines have been relocated to a storage facility (near Houston) and may be physically inspected by appointment only. A video of the SHW machines in operation is available on our website.



QUALITY CONTROL EQUIPMENT

SATEC SYSTEMS MDL. 60HVL UNIVERSAL TENSILE TESTING MACHINE, 60,000-lb. cap., Mark III smart digital indicator, independent hydraulic pwr. supply, joy stick controlled, S/N 60HVL-1311.

SERVICE DIAMOND TOOL COMPANY HARDNESS TESTER MDL. H14-10 w/adjustable ht. stand, S/N 4005.

BOWERS PRECISION AIR GAUGE SYSTEM w/approx. 26 air gauging heads from 1.96" to 7.09" w/mandrel reciprocating air compressor and stand.

PRECISION GRANITE SURFACE PLATE, new 2008, 36" x 48" x 6", 2-ledge design w/heavy fabricated roller stand, grade A, S/N J-8-08.

HAND INSPECTION EQUIPMENT

MICROMETER SETS IN 1"-12" CASES, DEEP THROAT MICROMETERS; BORE GAGES UP TO 6" CAP.; 80" HELIOS DIGITAL CALIPER; ASSORTED HAND MEASURING TOOLS.



SATEC TENSILE TESTING MACHINE



BRINELL HARDNESS TESTER

**AUCTION: TUESDAY,
JUNE 27 • 9:30 A.M.**



CINCINNATI NO. 2 TOOL AND CUTTER GRINDER



TBT GUN DRILL GRINDER

2003

GRINDERS

TBT TWIN WHEEL GUN DRILL SHARPENER, new 2003 w/angular sharpening fixtures and coolant system, S/N 824539-03.

CINCINNATI NO. 2 TOOL AND CUTTER, 6" x 35-1/2" pwr. feed swivel tbl., torret dust collector, tilt swivel spndl. unit, gun drill sharpening fixture, universal work head, grinding vice, internal grinding attachment, wheel collets, assorted tbl. change gears, tooth rests, (2) sets of centers, S/N F5860-E-81-09-08.

BROWN & SHARPE 8" X 18" MICROMASTER SURFACE GRINDER, 8" x 18" fine line magnetic chuck, fine cross and downfeed, external coolant system, S/N 523-8186-9321.

HORIZONTAL BANDSAWS

(2) HEM MDL. H160A, new 1990, 25" round cap., 2" blade size, 15 HP, auto. feed, 10' HD infeed tbl., 10' aux. tbl. w/pwr. feed, 5' heavy-duty outfeed tbl., S/N 328790, S/N S/N 321590.

HEM MDL. H105A, 16"W. x 14"H. cap., 1.25" blade width, 7.5 HP, auto. feed, (2) 10' heavy-duty infeed roller conveyors, output tbl., S/N 366292.



HEM MDL. H160A AUTOMATIC HORIZONTAL BANDSAW

2 AVAILABLE

MISCELLANEOUS MACHINERY

ANDCO COMPANY TWO-PLANE WIRE STRAIGHTENER, vert. and horiz. straightening rolls, input and output pinch rolls w/pneumatic assist, chain drive.

CUSTOM PNEUMATIC CUT-OFF PRESS, approx. 9" max. width, under driven up stroking air cylinder.

KIRA MDL. KRTG-540 GEARED HEAD DRILL, #4 Morse taper spndl., spds.: 95-1,700 RPM, pwr. feed, adjustable ht. tbl., S/N 53908.

MEGOMAT MDL. ASM3001A AUTO. TERMINAL CRIMPING MACHINE w/bowl feed, wire straightener, S/N 0007A0758.

ARTOS MDL. PF1 CRADLE FEED, S/N 42465 w/pwr. pay off.

MILWAUKEE PANEL SAW, 5' x 10'.

**On-Site Bidding in Richardson, Texas or
Bid Via Webcast at**

BidSpotter.com

PROXY BIDS

If you cannot attend this sale or bid online, we will bid on your behalf. Contact Houston office at (713) 691-4401 for instructions, or go to our website at www.pmi-auction.com.

FINANCE YOUR AUCTION PURCHASE

Conserve Your Cash & Increase Your Bidding Power
AuctionLea\$e Provides M&E Financing With Approvals
from \$5,000 to \$999,000 • (800) 438-1470
Apply Online: www.AuctionLease.com



NEWBURY VERTICAL INJECTION MOLDER

PLASTIC MACHINERY

NEWBURY 30 T. MDL. V4-30ARS VERTICAL INJECTION MOLDING MACHINE, new 1997, Conair SC7.5 carousel dryer, vacuum feeder, S/N 119330-30AS-97.

CONAIR MDL. MPA3 PORTABLE CHILLER UNIT, self-contained chiller, S/N 42866.



PMI AUCTION

INSPECTION:
Monday, June 26
9:00 A.M. to 4:00 P.M.
& Morning of Sale

AUCTION: TUESDAY, JUNE 27 • 9:30 A.M.

Formerly Assets of
TRIDENT METALS
405 N. PLANO ROAD, BUILDING #3
RICHARDSON, TEXAS 75081

FORKLIFTS

HYSTER 15,500-LB. CAP. MDL. H155FT, new 2010, diesel engine, 140" standard mast, 173" lift ht., forks, S/N J006V03317H.

YALE 10,000-LB. CAP. MDL. GLC100VXNSE100, new 2011, LPG engine, 100" triple stage mast, 208" lift ht., forks, S/N E818V03756J.

COMBI-LIFT 8,000-LB. CAP. MDL. C8000, LP engine, 1,612 H.O.M., S/N 9400.

YALE 8,000-LB. CAP. MDL. GLC080VXNSE100, new 2011, LP engine, 100" triple state mast, 218" lift ht., forks, S/N E818V03755J.

YALE 6,000-LB. CAP. MDL. GLP060VXEVS093, new 2006, LP engine, 93" triple state mast, 199" lift ht., side shift, forks, S/N B875B06926D.

HYSTER 3,000-LB. CAP. MDL. H30FT, new 2005, LP engine, 90" lift ht., forks, S/N F001V01639C.



2011

YALE 10,000-LB. CAP LPG FORKLIFT



2006

YALE 6,000 LB. CAP LPG FORKLIFT



2011

YALE 8,000-LB. CAP LP FORKLIFT

UNABLE TO ATTEND?

Bid on-line in real time at [BidSpotter.com](http://www.BidSpotter.com)
TO PARTICIPATE YOU MUST:

1. Register at www.BidSpotter.com. Use the link to BidSpotter on PMI's website calendar. **DO IT NOW.**
2. Either send wire transfer, or, overnight delivery service a cashier's check deposit in the amount of \$3,000 (U.S. Bidders) or \$10,000 (Foreign Bidders) to:
Plant & Machinery Inc., 1304 Langham Creek Drive, Suite 454, Houston, TX 77084

Wire transfer instructions can be found at pmi-auction.com

You must be registered and have your deposit in the hands of Plant & Machinery, Inc. at least 24 hours prior to the start of the auction. Failure to register and/or failure to send your deposit to Plant & Machinery, Inc. may disqualify you from bidding. **DON'T WAIT.**

If you need assistance, don't hesitate to call (713) 691-4401.

ALL WEBCAST BIDS ARE SUBJECT TO AN 18% BUYER'S PREMIUM.

2005



HYSTER 3,600-LB. CAP LP FORKLIFT



KADY AND BUSHMAN SHEET LIFTERS



ANVER VACUUM SHEET LIFTER

MATERIAL HANDLING EQUIPMENT

ANVER VACUUM SHEET LIFTER, Mdl. EP390M3-110, 3,900-lb. load cap., VP3 vacuum generator, (3) vacuum cups, 12' length, max. load length 12', max. load w/6' w/built-in stand, 110v. operation, S/N EP93141.

KADY 7-1/2 T. CAP. POWER SHEET LIFTER, 15,000-lb. cap., Mdl. HSL7584MSP-1, elect. operation, 96" length, S/N 11-46925.

BUSHMAN 5 T. CAP. SHEET LIFTER 10,000-LB. CAP., Mdl. 5500, manual expansion, S/N B9961-B.

(4) AMERICRANE 1/2 T. CAP. PEDESTAL JIB CRANE, 1/2 T. demag elect. chain hoist, approx. 10' reach, 8' ht. under hook, free standing design.

SHANNAHAN 4 T. CAP. SPREADER BAR, 24'L. w/stand, (5) underhung hooks.



4 AVAILABLE

AMERICRANE 1/2 T. PEDESTAL JIB CRANE

(4) CUSTOM SPREADER BARS, (5) underhung hooks, approx. 400"L., unknown cap. w/stand.

FORKLIFT STYLE BARREL HANDLER W/CHAIN TILT. ASSORTED STACKING MATERIAL RACKS.



INGERSOLL RAND 25 HP AIR COMPRESSOR

RECIPROCATING AIR COMPRESSORS

INGERSOLL RAND T30 TANK MOUNTED, 25 HP, mounted to 240 gal. tank, new 1998, S/N 30T887366.

SPEEDAIRE MDL. 5F233B, 120 gal. horiz. tank, 10 HP drive, 34.2 SCFM @175 PSI, 175 max. pressure, S/N L9-24-2001-00016.

MATERIAL HANDLING EQUIPMENT

(14) GALBREATH 3 CU. YD. SELF-DUMPING HOPPERS; (18) GALBREATH 1-1/2 CU. YD. SELF-DUMPING HOPPERS; GALBREATH 1 CU. YD. SELF-DUMPING HOPPER; FORKLIFT BARREL HANDLER; (2) HYDRAULIC PALLET JACKS; BANDING CART w/tools; SEVERAL 2-WHEEL DOLLIES.



18 AVAILABLE

1-1/2 CU. YD. SELF-DUMPING HOPPERS

On-Site Bidding in Richardson, Texas or Bid Via Webcast at BidSpotter.com

REAL ESTATE FOR SALE BY PRIVATE TREATY

Warehouse Space Located at 14710 Cypress N. Houston, Cypress, Texas 77429



Contact PMI Real Estate Division: Mark Thomas (713) 594-1576

PROPERTY FEATURES

TOTAL SIZE: 46,400 Sq. Ft.

ACREAGE: 5.57

OFFICE: 6,000 Sq. Ft.

WAREHOUSE: 4,000 Sq. Ft.

SHOP: 32,000 Sq. Ft.

OTHER: 4,400 Sq. Ft.

AMENITIES: Fenced/Secured

CRANES: (1) 15 T. Bridge

(1) 17.5 T. Bridge

(2) 20 T. Bridge

(1) 32/10 T. Bridge

PRICE: \$2,750,000

PLANT & MACHINERY INC.
AUCTIONEERS • APPRAISERS • LIQUIDATORS • REAL ESTATE

P.O. Box 19100
Houston, TX 77224-9100

DATED MATERIAL - PLEASE DELIVER



PUBLIC INVITED
AUCTION: TUESDAY, JUNE 27 • 9:30 A.M.

INCREDIBLE DEEP HOLE BORING & TURNING FACILITY

FEATURING: (7) WOHLBERG COUNTER ROTATING DEEP BORE BORING MACHINES UP TO 433" DEPTH, AS LATE AS 2006, TBT BORING MACHINE, SIG CNC GUN DRILL, (5) LARGE CAP. HOLLOW SPINDLE LATHES, 1,000 T. X 45' & 350 T. X 35' SAVAGE TRAVELING COLUMN STRAIGHTENING PRESSES, HUGE ASSORTMENT OF TOOLING, MATERIAL HANDLING EQUIPMENT, & MUCH, MUCH MORE!



ATTENTION: PLANT MANAGER OR EQUIPMENT BUYER

Presorted
First Class Mail
U.S. Postage
PAID
Eugene, Oregon
Permit No. 17



WOHLBERG PB2-1000 X 4M COUNTER ROTATING DEEP HOLE BORING MACHINE

DIRECTIONS

FROM DFW AIRPORT: Exit airport using State Hwy. 161. Merge onto I-635 E/LBJ Fwy. E and proceed approx. 10-1/2 miles. Merge onto US-75 N via Exit 19A toward McKinney and proceed approx. 3 miles. Take Exit 25 toward Arapaho Road. Turn right onto E Arapaho Road and proceed approx. 2 miles. Turn right onto N Plano Road and then turn right at the first red light which is Apollo Road. The auction site is the third building on the right. Watch for auction signs.

LODGING

- Hampton Inn & Suites..... (972) 231-9800
2250 N. Glenville Drive, Richardson, Texas 75082
- Courtyard By Marriott (972) 620-8000
2930 Forest Lane, Dallas, Texas 75234
- Comfort Inn & Suites..... (972) 699-7400
13165 North Central Expressway, Dallas, Texas 75243

UNABLE TO ATTEND?

Bid on-line in real time at **BidSpotter.com**
TO PARTICIPATE YOU MUST:

1. Register at www.BidSpotter.com. Use the link to BidSpotter on PMI's website calendar. **DO IT NOW.**
2. Either send wire transfer, or, overnight delivery service a cashier's check deposit in the amount of \$3,000 (U.S. Bidders) or \$10,000 (Foreign Bidders) to:
Plant & Machinery Inc.
1304 Langham Creek Drive, Suite 454, Houston, TX 77084
Wire transfer instructions can be found at pmi-auction.com

You must be registered and have your deposit in the hands of Plant & Machinery, Inc. at least 24 hours prior to the start of the auction. Failure to register and/or failure to send your deposit to Plant & Machinery, Inc. may disqualify you from bidding. DON'T WAIT.
If you need assistance, don't hesitate to call (713) 691-4401.
ALL WEBCAST BIDS ARE SUBJECT TO AN 18% BUYER'S PREMIUM.

FINANCE YOUR AUCTION PURCHASE

Conserve Your Cash & Increase Your Bidding Power
AuctionLea\$e Provides M&E Financing
With Approvals from \$5,000 to \$999,000
(800) 438-1470
Apply Online:
www.AuctionLease.com

PARTIAL TERMS & CONDITIONS

A 15% Buyer's Premium Will Apply On-site.
An 18% Buyer's Premium Will Apply to Webcast Bids. See Above Rules for Participation.
Everything will be sold to the highest bidder or bidders for cash in accordance with the auctioneer's Customary Terms of Sale, copies of which will be posted on the premises.
ALL PAYMENTS MUST BE MADE BY CASH, CASHIER'S CHECK, WIRE TRANSFER OR COMPANY CHECK WITH BANK LETTER GUARANTEEING PAYMENT TO PLANT & MACHINERY INC.
Here is an example of what your letter should be: *Mr. "Customer Name" is a customer of this bank. This bank will guarantee unqualified payment to PMI on the account listed herein up to the amount of \$_____. This letter is good until July 27, 2017.*
In default of payment of bills in full within the time therein specified, the Auctioneer in addition to all other remedies allowed by law, may retain all monies received as deposit or otherwise, as liquidated damages. All items must be removed by the time announced at the start of the sale.
Lots not paid for and/or removed within the time allowed may be resold at public or private sale without further notice, and any deficiency, together with all expenses and charge of resale, will be charged to the defaulting purchaser.
The buyer acknowledges that he or an agent has inspected all of the assets upon which he will be bidding and/or does purchase.
Buyer agrees to accept assets purchased "AS IS," WITH "ALL FAULTS" AND "WITH REMOVAL AT BUYER'S RISK AND EXPENSE." THE AUCTIONEER EXPRESSLY DISCLAIMS ON THE

PART OF THE AUCTIONEER AS AGENT AND THE SELLER, ANY WARRANTY AS TO FITNESS OR USABILITY OF ALL THE ASSETS, AND THE BUYER EXPRESSLY WAIVES ANY CLAIM IN RESPECT TO ANY POSSIBLE FUTURE USE OF ANY ASSET PURCHASED FOR ANY PURPOSE WHATSOEVER.
The buyer does hereby assume and does agree to indemnify and hold the auctioneer harmless from any future claim which shall pertain to the fitness or use of that asset as being purchased. Riggers, movers, electricians and buyers performing work at the Auction Site must provide PMI with evidence of insurance. The insurance coverage must be at a level acceptable to PMI and to the seller. PMI reserves the right to withdraw items, alter the order of the sale, accept bids from the seller, and group lots as it may deem appropriate. This auction may include consignment items.
Although all information has been obtained from sources deemed reliable, the auctioneer and seller make no warranty or guarantee, expressed or implied, as to the accuracy of the information herein contained, or contained in our catalog. It is for this reason that buyers should avail themselves of the opportunity to make inspection prior to the auction. Although it is not likely, auction sales are subject to cancellation or postponement. Kindly contact auctioneer prior to attendance.
These terms and conditions may be modified or supplemented by language in the catalog available at the sale site or by announcement at the start of the sale. Bidders should be attentive to those announcements and to the catalog language.