

**2-DAY SPECTACULAR MULTI-MILLION DOLLAR OFFERING!
LATE-MODEL FABRICATING & CNC HEAVY MACHINING FACILITY**



MDL MANUFACTURING INDUSTRIES, INC.

15 Commerce Court, Bedford, PA 15522

INDUSTRIAL REAL ESTATE FOR SALE

93,000 Sq. Ft. Manufacturing, Warehouse and Offices –
To Be Sold at Auction Subject to Sellers Confirmation

FEATURING: Fiber & Co2 Lasers – New as 2015! • 2015 River Sheet Delivery System • 2011 Amada Bending Cell • 2007 Amada 7-Axis Brake • 2013 550-Ton Dener CNC Press Brakes in Tandem • 2011 7-Axis Robotic Welding Cells • (4) Viking Blast Cabinets – New as 2014 • Late-Type Plasma Table • 2015 CNC 5-Face Double Column Machining Center • 2006 & 2011 5" CNC Horizontal Boring Mills • Horizontal Machining Centers – New as 2012 • (8) Vertical Machining Centers – New as 2009 • CNC Turning Centers • 2013 Faro Arms • Forklifts & Combi-Lifts • Manlifts • Bridge Cranes Up to 10-Ton – New as 2015 • PLUS MUCH MORE!



2015

Mitsubishi ML3015NX-F40(S) 4 kW Fiber Laser



2011

242-Ton x 168.5" Amada HDS2204NTW Servo Hydraulic Brake, with Astro 165 Robotic Bending Cell



2011

5.31" Hyundai Wia KBN-135CL CNC Table Type Horizontal Boring Mill

Vision-Wide V-Tek NF-6226 CNC 5-Face Double Column Vertical Machining Center, with Programmable Indexing Right Angle Head

Can't attend this auction?
Bid online at
BidSpotter.com
Live Interactive Webcast Auctions



2015

To Register For This Auction, Please Visit www.kosterindustries.com

AUCTION DATES: Tuesday, June 12th & Wednesday, June 13th, 2018 at 10:00 a.m. Each Day

ONE DAY ONSITE INSPECTION: Monday, June 11th, from 8:00 a.m. to 4:00 p.m. or by Appointment



2015

Mitsubishi ML3015NX-F40(S) 4 kW Fiber Laser

LASERS: DAY 1

2015 MITSUBISHI ML3015NX-F40 (S) 4 kW Fiber Laser, Y-axis 63", X-axis 126", nozzle changer, automatic pallet changer, linear drive Z-axis 4.7", (3) scrap draws, chiller unit, Mitsubishi LC30BF 64-Bit PC touch screen control, Mitsubishi 4,000-watt fiber laser resonator, S/N: 53NF40044 (6,202 hours power on – 1,506 hours beam on cutting)

2015 MITSUBISHI ML3015EX(S) 6 kW CO2 Laser, 60" x 120", nozzle changer, automatic pallet changer, Mitsubishi 60XF 6,000-watt resonator, chiller unit, S/N: 1560XF0074 (6,485 hours power on – 1,917 hours beam on cutting)

2015 RIVER CM510 MSCII Sheet Storage and Delivery System, capability 5' x 10', 6000-lb., (8) bays, max. (153) pallets, equipped with (60) pallets, stacker crane, rear cart station with pin scissor table. New cost of \$1,245,000

(4) Part Unloading Carts, 11,000-lbs. per cart, system set-up to handle (3) lasers

2009 PRIMA PLATINO 2040 CV5000 5 kW CO2 Laser, Primach-20L 64-bit CNC, 80" x 160", 4th axis rotary chuck for tube cutting, Convergent CV5000 laser resonator, automatic pallet changer, chiller, dust collector, Prima tower server 10-shelf tower with sheet load/unload system, S/N: 4320212 (20,785 hours power on – 8,916 shutter open hours)



2015

Mitsubishi ML3015EX(S) 6 kW CO2 Laser

PRESS BRAKE TOOLING: DAY 1

Large Quantity of European and American Style Press Brake Dies

Large Quantity of European Filler Blocks

26' Long Adjustable Lower Bending Die



2015

River CM510 MSCII 153-Pallet Sheet Storage and Delivery System



DAY 1: Tuesday, June 12th at 10:00 a.m.



2009

Prima Platino 2040 5 kW CO2 Laser, with Sheet Loader /Unloader



2011

242-Ton x 168.5" Amada HDS2204NTW Servo Hydraulic Brake, with Astro 165 Robotic Bending Cell



2007

138-Ton x 10' Amada FAB-III 1253NT 7-Axis CNC Brake



2013

(2) Dener DE500-40 ACLCCS-TNDR 550-Ton x 4050mm CNC Press Brake in Tandem

PRESS BRAKES: DAY 1

2011 AMADA HDS2204NTW Servo Hydraulic Brake/Astro 165 Robotic Bending Cell, 242-ton x 168.5", 148" between housings, 9.84" stroke, 17.72" throat, 26" open height, Yaskawa 6-axis robot, part load/unload, AMNC/PS 8-axis CNC brake controller, options; (6) part handling fixtures, Bi-J high-speed precision bend sensor 90–150 degree angle check range. S/N: 22403356

2007 AMADA FAB-III 1253NT 7-Axis CNC Brake, 138-ton x 10', 118" between housings, 5.9" stroke, 16.5" open height, 15.76" throat depth, AMNC-PC 7-axis CNC, bed crowning, 5-axis back gauge, one touch european upper tool clamps, electric foot switch and full length treadle control, S/N: 12533248

(2) 2013 Dener DE500-40 ACLCCS-TNDR 550-Ton x 4050mm CNC Press Brakes, (2) brakes set-up in tandem 1,100-ton x 26' overall bending length, (2) ESA 5-axis CNC controls, 2-axis heavy-duty 40" range back gauge, (4) manual z-axis fingers each brake, (2) front support arms each brake, 159.4" overall bed length each machine, 24" throat depth, 29" throat height, approximately 19" stroke, lower crowning die, european style tool clamps, S/N: 35040-13108, S/N: 35040-13107

GASPARINI POA 160 176-Ton x 12' Brake, PC800 CNC control, 5-axis CNC back gauge, dual foot switch control

GASPARINI PBS 045 49.5-Ton x 6' Brake, Delem DA65 CNC control



Yaskawa Motoman MA1900 7-Axis Robotic Welding Cells, with Dual Station Trunnions

ROBOTIC WELDING CELLS: DAY 1

2011 YASKAWA Motoman MA1900 7-Axis, DX100/MA1900 controller, Teach pendant, Miller Axcess 450Di power supply, dual station trunnions 114" x 48" x 3,300-lb. cap., Motoman Touch Sense ComArc III option, Tregaskiss head cleaner, S/N: S1V138-12

2011 YASKAWA Motoman MA1900 7-Axis, DX100/MA1900 controller, Teach pendant, Miller Axcess 450Di power supply, dual station trunnions 114" x 48" x 3,300-lb. cap., Motoman Touch Sense ComArc III option, Tregaskiss head cleaner, S/N: YRMA01900-A00

MOTOMAN UP 6-Axis, 13.23-lb. load capacity, 54" reach, Yasnac XRC2001, Miller Auto Envision II weld power supply, Teach pendant control, (2) station turntable, S/N: S1M618-11



120" Dia. Viking 120T Blast Cabinet

BLAST CABINET MACHINES: DAY 1

2014 VIKING 120T, 120" dia. table, 20,000-lb. weight capacity, 60" max. height, (4) 15 HP blast wheels, full liner upgrade package replaceable 1/2" thick cast chrome entire opposing wall, V-slot (2) swing doors, auto abrasive adder, abrasive trap

2012 VIKING SH3660 Spinner Hanger, (2) 34" x 60" blast chambers, (2) 15 HP direct drive blast wheels, 750-lb. hook part weight, multi-station indexing, full liner blast cabinet option, V-notch option for overhead lifting, abrasive trap, digital blast timer

2008 VIKING 7260T, 72" dia. table, 60" max. work height, (2) 15 HP blast wheels, cabinet 1/2" thick replaceable cast wear resistant chrome/moly liners

2004 VIKING 48T, 48" dia. table, 34" max. work height, 3200-lb. weight capacity, cabinet 1/2" thick replaceable cast wear resistant chrome/moly liners, 20 HP, 15" dia., 8-blade center fed blast wheel, abrasive recycling system, digital blast timer



View of Viking Shot Blast Cabinets

BANDSAWS: DAY 1

(2) 2013 COSEN C520-NC Horizontal Bandsaw, double column, 20.5" x 22" capacity, 250" x 2.1" x 0.06" blade size, 7.5 HP blade motor, 2 HP hydraulic motor, coolant, auto bar-feed, programmable control, S/N's: C1020468, C1010425

HYD-MECH S25A Horizontal Bandsaw, 18" x 27" capacity, 18" round, 1.5" blade, auto bar-feed, S/N: 9019182

60" DoALL 6012-3 Vertical Bandsaw, power feed table, vari-speed, blade welder, S/N: 199-67118

16" DoAll ML Vertical Bandsaw, Welder Grinder

PLASMA CUTTING TABLE: DAY 1

2013 CUTTING SYSTEMS, INC. KODIACK, Hypertherm Edge Pro CNC control, 10' x 46' effective cutting area, 10' x 47' x 26" multi-zoned down draft cutting table with removable slag pans, 55' floor mounted rail, (2) plasma torch stations with Hypertherm ArcGlide torch height control, (2) Hypertherm HyPerformance plasma HPR 400XD power supplies with Power Pierce Shield Technology with water cooled shield, with (2) oxy cutting heads



20.5" x 22" Cosen C520-NC Horizontal Bandsaws



10' x 46' Cutting Systems Inc. Kodiack CNC Plasma Cutting Table

BENDING ROLL: DAY 1

2005 AMERICOR LH-80/5, 3-roll single pinch, 1.6mm x 1950mm, 61" roll length, 3" roll dia., power rear roll tilt, hydraulic pinch and bending roll adjustment, S/N: 3190181

IRONWORKER: DAY 1

88-Ton GEKA HYDRACROP 80/A, 5" x 5" x 1/2" angle, 18" x 5/8" flat bar, 12" throat, dual work stations, dual electric foot switches, coper/notcher, S/N: 12642

BELT SANDER, CNC: DAY 1

36" TIMESAVER 3121-13-04 Vertical Belt Sander, dual head, wet-type, E1070 controls, S/N: 30962



36"
Timesaver
3121-13-04
Vertical
Belt
Sander



88-Ton
Geka
Hydracrop
80/A
Hydraulic
Ironworker

CRANES, BRIDGE & ROLLING GANTRY: DAY 1

(2) **2015 ALTOONA 10-Ton x Approximate 55' Span**, top running, single girder, Demag 10-ton hoist 20' lift, radio control, 120 FPM variable bridge speed, 20/80 FPM trolley speed, 20/3.3 FPM hoist speed, (2) cranes available

2013 KONE 10-Ton Approximate 57' Span, double girder, 20' lift, 100 FPM variable bridge speed, 65' FPM variable hoist speed, 19/3.3 FPM hoist speed, radio control

PROGRESSIVE 10-Ton Approximate 57' Span, double girder, 20' lift, radio control
HANDLING SERVICES INC. 2-Ton Approximate 30' Span, pendant control crane system, 20' lift, with 33' long runway rail and uprights

(2) **CRANE-TECH 1-Ton Approximate 45' Span**, single girder, under hung bridge, pendant controls

(2) **CRANE-TECH 1-Ton Approximate 38' Span**, single girder, under hung bridge, pendant controls

(2) **2013 KONE 1-Ton x Approximate 45' Span**, single girder, under hung bridge, pendant controls

2006 Vestil Mdl. FHS-4-10 2-Ton Rolling Gantry Crane, 2-Ton Milwaukee electric hoist, 19' long x 10' high, S/N: S410704

PAINT DEPARTMENT: DAY 1

RAPID ENGINEERING Batch Cure Oven Mdl. 121225, 500 degree F max. operating temperature, 2.4 million BTU/hour burner capacity, 2,400 ACFM safety vent exhaust fan, 12 minutes min. pre-ignition purge, digital controls, 160"W x 25'L x 12'H, double doors, S/N: 082103

Phosphate Rinse System, (6) stainless steel tanks, 7.5 HP vacuum pump, gantry crane system with (3) 500-lb. electric hoists, rinse and desmutter

(3) **Paint Booths**, 14'W x 27'L x 12'H, double door, rear exhaust filtration system

HARBEL Paint Shaker, 5 gal. capacity

UNIRAM 900EP2SS Solvent Still, URS900 touch container, timers, stainless

ENCON DE2B Evaporator, mfg. 2012, S/N: 37280, 42" x 24" dia. x 36" height

JRI SKFL-500 Parts Washer, front loading, wash/cycle tanker, heater

Drying Racks, Large Quantity of Parts

Drying Racks

Sand Blast Pot

RAW MATERIAL: DAY 1

Miscellaneous Steel Plate and Sheet Stock



Rapid Engineering
Mdl. 121225
500 Degree
Batch Cure
Oven



10-Ton Altoona/DeMag Radio Controlled Overhead Bridge Cranes



10-Ton Kone Double Girder Overhead Bridge Crane



View of Paint Booths

DUST COLLECTORS: DAY 1

DONALDSON TORRIT DF3-6, S/N: TG568769-001, 6-cartridge, 7.5 HP

VIKING SFC4-2, S/N: 60065819, 4-cartridge, 7 HP

(4) **ACT (Air Cleaning Technology) ACT3-24 Systems**, 30 HP, 12-cartridge, S/N: 15594, mfg. date: 2013, S/N: 15593 mfg. date: 2013, S/N: 15592 mfg. date: 2013, S/N: 15575 (20 HP) mfg. date: 2013

FARR 6D, (6) filter cartridges, (1) drum, S/N: 95DC23052

UNITED AIR SPECIALTIES FJL-2, S/N: 60044735



WELDERS/WELD POSITIONERS/BEVELER: DAY 1

ARONSON MD HD 20PTVR-1.22 Power Tilt, vari-speed, 2,000-lb. capacity, S/N: 632, 18" dia.

ALL FAB PS2F5A Vertical Welding Positioner, bench-type with tailstock, Panjiris welding positioner with 8" 3-jaw chuck

HYPERTHERM POWERMAX 1650 G3 Series, S/N: 1650-015962

HYPERTHERM POWERMAX 1000 G3 Series, S/N: 1000-027791

MILLER Dimension 452, 400 AMP, CC-CV-DC, W.P.S. with Series 70 WF, S/N: LC677606

(4) MILLER Deltaweld 452 CV-PC, 450 AMP, W.P.S with Miller Series 70 WF, S/N: MC180452V, MB390624w, MC280202C, MB390625W

(2) MILLER MD XMT 450 MPA, 400 AMP, W.P.S with Miller 5-74 MPS WF, S/N: MC3606584, MC360657

(4) MILLER Syncrowave 350LX, 300/350 AMP, W.P.S with Tig gun, chiller
MILLER MP65E CP-DC, W.P.S, S/N: JA43816

(6) MILLER Millermatic 350, 300 AMP, W.P.S with wire feed, (phase 1) S/N's: LF129482, LE282353, LH400778B, LE282352, LE282352, MB391129N

EWALD 1960-1Z Rotary Seam Welder, with Nitron control, S/N: 203051
HECKS CHP-12 Beveler



17,300-Lb. Combilift CL42173DA49

FORKLIFTS: DAY 1

UNICARRIERS Mdl. MCP1F2A25LV
4,400-Lb. Capacity LPG Forklift, 187" lift, solid tires, side shift, 48" forks, 961 hours on meter, S/N: CP1F2-9W22399

HYSTER Mdl. S120XLS 11,700-Lb. Capacity LPG Forklift, 184" lift, solid tires, side shift, 72" Forks, 1,761 hours on meter, S/N: D004V091515

CATERPILLAR Mdl. GC25K 4,350-Lb. Capacity LPG Forklift, 188" lift, solid tires, side shift, 48" forks, 8,201 hours on meter, S/N: AT82D03641

CATERPILLAR Mdl. C5000 4,750-Lb. Capacity LPG Forklift, 187" lift, solid tires, side shift, 42" forks, 4,408 hours on meter, S/N: AT9001534

NISSAN Mdl. MCPL02A25LV 3,150-Lb. Capacity LPG Forklift, 187" Lift, solid tires, side shift, 42" forks, 6,215 hours on meter, S/N: CPL02-9P2989

NISSAN Mdl. MCP1F2A25LV 4,400-Lb. Capacity LPG Forklift, 187" lift, solid tires, side shift, 42" forks, 3,160 hours on meter, S/N: CP1F2-9W1417

COMBILIFT Mdl. CL42173DA49 17,300-Lb. Capacity Side-Loader Forklift Truck, mfgd. 06/08, gasoline engine, 3-stage mast, 96" forks, 60" carry-deck, 24" load center rating, 3-wheel chassis, enclosed cab with heat, 6,639 hours on meter, S/N: 7021



View of Welders



JLG E300AJ Articulating Boom Manlift

2006

MAN LIFTS: DAY 1

GENIE Mdl. 2-30/20HD Battery Powered Articulated Boom Manlift, 31' max. platform height, 500-lb. capacity, 11L-155L foam filled tires, S/N: 30-87-1481

2006 JLG Mdl. E300AJ Battery Powered Articulated Boom Manlift, 30' max. platform height, 20" max. horizontal reach, 500-lb. capacity, 25 x 7-12 solid tires, fly jib, S/N: 0300091141

2005 JLG Mdl. 2630ES Battery Powered Scissors Lift, 25'4" max. platform height, 500-lb. capacity, 24 volt, 449 hours on meter, S/N: 0200131062



4,400-Lb. Unicarrier MCP1F2A25LV Forklift

LOW HOURS

FLOOR CLEANERS: DAY 1

ADVANCE "Advenger" Ecoflez

ADVANCE "Terra 430B"

FACTORY CAT Floor Sweeper



View of Liquid /Nitrogen Tanks

LIQUID OXYGEN/NITROGEN TANKS: DAY 1

UCAR Liquid Oxygen Tank 1,500 Gal., National Board, No. 5640, S/N: TM-1500 20166, M.A.W.P 250 PSI, M.A.T.R. -320 degrees F to +150 degrees F IT, SH .348" min, HD .328"mm, R-Ell

TAYLOR-WHARTON Liquid Nitrogen Tank, S/N: UT-1500 G1885 (2004), M.A.W.P. 500 PSI @ 100 degrees F, M.D.M.T -320 degrees F at 500 PSI, SH 588, HD 551, R-Ell, National Board, No. 70785

TRUCKS: DAY 1

2008 FORD Super Duty F-250XL 2x4 Pickup Truck, VIN: 1FTSX31F91EB02863, automatic, 8' bed, approximately 84,164 miles, VIN: 1FTNF205X8ED84136

2008 FORD F-750 XLT Super Duty 22' Box Van Truck, VIN: 3FRWF75G08V666921, diesel, 6-speed, air ride, Supreme 22' aluminum van body with Roll-VR door, PW/PL AC, 86,975 miles on odometer

ONE DAY ONSITE INSPECTION: Monday, June 11th, from 8:00 a.m. to 4:00 p.m. or by Appointment

To Register For This Auction, Please Visit www.kosterindustries.com

2015



Vision-Wide V-Tek
NF-6226 CNC
5-Face
Double Column
Vertical Machining
Center, with
Programmable
Indexing
Right Angle Head

**DAY 2:
Wednesday
June 13th, 2018
at 10:00 a.m.**

**CNC 5-FACE DOUBLE COLUMN
VERTICAL MACHINING CENTER:
DAY 2**

2015 VISION-WIDE V-TEK NF-6226 CNC 5-Face Double Column Vertical Machining Center, Fanuc 0iMD CNC control, X-244.09", Y-102.36", Z-40.15", 106.3" between columns, 46" max. spindle nose to table, 236.22" x 96.45" table, 39,600-lb. work weight, automatic head changer, 40 ATC, spindle speeds: 2-steps to 4,000 RPM, thru-spindle coolant, hardened and ground box ways, chip conveyor, S/N: NF-0270, equipped with 34 HP/3,000 RPM programmable 1-degree indexing right-angle head



2011



5.31" Hyundai Wia
KBN-135CL
CNC Table Type
Horizontal
Boring Mill

**CNC HORIZONTAL BORING MILLS:
DAY 2**

2011 5.31" HYUNDAI WIA KBN-135CL CNC Table Type Horizontal Boring Mill, Fanuc 31i-A CNC control, 5.31" spindle, X-157.48", Y-98.42", Z-27.56", W-78.74", 78.74" x 70.86" 360,000 position B-axis rotary table, 44,000-lb. work weight, 3-2,500 RPM, 60 ATC, thru-spindle coolant, CAT 50 taper, rigid tapping, chip conveyor, 35 HP, S/N: G3215-0045

2006 5.31" HYUNDA KIA KBN-135 CNC Table Type Horizontal Boring Mill, Fanuc 16i-MB CNC control, 5.31" spindle, X-118.11", Y-78.74", Z-27.56", W-62.99", 78.7" x 70.86" 360,000 position B-axis rotary table, 22,000-lb. work weight, 5-2,000 RPM, 60 ATC, thru-spindle coolant, CAT 50 taper, chip conveyor, 30 HP, S/N: 0096

2006



5.31" Hyundai Kia
KBN-135
CNC Table Type
Horizontal
Boring Mill

**SPECTACULAR MULTI-MILLION
DOLLAR OFFERING!
LATE-MODEL FABRICATING & CNC
HEAVY MACHINING FACILITY**



**MDL MANUFACTURING
Industries, Inc.**

15 Commerce Court, Bedford, PA 15522

**ONE DAY ONSITE INSPECTION: Monday, June 11th,
from 8:00 a.m. to 4:00 p.m. or by Appointment**

SPECTACULAR MULTI-MILLION DOLLAR OFFERING! LATE-MODEL FABRICATING & CNC HEAVY MACHINING FACILITY



**MDL MANUFACTURING
INDUSTRIES, INC.**
15 Commerce Court, Bedford, PA 15522

**LIVE ONSITE
& WEBCAST
AUCTION**

CNC HORIZONTAL MACHINING CENTERS: DAY 2

2012 HYUNDAI WIA HS6300 CNC Horizontal Machining Center, Fanuc 31iA CNC control, travels: X-41.3", Y-34.4", Z-34.4", 2APC, 24.8" x 24.8" pallets, 90 ATC, CAT 50 taper, 8,000 RPM, 30 HP motor, thru-spindle coolant, chip conveyor, S/N: G3646-0277

2012 HAAS EC500 4-Axis CNC Horizontal Machining Center, X-32", Y-20", Z-28", 2APC, 19.7" x 19.7" pallets, 0.001 degree pallet rotation, 40 ATC, 12,000 RPM, 30 HP motor, probe, chip auger, S/N: 2053758

2002 KITAMURA MyCenter HX400i 4-Axis CNC Horizontal Machining Center, Fanuc 16iM CNC control, X-26", Y-24", Z-22", 2APC, 15.7" x 15.7" pallets, 0.001 degree pallet rotation, 50 ATC, 14,000 RPM, chip conveyor, S/N: 42546

KITAMURA MyCenter HX400 4-Axis CNC Horizontal Machining Center, Fanuc 16iM CNC control, X-26", Y-24", Z-22", 2APC, 15.7" x 15.7" pallets, 0.001 degree pallet rotation, 50 ATC, 13,000 RPM, chip conveyor, S/N: 42469



Hyundai Wia HS6300 CNC Horizontal Machining Center

Can't attend this auction?
Bid online at
BidSpotter.com
Live Interactive Webcast Auctions



Haas EC500 CNC Horizontal Machining Center



View of Kitamura Mycenter HX400i and HX400 CNC Horizontal Machining Centers

To Register For This Auction, Please Visit www.kosterindustries.com

**AUCTION DATES: Tuesday, June 12th & Wednesday June 13th, 2018
at 10:00 a.m. Each Day**



2009

Haas VF-6/50 CNC Vertical Machining Center



2006

Hyundai Kia VX750M CNC Vertical Machining Center



2007

Hyundai Kia KV45 CNC Horizontal Shuttle Table Machining Centers

CNC VERTICAL MACHINING CENTERS: DAY 2

2009 HAAS VF-6/50 CNC Vertical Machining Center, X-64", Y-32", Z-30", with 64" x 28" table, 30 ATC, 7,500 RPM, 30 HP motor, CAT 50 taper, thru-spindle coolant, chip conveyor, S/N: 1074137

2006 HYUNDAI KIA VX750M CNC Vertical Machining Center, Fanuc 18iMB CNC control, X-61", Y-29.5", Z-28.3", with 70.9" x 27.6" table, 30 ATC, CAT 50 taper, 8,000 RPM, 4,409-lb. max. work weight, 30 HP motor, thru-spindle coolant, S/N: VX750M0146

(2) 2007 HYUNDAI KIA KV45 CNC Horizontal Machining Centers, Fanuc OiMC CNC control, X-31.5", Y-19.7", Z-19.7", 2APC shuttle, 45" x 18" pallets, 30 ATC, 8,000 RPM, 15 HP, thru-spindle coolant, chip conveyor, S/N's: 0636, 0635

(3) SUPERMAX YCM V56T CNC Vertical Machining Centers, X-22", Y-16", Z-20", 16 ATC, 15,000 RPM, Fanuc 18M CNC control, S/N's: 904062, 903047, 903039

KITAMURA MyCenter 3X CNC Vertical Machining Center, 10,000 RPM, 20 ATC, Yasnac CNC control, S/N: 11947

ANGLE PLATES, ROTARY TABLE, T-SLOTTED TABLES: DAY 2

DEVLIEG Angle Plates, 24" wide x 54" high x 30" deep base, S/N's: A91720, B91720

60" PRATT & WHITNEY Vertical Rotary Table, S/N: 29730

80" x 72" High Angle Plate

90" Wide x 84" High x 42" Deep Base Angle Plate

170" x 40" T-Slotted Table

118" x 36" x 24" Sub Table

(2) 118" x 36" x 24" High Sided T-Slotted Tables



View of Angle Plates and Tables

ONE DAY ONSITE INSPECTION: Monday, June 11th, from 8:00 a.m. to 4:00 p.m. or by Appointment

CNC TURNING CENTERS: DAY 2

2006 HYUNDAI KIA SKT-460 CNC Turning Center, Fanuc 21iTB CNC control, 34.5" swing, 62" max. turning length, 18" chuck, 12-station turret, tailstock, 50 HP, steady rest, chip conveyor, S/N: 0213

2006 HYUNDAI KIA SKT250SY CNC Turning Center, sub-spindle, C/Y-Axis, live milling, Fanuc 18iTB CNC control, 25" swing, 28" max. turning length, 12-station turret, 10" chuck, 6" sub-spindle, chip conveyor, S/N: G3725-0054

2006 HYUNDAI KIA SKT21LM CNC Turning Center, live milling, Fanuc OiTC CNC control, 21.7" swing, 21" max. turning length, 8" chuck, 12-station turret, part catcher, chip conveyor, S/N: 0262



Hyundai Kia SKT-460 CNC Turning Center



Hyundai Kia SKT21LM CNC Turning Center, with Live Milling



30 HP Kaeser ASD30T Compressor



Tornado 80" Tab Wrapper

CNC DRILLING & TAPPING CENTER: DAY 2

FANUC Robodrill AT14iA CNC Drilling and Tapping Center, Fanuc 16iM CNC control, 14-position turret, 15,000 RPM, S/N: 99XTH618



Mitsubishi FA20S CNC Wire EDM

CNC WIRE EDM: DAY 2

2006 MITSUBISHI FA20S CNC Wire EDM, 41.3" x 31.5" x 11.3" max. workpiece, 3,300-lb. max. work weight, Mitsubishi CNC control, S/N: J20M0796

TOOLROOM: DAY 2

TURN-PRO GS15V Vertical Knee Type Mill, 9" x 49" power feed table, 4,200 RPM, S/N: 131087

TURN-PRO GS18V Vertical Knee Type Mill, 9" x 54" power feed table, 3 HP, 4,200 RPM, S/N: 125130

HARDINGE HC Chucker, vari-speed, 125–3,000 RPM, S/N: HC6604-T

6" x 18" DoALL G1 Surface Grinder, direct drive, S/N: G1-45240

17" x 50" MORI SEIKI Lathe, Newall C80 DRO, inch/metric threading, 1,800 RPM, steady rest, S/N: 8986

10" x 20" MONARCH "EE" Lathe, vari-speed, 0–3,500 RPM, taper, S/N: 46759

ALSO: Unitek Tap Disintegrator, Chicago Riveter, Flex-Arms, Large T-Slotted Tables, Angle Plates, Grinders, Polishers, Large Quantity of Tool Holders, Vidmars, Perishable Tooling, Fixtures, Tombstones, Rotary Tables, Vises, Etc.

AIR COMPRESSORS: DAY 2

2010 KAESER SFC37 50 HP, 226 CFM, S/N: 1132

2006 KAESER ASD 30T 30 HP ABT57 Dryer, Sigma touch controls, 134 CFM, S/N: 1050

2006 KAESER ASD 30T 30 HP ABT57 Dryer, Sigma touch controls, 134 CFM, S/N: 1036

2010 KAESER TE141 Air Dryer, S/N: 1395

GARDNER DENVER EBE99K32 30 HP Screw-Type Air Compressor, Auto-Sentry controls, S/N: 37979

SHRINK WRAP MACHINES: DAY 2

2015 TORNADO 80" Tab Wrapper, S/N: 101315TWT80

LANTECH 1304 Auto-Shrink, 48" x 48" pallet, 12" vertical, wrap face adjustment, S/N: SM002001

INSPECTION/QUALITY CONTROL: DAY 1 & DAY 2

2013 FARO "Platinum" BFD-162 Portable CMM

2012 FARO "Edge" Portable CMM

2012 FARO "Vantage" Laser Tracker System

2008 AMADA/VIRTEK LPS-1DS, flat part to drawing laser measuring system, 48" x 48" table, S/N: 08016442 **(THIS WILL BE SOLD ON DAY 1)**

BROWN & SHARPE Mistral 7-10-5 CMM, 6-position probe changer, 61" x 35" granite table

STARRETT AGC-HGC2018-16 CMM, with Quadra Check 300

MITUTOYO B706 CMM, with Quadra Check 300, 50" x 42" granite table

14" GAGEMASTER Series 20 Optical Comparator

14" JONES & LAMSON P14 Optical Comparator, 6" x 30" table

ALSO: 96" x 48" x 12" Granite Plate, 72" x 48" x 10" Brown & Sharpe Granite Plate, Rockwell Hardness Tester, CMM Threaded Set-up Plates, Micrometers, Vee-Blocks, Pin Gage Sets, Verniers, Intra Mics, Thread Gages, Calipers, Groove Mics, Indicator Stands, Gage Blocks, Inspection Kits, Fault Testers, Height Gages, Etc. – *Hundreds of Lots!*



Amada/Virtek LPS-10S Measuring System



Brown & Sharpe "Mistral 7-10-5" Coordinate Measuring Machine



View of Portable Coordinate Measuring Machines



Faro "Edge" Portable CMM

DAY 2: Wednesday, June 13th, 2018 at 10:00 a.m.

PLANT SUPPORT EQUIPMENT & TOOLING: DAY 1 & DAY 2

Denray 2872G Downdraft Tables, Lay-Out Tables, Skates, Seam Welder, Stud Welders, McCullough Mdl. 100SS Self Dumping Hoppers, Burr-King Belt Sanders, Welding Curtains, Pallet Rackings (Approximately 50 Sections), Hand and Power Tools, Tool Cabinets, Double Door Storage Cabinets, Large Quantity of CNC Tooling, Tooling Carts, Vidmar Cabinets, Boring Heads, Collets, Vises, 50-Ton H-Frame Press, Greenerd Arbor Press, Chicago CP450 Compression Riveter, Unitek 300 Tap Disintegrator, Metalx Stress Tester, Sand Blast Pot, 42" Bishamon Rotary Scissor Lift Table, 8,000-Lb. Sheet Lifter, 10" Haas Rotary Table, Vises, Perishable Tooling, Tool Holders, Kurt "Carvlock" Tower, Pneumatic Flex Arms, Polishers, Lifting Chains and Straps – *Hundreds of Lots!*



To Register For This Auction, Please Visit www.kosterindustries.com



2015

Vision-Wide V-Tek NF-6226 CNC 5-Face Double Column Vertical Machining Center, with Programmable Indexing Right Angle Head

2-DAY SPECTACULAR MULTI-MILLION DOLLAR OFFERING!

MDL MANUFACTURING INDUSTRIES, INC. | 15 Commerce Court, Bedford, PA 15522

FEATURING: Fiber & Co2 Lasers – New as 2015! • 2015 River Sheet Delivery System • 2011 Amada Bending Cell • 2007 Amada 7-Axis Brake • 2013 550-Ton Dener CNC Press Brakes in Tandem • 2011 7-Axis Robotic Welding Cells • (4) Viking Blast Cabinets – New as 2014 • Late-Type Plasma Table • 2105 CNC 5-Face Double Column Machining Center • 2006 & 2011 5" CNC Horizontal Boring Mills • Horizontal Machining Centers – New as 2012 • (8) Vertical Machining Centers – New as 2009 • CNC Turning Centers • 2013 Faro Arms • Forklifts & Combi-Lifts • Manlifts • Bridge Cranes Up to 10-Ton – New as 2015 • PLUS MUCH MORE!

KOSTER INDUSTRIES
AUCTIONEERS • APPRAISERS • LIQUIDATORS

AUCTIONEERS • APPRAISERS • LIQUIDATORS

40 Daniel Street, Suite 2, Farmingdale, NY 11735

631-454-1766 • Fax: 631-454-1779

Koster Industries Inc. PA License #AY000096L, Randall G. Koster PA License #AU002649L, Frank J. Sangiorgi PA License #AU005093

Presorted
First Class Mail
U.S. Postage
PAID
Eugene, Oregon
Permit No. 17



Hyundai Kia SKT250SY CNC Turning Center, with Sub-Spindle

2006

INDUSTRIAL REAL ESTATE TO BE OFFERED AT AUCTION 93,000 Sq. Ft. Manufacturing Facility & Offices 15 Commerce Court, Bedford, Pennsylvania 15522



To Register For This Auction, Please Visit
www.kosterindustries.com

FEATURED ASSETS

Real Estate to be Offered as Lot 1

Land: Total Site Acreage 12.048 Acres.
Gross Building Area 93,150 Sq. Ft.

Building: Manufacturing Plant: 93,150 Sq. Ft., Including Original 64,350 Sq. Ft. Building Constructed in 1999 and 28,800 Sq. Ft. Addition Completed 2015.

- Class S Construction (Engineered Steel Frame and Steel Exterior Wall Construction)
- Office Area: 3,450 Sq. Ft.
- 2,500 AMP Service Switchgear Capacity Inside Building
- (5) Overhead Dock Height Roll-Up Doors
- (6) Overhead Drive-In Doors – (1) 20'W x 16'H, (5) 16'W x 16'H

- Ceiling Height: 28' High at Peak, 24' High at Eaves
- T-5 Lighting in Original Building; LED Lighting in Addition
- Reinforced Concrete Floors
- 98 Striped Parking Spaces
- Truck Turnaround and Access Areas
- 2,200,000 BTU Air Handler + Gas Heat
- 1,200,000 BTU Air Handler + Gas Heat (Make Up Unit)
- (2) 450,000 BTU Air Handlers + Gas Heat in Addition
- No Zoning Restrictions
- Ability to Expand; Site Can Accommodate Over 100,000 Sq. Ft. Addition
- Located Within Bedford County Business Park, Access to I-99 and Pennsylvania Turnpike
- Minimum Opening Bid \$2,500,000
- Minimum Deposit Required to Bid \$25,000

REAL ESTATE TO BE SOLD AT AUCTION SUBJECT TO SELLER CONFIRMATION

IMPORTANT NOTICE TO ALL BUYERS REGARDING AUCTION PAYMENT: 15% Buyer's Premium will apply onsite. 18% online. Company or personal checks will be accepted only if accompanied by a letter from the payor's bank guaranteeing unqualified payment to Koster Industries, Inc. All checks must be made payable to the order of Koster Industries, Inc. Direct bank wire transfers to the account of Koster Industries, Inc. on balances due will be accepted with prior arrangement. **No lot may be removed until complete settlement is made.**

IMPORTANT NOTICE: Although information has been obtained from sources deemed reliable, the auctioneer makes no warranty or guarantee, expressed or implied, as to the accuracy of the information herein contained. It is for this reason that buyers should avail themselves of the opportunity to make inspection prior to the sale. All equipment being sold as-is, where-is with no guarantees.



HOTELS

Omni Bedford Springs Resort – Bedford, PA.....(814) 623-8100
Hampton Inn – Bedford, PA.....(814) 624-0101
Fairfield Inn & Suites – Bedford, PA(814) 623-3444