

**CORPORATE  
ASSETS INC**

# PUBLIC AUCTION

## DSME TRENTON LTD.



**DSTN DSME TRENTON**

**Wednesday, November 14  
& Thursday, November 15**

**2 DAY  
SALE!**

**9:30 A.M. AST**

34 Power Plant Rd, Trenton,  
Nova Scotia, Canada, B0K 1X0

**INSPECTION: Monday, November 12 & Tuesday,  
November 13 from 8:00 A.M. to 5:00 P.M.**

BID **ONSITE** OR **ONLINE** VIA: **BidSpotter.com**

**LATE MODEL WIND TOWER / ASME PRESSURE VESSEL MANUFACTURING OPERATION**



AUCTION CONDUCTED BY:

**CORPORATE ASSETS INC**

**"Let Our Experience Be Your #1 Asset"™**

373 Munster Avenue, Toronto, ON, Canada M8Z 3C8

www.corpassets.com • 416.962.9600 • info@corpassets.com

# WHEELABRATOR (6) WHEEL P&S SHOT BLAST MACHINE

2014 - LIKE NEW



ONLY 127 RUNNING HOURS

WHEELABRATOR PSM-1018-6-30 thru type top & bottom shot blast machine



HIGH PRESSURE BLAST OFF

Rear view out feed roll conveyor



30HP-15000 CFM

CINCINNATI FAN HDBI – 300 CJP 36 cyclonic type dust collector

## HORIZONTAL PLATE SHOT BLAST SYSTEM

**WHEELABRATOR** (Purchased NEW in 2014 for \$795K CAD) PSM-1018-6-30 (6) wheel top & bottom thru type plate and structural shot blast machine with ALLEN BRADLEY COMPACT LOGIX L24E PLC control with 8" color HMI touch screen, 126" Wide x 3" thick cleaning envelope in current configuration, 135" x 18" aperture, 2-10 fpm cleaning rate, (6) 14" diameter EZEFIT direct drive, bi directional, 30 HP blast wheels; traverse wire belt brush-off; MANGANESE cabinet and shed plates; auger type media recovery; bucket elevator; hopper feeders; 50' in feed roll conveyor with 1500 LBS/FT capacity, 24" roll spacing, slave chain driven; 50' out feed roll conveyor with 1500 LBS/FT capacity, 24" roll spacing, slave chain driven; (3) AIRFORCE ONE high pressure blow off systems with nozzles; Cincinnati Fan HDBI – 300 CJP 36 cyclonic type dust collector with 15,000 CFM capacity and 30 HP blower; ONLY 127 HRS recorded on meter at the time of listing, s/n 600550

## CNC PLATE CUTTING MACHINE

(2) **MESSER TMC4510** (Purchased NEW in 2011 for \$1M USD) bridge type CNC plasma & oxy-acetylene plate cutting system with continuous load & cut capability, BECKHOFF MESSER CNC CP7002-1070 15" touch screen CNC controls, 118" max work piece width capacity, 150" max. working length each bridge, 3.15" max work piece thickness capacity, 57.67 IPM cutting speed @ 1.18" plate thickness; system consisting of (2) MESSER TMC4510 independent travelling gantry bridges with BECKHOFF MESSER CNC CP7002-1070 15" stand alone touch screen CNC controls, SURE STOP collision protection, powder markers, (1) high definition plasma head each machine, (1) oxy-acetylene head each machine, 201' bridge travel, 136" head cross travel, 14.5" head vertical stroke, double side CNC synchronized rack & pinion longitudinal drive with 3.93-1181 IPM variable traverse speed; 220'L x 10.5"W sectional down draft cutting table; (2) HYPERTHERM HPR400XD high definition plasma power sources with chillers; (2) DONALDSON MESSER DFT3-24 25 hp downdraft cartridge type dust collect systems with (12) canister filters; (2) MESSER 4291.3725 heavy duty spark arrestors, s/n TMC45110P-11-5452

CONTACT 416.962.9600 TO CONSIGN EQUIPMENT AT AN UPCOMING AUCTION



# MESSER PLASMA & CLIMAX PORTABLE ID/OD MILLING MACHINE

2011



150' X 118" X 3.5" CAPACITY

CAN BE SEPARATED OR EASILY RUN AS A SYSTEM

MESSER TMC4510 twin bridge type CNC plasma & oxy-acetylene plate cutting system with BECKHOFF MESSER touch screen CNC control



STANDALONE CONTROLS

Twin bridge design with continuous load & cut capability

25 HP



2 AVAILABLE

DONALDSON MESSER dust collectors with spark arrestors



2 AVAILABLE

HYPER THERM HPR400XD plasma power sources

2012



PURCHASED NEW FOR \$225K

CLIMAX CM6200 portable ID/OD circular milling machine

## CNC PLATE CUTTING MACHINES

HYPER THERM H2P2-0110 oxy-acetylene CNC cantilever type oxy-acetylene cutting table with HYPER THERM EDGE CNC control, (8) oxy-acetylene torch heads, travels X-375", Y-98", Z-10", tilt and bevel heads, 384"x 120" dry type table, s/n 1100001515

ESAB (2004) AVENGER-2 SPECIAL CNC gantry type plasma plate cutting machine with ESAB ATAS CNC control, 276" head cross travel, 14" head vertical stroke, (2) ESAB ESP-600C plasma power sources with chiller, (not in service), s/n 0560936746R

TO SCHEDULE AN AUCTION CONTACT 416.962.9600

# PROGRESSIVE GROWING WIND TOWER MFG LINE

2011



**LINCOLN WELDING EQUIPMENT**

**JONGHAP - LINCOLN ELECTRIC MA-42-02** longitudinal in/out side sub arc welding systems

2011



**(2) TRAVELING COLUMN TYPE AVAILABLE**

**JONGHAP - LINCOLN ELECTRIC MA-42-02** longitudinal in/out side sub arc welding systems

2011



**TRAVELING COLUMN TYPE**

**JONGHAP - LINCOLN ELECTRIC MA-42-06 (CAR)** car type circumferential outside sub arc welding system

2011



**TWIN PARALLEL STATION AVAILABLE**

**JONGHAP - LINCOLN ELECTRIC MA-42-05 (FLANGE)** longitudinal in/out side sub arc welding systems

2011



**(2) FIXED BASE TYPE AVAILABLE**

**JONGHAP - LINCOLN ELECTRIC MA-75-01 CIRC/IN** sub arc welding system

2011



**2 AVAILABLE**

**JONGHAP - LINCOLN ELECTRIC GANTRY-01** traveling gantry type OUTSIDE sub arc welding system

**ALL FITTED WITH LINCOLN POWER SOURCES & SUB-ARC SYSTEMS**

**THIS BROCHURE IS ONLY A PARTIAL LISTING. PLEASE VISIT OUR WEBSITE**



# EXCEPTIONAL OFFERING OF DAVI PLATE ROLLS AVAILABLE



**10' X 2.27" CAPACITY**

**DAVI PROMAU MAVI 3071 CNC plate rolls**



**10' X 2.16" CAPACITY**

**DAVI PROMAU MCB3070WT N1 CNC plate rolls**



**10' X 3.49" CAPACITY**

**DAVI PROMAU MCB 3076WT CNC plate rolls**



**2 AVAILABLE**

**DAVI 46' x 10' hydraulic scissor lift type powered in feed table**



**4 AVAILABLE**

**ROMAR KUMKANG HGK40, 40 TON capacity driver & idler turning roll sets**



**MITSUBISHI & LINCOLN**  
manipulator and welding controls



**LINCOLN ELECTRIC AC/DC**  
1000SD welding power sources

## TANK TURNING ROLLS

(2) **KUMKANG** (2012) HGKBS100 100 TON capacity tank turning rolls with 20" rubber lined rolls, (2) position driver & idler roll adjustment, s/n 1391-0101; 1391-0103

(16) **JONGHAP** (2011) STR-100/50, 100 TON capacity driver & idler turning roll sets with 17.70" urethane lined rolls, bi directional variable speed control with 0.1-1.03 RPM variable speed, 5.5-57 IPM, rail mounted with manual positioning, multi position driver and idler adjustment with conical turning capability, 600V/3PH/60Hz, s/n n/a

# LATE MODEL THRU-TYPE PAINT & BLAST BOOTHS AVAILABLE

2011



120' X 23' X 23' CAPACITY

COL-MET SO24695.0 downdraft blast booth

2011



2 AVAILABLE

COL-MET SO24677.0 side draft paint & bake booths

2013



APPROX 75.5' SPAN

View of **MUNCK** 50 TON capacity free standing double girder overhead crane & very late model, heavy capacity paint shop



Interior view of **HOFFMAN** down draft blast booth

CONTACT 416.962.9600 TO CONSIGN EQUIPMENT AT AN UPCOMING AUCTION



# 20+ LATE MODEL & LARGE CAPACITY BRIDGE CRANES AVAILABLE

2011



**OUTDOOR SYSTEM**

ZENAR 40 TON capacity class D bridge crane with approximately 100' span, digital crane scale & 31' lifting height

2011



**540K USD NEW EACH!**

**6 AVAILABLE**

ZENAR 40 TON capacity class D bridge cranes with approximately 87' span, 31' lifting height & radio controlled

2011



**1250 HRS**

**720K USD NEW!**

MI-JACK MJ110 110 TON capacity traveling gantry crane



JLG & HAULLOTTE boom lifts



**WALKER MAGNETS**

LD 158 x 25 TON capacity plate lifting spreader beam



**4 AVAILABLE**

GE 45 TON shunter locomotive

**TO SCHEDULE AN AUCTION CONTACT 416.962.9600**

**BROCHURE IS A PARTIAL LISTING ONLY! 2500+ LOT SALE!**



**DEMAG 20 TON capacity free standing gantry crane system**



**4 AVAILABLE**

"C" type lifting hooks



**BRAND NEW**

**ZENAR crane separator booths**



Partial view of spreader beams and lifting magnets available



**5 AVAILABLE**

Partial view of forklifts available



**BOBCAT 743 skid steer**



Gas powered floor sweepers



Partial view of pickup trucks available



**100+ AVAILABLE**

Partial view of dumping hoppers available




**NEW!**

Partial view of power tool equipment available

**THIS BROCHURE IS ONLY A PARTIAL LISTING. PLEASE VISIT OUR WEBSITE**



# MASSIVE OFFERING OF PRODUCTION SUPPORT ASSETS AVAILABLE!



4 AVAILABLE



BEVELLERS



2 AVAILABLE



HUGE QUANTITY



COMPLETE MACHINING & FABRICATING DEPARTMENTS, WOOD WORKING DEPARTMENT, HUGE SPARE PARTS INVENTORY, NECESSARY ELECTRICAL SUPPORT ASSETS, & MUCH MORE!

**CNC HYDRAULIC HEAVY PLATE BENDING ROLLS**

**DAVI PROMAU** (Purchased NEW in 2011 for \$ 738K USD) MCB 3076WT CNC 4-roll double pinch, full hydraulic roll bending machine with DAVI LEONARDO CNC touch screen control, 29.92" top roll diameter, surface hardened rolls, 3.49" x 120" rolling max., 2.75" x 120" pre-bending, , 570" max plate length, , 177.16" max rolled work piece diameter, 20 TON max work piece weight, 12 TON Hyd. Overhead support , 10 TON Hyd. side support with pusher, 6 TON Hyd. side support, hydraulic end cap, 220 HP main hydraulic drive, hydraulic actuated side wing roller supports, 46' x 10' hydraulic scissor lift type powered in feed roll conveyor table with 20 TON capacity, 600V/3PH/60Hz, s/n 21140003

**DAVI PROMAU** (Purchased NEW in 2011 for \$ 586K USD) MCB3070WT N1 CNC 4-roll, double pinch, full hydraulic roll bending machine with DAVI LEONARDO CNC touch screen control, 27.56" top roll diameter, surface hardened rolls, 2" x 120" pre-bend capacity, , 570" max plate length, 0.39" to 2.16" plate thickness capacity, 177.16" max rolled work piece diameter, 20 TON max work piece weight, 12 TON Hyd. Overhead support, 10 TON Hyd. side support with pusher, 6 TON Hyd. side support, hydraulic end cap, 150 HP main hydraulic drive, hydraulic actuated side wing roller supports, 46' x 10' hydraulic scissor lift type powered in feed roll conveyor table with 20 TON capacity, 600V/3PH/60Hz, s/n 21140002

**DAVI PROMAU** (Purchased NEW in 2011 for \$ 525K USD) MAVI 3071 CNC 3-roll variable axis, full hydraulic roll bending machine with DAVI SMART BASIC CNC control, 28.34" top roll diameter, surface hardened rolls, 2.27" x 120" Pre-Bend Capacity, 3.93"-120" plate width capacity, 570" max plate length, 0.39" to 2.16" plate thickness capacity, 177.16" max rolled work piece diameter, 20 TON max work piece weight, 12 TON Hyd. Overhead support, 220 180 HP main hydraulic drive, , 600V/3PH/60Hz, s/n 21130002

**PORTABLE ID/OD CIRCULAR MILLING MACHINE**

**CLIMAX** (Purchased NEW in 2012 for \$ 225K USD) CM6200 portable ID/OD circular milling machine with MITSUBISHI GOT-1000 travel case mounted PLC control, 78.9"-177.2" ID face mounting range, 73.5"-199" ID milling diameter range, 69.5"- 189.0" single point ID machining diameter range, 73.5"-189.0" ID grinding diameter range, 135.6" min swing diameter, 197" max swing diameter, 24" radial tool slide travel, 8" axial milling tool head travel, 98.4"-209.9" OD mounting range, 69.5"-184" OD milling diameter range, 69.5"-189.0" single point OD machining diameter range, 73.5"-189.0" grinding diameter range, #50 taper hydraulic driven spindle with 25 HP power-pack, grinding attachment, associated leveling and chucking pads, complement of #50 taper tooling, s/n 1202024T

**PLATE BEVELLERS**

(2) **GULLCO** (2011) KBM-28 heavy duty portable top side plate edge beveling machines with 5/16" to 2" plate capacity, speeds to 6.5/ min capacity, self-aligning hydraulic spring-loaded caster wheel undercarriage, s/n 29993-1; 29993-2

(2) **GULLCO** (2011) KBM-28U heavy duty portable underside plate edge beveling machines with 5/16" to 2" plate capacity, speeds to 6.5/min capacity, self aligning hydraulic spring-loaded caster wheel undercarriage, s/n 29994-1; 29994-2

**INDOOR/OUTDOOR BOOM LIFTS**

**HAULOTTE** (2005) HA61JRT indoor/outdoor diesel articulating boom lift with 550 LBS capacity, 61' max reach, 4WD, outdoor pneumatic tires, approx 3084 HRS recorded on meter at the time of listing, s/n AD109632

**JLG** (2000) 66OSJ indoor/outdoor LPG/GAS straight boom lift with 500 LBS capacity, 66' max reach, 2WD, outdoor pneumatic tires, approx 4658 HRS recorded on meter at the time of listing, s/n 126783

**FABRICATION EQUIPMENT**

**PIRANHA** P50 hydraulic iron worker with 50 ton capacity, 1-1/16" through 3/4" punch capacity, 3/4" x 10" max flat bar shear capacity, 5" x 5" x 3/8" angle shear capacity, 1" square bar shear capacity, 1 1/2" round stock shear capacity, 2 3/4" x 4" x 1/4" notching capacity s/n 5467

**EXCEL** 7012 hydraulic iron worker with ... ton capacity, 4" max punch capacity, 4" max shear capacity, 5" x 5" x 3/8" angle shear capacity, 1" square bar shear capacity, 1 1/2" round stock shear capacity, 2 3/4" x 4" x 1/4" notching capacity s/n 7055

**YING YAO** 3 in 1 combination shear/brake/roll with 40" x 20GA capacity s/n 10214

(2) **FEIN** (2011) GRIT A/S GI75 floor type belt sanders, s/n n/a

**BRIDGE CRANES**

**MUNCK** (2013) 50 TON capacity free standing double girder overhead crane with approx. 75.5' span, 24' height under the hook, radio pendant control, s/n 13-00065

**ZENAR** (Purchased NEW in 2011 for \$540K CAD) 40 TON capacity, class D, double girder, top running OUTDOOR overhead bridge crane with approx. 100' span, 31' max height under the hook, cab & remote control, digital crane hook scale with large easy read LED DRO, s/n 8409

(2) **ZENAR** (Purchased NEW in 2011 for \$540K CAD each) 40 TON capacity, class D, double girder, top running overhead bridge cranes with approx. 87'11" span, 31' max height under the hook, GENTEC radio pendant control with optional tandem run feature, s/n 8403; 8404

(4) **ZENAR** (Purchased NEW in 2011 for \$540K CAD each) 40 TON capacity, class D, double girder, top running overhead bridge cranes with approx. 87'11" span, 31' max height under the hook, GENTEC radio pendant control with optional tandem run feature, digital crane hook scales with large easy read LED DRO, s/n 8405; 8406; 8407; 8408

**DEMAG** 20 TON capacity free standing gantry crane system with (2) DEMAG 10 TON capacity top running single girder bridge cranes with approx. 30' span, 150' runway with uprights, 20' height under hook, all bolted construction, s/n D1154; D1152

**OCS** 10 TON capacity, double girder, top running overhead bridge crane with approx. 88' span, 32' max height under the hook, pendant control, s/n 9416-21

**& MANY MORE BRIDGE CRANES!****TRAVELING GANTRY CRANE**

**MI-JACK** (Purchased NEW in 2011 for \$720K USD) MJ110 110 TON capacity traveling gantry crane with 40' inside clear width, 30' height under the hook, 40' wheelbase, 43 degree steering angle, inward facing full cab enclosure with heat, electronic step-less infinitely variable speed all directions, CUMMINS 6.7L diesel with POWER-ON-DEMAND system, load scale with digital read out, (ONLY 1225 HRS recorded on meter at the time of listing) s/n 2041PD



## RAIL ROLLING STOCK

- (2) **GENERAL ELECTRIC** (REBUILT 1994) CLASS B-B-90/90-2 GE733 45 TON diesel-electric shunt locomotives w/ (2) CUMMINS 6 cylinder diesel engines, (2) trucks, (2) live axles, side rod, s/n 32242; 29880
- (2) **GENERAL ELECTRIC** CLASS B-B-90/90-2 GE733 45 TON diesel-electric shunt locomotives with (2) **CUMMINS** 6 cylinder diesel engines, (2) trucks, (2) live axles, side rod, s/n 29013; n/a
- (12) **TRENTON WORKS** 80' flat deck rail cars with 84" x 8.5' steel deck, s/n CBNS901291; SSCX125; IC977516; CBNS901196; SSCX; SSCX138; SSCX140; CN4037; n/a; CN40362; 135; (SHUNTER/YARD CARS)
- (2) **TRENTON WORKS** 46' flat deck rail cars with 46' x 8.5' steel deck, s/n 11; 241 (SHUNTER/YARD CARS)
- (2) **TRENTON WORKS** 52' flat deck rail cars with 52' x 8.5' steel deck, s/n 27; 14 (SHUNTER/YARD CARS)

## BLAST BOOTHS

**COL-MET** (Purchased NEW in 2011 for \$ 640K USD) SO24695.0 downdraft blast booth with 120'Lx23'Wx23'H approx interior dimensions, (2) 18'W x 22'H roll up rubber panel doors, (4) man doors, (2) SCHMIDT blast pressure pots with (2) manual guns each, (3) auger media recovery system with bucket elevator and dust collector, lights and ventilation, ONLY 473 HRS recorded on meter at the time of listing s/n 1106-05

**HOFFMAN** downdraft blast booth with 120'Lx30'Wx30'H approx interior dimensions, (2) 18'W x 21'H roll up rubber panel doors, (3) man doors, (2) SCHMIDT blast pressure pots with (8) manual guns each, (3) auger media recovery system with bucket elevator, 20 TON/HR capacity, 60 HP dust collector, lights and ventilation, s/n n/a

(2) **INDUSTRIAL VACUUM** (2011) HURRICANE 500 EM QUIET CUBE skid mounted cyclonic vacuums with digital microprocessor controls, 100 HP ROOTS 616 blowers, manual lift hopper, level sensors, s/n HS500E-1101; HS500E-1101

## PAINT BOOTHS

(2) **COL-MET** (Purchased NEW in 2011 for \$ 640K USD each) SO24677.0 side draft paint & bake booth with 120'Lx23'Wx23'H approx interior dimensions, (2) 18'W x 23'H roll up steel doors, (6) man doors, lights and air make up ventilation, steam heat bake air make up system with 138,000 CFM, 50-160 degrees F working temperature range, all bolted construction, s/n 1166-03

**JB**I downdraft paint & bake booth with 121'Lx24'Wx24'H approx interior dimensions, (2) 18'W x 23'H roll up steel doors, (6) man doors, lights and air make up ventilation, steam heat bake air make up system, all bolted construction, COL-MET (2015) 16' extension s/n n/a

**JB**I 105'L x 24'W x 24'H approx open ended thru type touch up paint booth with lights, s/n n/a

(2) **TRENTON WORKS** 73'L x 17'W x 20'H approx thru type paint booths with light and exhaust, s/n n/a

(8) **GRACO** XP50 D13A high pressure air less paint systems with hoses, heat pumps and guns, s/n n/a

## SPECIALTY WIND TURBINE TOWER MANUFACTURING EQUIPMENT

- 2KM/WATLOW** (2012) RMLL-810D-XMC1 fiberglass turbine blade manufacturing line with WATLOW PLC control consisting of: 2KM (2012) POLYTOOL 2K8128 resin piston metering system; customized clamshell turbine blade mold with max 284" x 30" max part dimensions, vacuum bag resin infusion system with (3) vacuum pumps, (16) zone heating blanket with WATLOW PLC control, (2) CLEAN AIR TECHNOLOGIES (2012) SYS-050-1840000 portable high efficiency vacuums, s/n 201201-1
- (2) **FF01-FF02** wind tower flange fit-up welding jigs, s/n n/a
- R.P. HAWBOLDT** wind tower section hydraulic up-ender, s/n 5460

## PROGRESSIVE GROWING TYPE WIND TURBINE TOWER MANUFACTURING LINE

(PURCHASED NEW IN 2011 FOR \$3.5M USD)

**JONGHAP - LINCOLN ELECTRIC LW-01** (2011) MA-42-02 Longitudinal In/Out Side Sub Arc welding system consisting of LONGI LW-01 fixed base, rotary column welding manipulator with MITSUBISHI GOT-1000 touch screen PLC control, 190" boom vertical travel with 47 IPM constant vertical travel speed, 165" boom horizontal travel with 9.5-98.6 IPM variable horizontal travel speed, 660 LBS working end load capacity, 90 degree swing bracket, +/- 180 degree manual column rotation; LINCOLN ELECTRIC sub arc welding system with (2) LINCOLN ELECTRIC AC/DC 1000SD welding power sources, Dual Wire Feed with (2) LINCOLN ELECTRIC MAXSA10 digital programmable controls, CYCLONIC type flux recovery system; ROMAR KUMKANG (2012) HGK40, 40 TON capacity driver & idler turning roll sets with 17.70" urethane lined rolls, bi directional variable speed control with 0.1-1.03 RPM variable speed, 5.5-57 IPM, multi position driver and idler adjustment with conical turning capability, pendant and wireless remote controls, 600V/3PH/60Hz, s/n 2011012002

**JONGHAP - LINCOLN ELECTRIC LW-02** (2011) MA-42-03 Longitudinal In/Out Side Sub Arc welding system consisting of LONGI LW-02 Traveling Car, rotary column welding manipulator with MITSUBISHI GOT-1000 touch screen PLC control, 190" boom vertical travel with 47 IPM constant vertical travel speed, 165" boom horizontal travel with 9.5-98.6 IPM variable horizontal travel speed, 660 LBS working end load capacity, 90 degree swing bracket, +/- 180 degree manual column rotation, rail mounted left to right traveling column with 260" travel; LINCOLN ELECTRIC sub arc welding system with (2) LINCOLN ELECTRIC AC/DC 1000SD welding power sources, Dual Wire Feed with (2) LINCOLN ELECTRIC MAXSA10 digital programmable controls; CYCLONIC type flux recovery system; (2) JONGHAP (2011) STR-40/20, 40 TON capacity driver & idler turning roll sets with 17.70" urethane lined rolls, bi directional variable speed control with 0.1-1.03 RPM variable speed, 5.5-57 IPM, multi position driver and idler adjustment with conical turning capability, 600V/3PH/60Hz, s/n 2011012003

**JONGHAP - LINCOLN ELECTRIC LW-03** (2011) MA-42-01 Longitudinal In/Out Side Sub Arc consisting of LONGI LW-03 fixed base, rotary column welding manipulator with MITSUBISHI GOT-1000 touch screen PLC control, 190" boom vertical travel with 47 IPM constant vertical travel speed, 165" boom horizontal travel with 9.5-98.6 IPM variable horizontal travel speed, 660 LBS working end load capacity, 90 degree swing bracket, +/- 180 degree manual column rotation; LINCOLN ELECTRIC sub arc welding system with (2) LINCOLN ELECTRIC AC/DC 1000SD welding power sources, Dual Wire Feed with (2) LINCOLN ELECTRIC MAXSA10 digital programmable controls; CYCLONIC type flux recovery system; JONGHAP (2011) STR-40/20, 40 TON capacity driver & idler turning roll set with 17.70" urethane lined rolls, bi directional variable speed control with 0.1-1.03 RPM variable speed, 5.5-57 IPM, multi position driver and idler adjustment with conical turning capability, 600V/3PH/60Hz, s/n 2011012001

& MANY MORE ASSETS!

**LIKE NEW**



**4 AVAILABLE**

**AS LOW AS 360 HRS**

**INGERSOLL RAND** high efficiency variable speed air compressors



**ONLY 145 HRS**

**CATERPILLAR** LC6 350KW diesel generator

**2011**



**2 AVAILABLE**

**INDUSTRIAL VACUUM HURRICANE** 500 EM QUIET CUBE skid mounted cyclonic vacuums



**ONLY 360 HRS**

**OLYMPIAN** D100P1 100KW diesel generator

**ALSO:** LARGE SELECTION of power tools consisting of abrasive chop saws, double end grinders, MAKITA & STIHL gas powered chop saws, 4" to 6" electric angle grinders, drills, nibblers, pneumatic impact guns, pneumatic die grinders, abrasive cut-off saws; huge selection of quality brand name hand tools, socket sets; portable job boxes & **MUCH MORE!**

**THIS IS A PARTIAL LISTING ONLY! FOR FURTHER INFORMATION, PLEASE VISIT [WWW.CORPASSETS.COM](http://WWW.CORPASSETS.COM)**

## AUCTION DETAILS

**ONSITE & ONLINE**

### INSPECTION

Monday, November 12 & Tuesday, November 13 from 8:00 A.M. to 5:00 P.M.

### REMOVAL

All items must be removed no later than Tuesday, January 15, 2019 by 5:00 P.M.

### TERMS

Corporate Assets Inc. assumes no liability for errors or omissions in this brochure. Corporate Assets Inc. expressly reserves the right to determine the manner of conducting the auction as it may deem appropriate. All subject to prior sale.

### PAYMENT

A Buyer's Premium will apply at this sale. International & online bidders may need a refundable deposit to bid. **SALE WILL BE CONDUCTED IN USD.**

Please refer to our website at **[www.corpassets.com](http://www.corpassets.com)** or call 416.962.9600 for further information. Pour les services en français, composez le 1.855.583.5551

**We Accept**



Please visit our website as specific terms and conditions may apply.

**BID ONLINE AT: [BidSpotter.com](http://BidSpotter.com)**

**SALE HELD PROUDLY IN CONJUNCTION WITH:**



[www.thebranfordgroup.com](http://www.thebranfordgroup.com)



[www.prestigeequipment.com](http://www.prestigeequipment.com)

### AFFILIATIONS



©2018 CORPORATE ASSETS INC. ALL RIGHTS RESERVED.

**SUBSCRIBE TO OUR NEWSLETTER AND GET THE LATEST AUCTION UPDATES**

**CORPORATE ASSETS INC**

[corpassets.com/newsletter-signup](http://corpassets.com/newsletter-signup)