

SURPLUS
EQUIPMENT

EVERYTHING
MUST SELL!

Public Auction

SURPLUS EQUIPMENT

STEEL SERVICES, INC.

HEAVY STEEL FABRICATING, BRAKES, SHEARS, LASER & FORKLIFTS

276 LOWER BOUNDARY STREET - MACON, GA 31206

TUESDAY, JANUARY 28TH @ 10:00 A.M. EST

Inspection: Monday, January 27th, From 8:00 A.M. - 4:00 P.M. EST



2011

6000
WATT

HANK WANG HK PS-6025 8' X 20' CNC LASER



5
AVAIL.

1250 TON X 24' ACCURPRESS & 500 TON X 24' PACIFIC HYDRAULIC PRESS BRAKES



2004

FICEP C25 PUNCH / DRILL / PLASMA CNC PLATE MACHINE



1000
TON

2008

1000 TON X 24' ACCURPRESS 7-AXIS CNC HYDRAULIC PRESS BRAKE



Asset Sales, Inc.

Corporate Headquarters

163 Associates Lane
Indian Trail, NC 28079

Toll Free 888.800.4442 704.821.4315 Fax 704.821.4325
www.asset-sales.com info@asset-sales.com

European Headquarters

6 Hill End Close, Norwood Green
Halifax, West Yorkshire, HX3 8RH
Tel / Fax 07836.347880
peteram@asset-sales.co.uk



BidSpotter.com



HANK WANG HK PS-6025 8' X 20' DUAL PALLET CNC LASER



FICEP C25 PUNCH / DRILL / PLASMA CNC PLATE MACHINE

LASER, LARGE FLAT BED

HANK WANG HK PS-6025 CNC Laser with 8' x 20' Dual Pallets, PRC DC Type Fast Axial CO2 Laser, 6000 Watts, 6300IPM Positioning Speed, Auto Height Sensing, Auto Focus Head, Siemens 840D CNC Control, sn:PS65-109, mfg.2011 ** Well Maintained by HK and PRC Only, 14,565 Hours

PLATE PROCESSING MACHINES

FICEP Typo C25 Punch / Drill / Plasma CNC Plate Machine with 98" x 236" Plate Size, 110 Ton Punch, 3.97" Max. Diameter Punch, 15 HP Drill Head Motor, 6 Station ATC, Drill/Tapping/Milling, .787" Max. Material Thickness, HT2000 Plasma Cutting, Hyd. Marking, sn:28626, mfg.2004

WHITNEY 3700 ATC Punch / Plasma CNC Plate Machine with 63" X 120" Travel, 40 Ton Punch, 5" Max. Punch Diameter, 42 Station Tool Changer, .625" Max. Plate Thickness Punching, HT2000LHF Plasma, .750" Max. Plate Thickness Plasma Cutting, Fully Tooled, Fanuc 16-P CNC Control sn:632-600-42607

WHITNEY 647 Punch / Plasma CNC Plate Machine with 40 Ton Punch, Fully Tooled, PC800 Control Retro-Fit

PRESS BRAKES, HYDRAULIC LARGE CAPACITY, LARGE FOUR-WAY DIES

1250 Ton **ACCURPRESS** 7-1250-24 Hydraulic Press Brake with 24' Overall Bed Length, 20'4" Between Housings, 14" Stroke, 28" Open Height, 14" Closed Height, Power Back Gauge, sn:362

1000 Ton **ACCURPRESS** 7-1000-24 7-Axis CNC Hydraulic Press Brake with ETS 3000 CNC, 24' Overall Bed Length, 20'9" Between Housings, 14" Stroke, Titan 6-Axis Heavy Duty Back gauge (X1/X2, R1/R2, Z1/Z2), sn:9677, mfg.2008

500 Ton **PACIFIC** K500-24 Hydraulic Press Brake with 24' Overall Bed Length, 18'5" BH, 5/16" x 24' Bend Capacity, 2" Horns Each Side, (3) Speed Hydraulic Power Unit, 10" T-Slotted Bed, Ram Machined For Angles, sn:6689

400 Ton **CINCINNATI** 400H x 12 Hydraulic Press Brake with 12' Overall Bed Length, 10'6" BH, 10" Stroke, sn:37126

175 Ton **CINCINNATI** 175CB x 12 Hydraulic Press Brake with 12' Overall Bed Length, 10'6" BH, 10" Stroke, Automech CNC Back Gauge, Palm Button and Electric Foot Switch Controls, sn:41444

BRAKE DIES: Large Quantity of Brake Dies, 4-Way Dies, Punches, Dies, Radius Punches, 24' Adjustable Lower Die

2008

CNC



1000
TON

1000 TON X 24' ACCURPRESS 7-AXIS CNC HYDRAULIC PRESS BRAKE

2
AVAIL.



WHITNEY 3700 ATC PUNCH / PLASMA CNC PLATE MACHINE



TITAN 6-AXIS BACKGAUGE



LARGE QUANTITY OF PRESS BRAKE DIES, 24' ADJUSTABLE LOWER DIE



1250 TON X 24' ACCURPRESS 7-1250-24 HYDRAULIC PRESS BRAKE



500 TON X 24' PACIFIC K500-24 HYDRAULIC PRESS BRAKE



www.asset-sales.com



CINCINNATI 4FL20 20' X 1/2" HYDRAULIC PLATE SHEAR



PACIFIC 500R 16' X 1/2" HYDRAULIC PLATE SHEAR



WYSONG 1238 12' X 3/8" MECHANICAL PLATE SHEAR



MESSER TITAN 10' X 25' CNC PLASMA CUTTING TABLE

SHEARS, LARGE CAPACITY, HYDRAULIC AND MECHANICAL

CINCINNATI 4FL20 20' x 1/2" Hydraulic Plate Shear with 60" Power Back Gauge, 18" Throat, 12' Left Hand Squaring Arm, sn:38967

PACIFIC 500R 16' x 1/2" Hydraulic Plate Shear with 48" Power Back Gauge, (3) Front Support Arms, Rake Angle Adjustment to 3/4" x 12' Max. Capacity

WYSONG 1238 12' x 3/8" Mechanical Plate Shear with 48" Power Back Gauge, 6' Squaring Arm, (2) Front Support Arms, Full Length Foot Treadle, Flush Floor, sn:P35-130

PLASMA/OXY FUEL CUTTING TABLE

MESSER Titan 10' x 25' CNC Plasma with Burny Phantom II CNC (Recent Retrofit), CNC Servo Pak K Series D80 Drives, HT2000 Plasma, 4 Oxy Fuel Heads, Water Cutting Table, sn:Titan 10/8LP-98-3722

ANGLE BENDING ROLL

PULLMAX Z41 5' x 5' x 1/2" Angle Bending Roll with 15-3/4" Roll Diameter Hydraulic Adjustable Rolls, Pendant Control

PLATE BENDING ROLLS

WEBB 9L Initial Pinch Plate Bending Roll with 1/2" x 10' Bending Capacity, 12" Roll Diameter, Air Drop End, sn:5336

LOWN Initial Pinch Plate Bending Roll

FORK TRUCKS

9,150lb Capacity **TOYOTA** 7FDU45 Diesel Forklift with 3-Stage Mast & Side Shift

10,000lb Capacity **CATERPILLAR** DP45 Diesel Forklift with 2-Stage Mast & Side Shift

9,000lb Capacity **CATERPILLAR** DPL40 Diesel Forklift with 2-Stage Mast & Side Shift

8,600lb Capacity **CLARK** Diesel Forklift with 3-Stage Mast & Side Shift

6,000lb Capacity **CATERPILLAR** Diesel Forklift with 2-Stage Mast & Side Shift

4,800lb Capacity **CATERPILLAR** Diesel Forklift with 3-Stage Mast & Side Shift



PULLMAX Z41 5" X 5" X 1/2" ANGLE BENDING ROLL

**Download a lot book at
www.asset-sales.com**



WEBB 9L INITIAL PINCH PLATE BENDING ROLL



LOWN INTITAL PINCH PLATE BENDING ROLL



4,800LB - 10,000LB TOYOTA, CATERPILLAR & CLARK FORKLIFTS



HYD-MECH S-25A 18" X 27" MITRE CUTTING HORIZONTAL BANDSAW



DOALL C-916 HORIZONTAL BAND SAW



(3) VEHICLES: BUCKET, FLATBED & PICK-UP TRUCKS



2011

KAESER AIR COMPRESSOR & DRYERS



MILLER SMOKE COLLECTOR



ASSORTED WELDING



LINCOLN WELDER



BAND SAWS

HYD-MECH S-25A 18" x 27" Mitre Cutting Horizontal Bandsaw with Auto Bar-Feed, Infeed Conveyer, sn:90394303

DOALL C-916 Horizontal Band Saw

AIR COMPRESSORS AND AIR DRYERS

15 HP KAESER Air Center SM 15, sn:1031, mfg.2011

40 HP KAESER ASD 40, sn:1138, mfg.2012

KAESER Air Dryer

WELDERS/PLASMA CUTTERS

- LINCOLN CV-655 W/ LN-7Wire Feed ●
- LINCOLN CV-655 W/ LN-7Wire Feed ●
- LINCOLN CV-655 W/ LF-72 Wire Feed ●
- LINCOLN CV-300 W/LF-72 Wire Feed ●

LINCOLN TIG 300/300 ● LINCOLN C300 Power Wave ● HYPERTHERM Powermax 1250 Plasma Cutter

ADDITIONAL MACHINES, TOOL ROOM, TOOM STONES, FIXTURES

Radial Arm Drills, Grinders

Welding Including Heavy T-Slot Weld Tables, Other Support Machinery

Tool Room with Perishable Tooling, Cutters, Maintenance Equipment, Shelving, Etc..

Huge Assortment of Useable & Scrap Steel Plates, Bars, Angles, Etc..

(3) Vehicles Including Bucket Truck, Flatbed & Pick-up Truck

More Equipment & Support

Plus Much More!!



Asset Sales, Inc.

Corporate Headquarters

163 Associates Lane

Indian Trail, North Carolina 28079

Toll Free: 888.800.4442 Direct: 704.821.4315

Fax: 704.821.4325 – www.asset-sales.com

Asset Sales Inc. • Lance Mannion – Georgia License #AUNR002600



**5
AVAIL.**

1250 TON ACCURPRESS & 500 TON PACIFIC HYDRAULIC PRESS BRAKES

ABBREVIATED TERMS & CONDITIONS OF AUCTION

YOUR PARTICIPATION AND BIDDING ARE CONSIDERED A LEGALLY BINDING CONTRACT – IT IS PROHIBITED TO BID ON ANY ITEM THAT YOU CANNOT PAY FOR IN FULL BY THE SPECIFIED DATE OR REMOVE BY DESIGNATED DATE. Subject to amendments and modifications announced by the auctioneer at the time of the auction, any person participating in the auction shall be bound by the following terms and conditions. The auctioneer does not warrant the accuracy, authenticity, description, weight, count or measure of any listings specified herein. All articles will be sold to the highest bidder conforming to the bid process in accordance to the AUCTIONEER'S TERMS & CONDITIONS – COMPLETE COPIES AVAILABLE AT WWW.ASSET-SALES.COM. No article shall be removed unless paid in full and all articles purchased shall be removed in the time allocated by the auctioneer. No item, no matter how small or how far the purchaser has to travel, may be removed until the close of the auction sale. All payments shall be by way of cash, certified check, wire transfer and/or a company check accompanied by a bank letter of guarantee payable

to Asset Sales, Inc. All bidding and invoicing will be in US Dollars (\$). All bidders are responsible for all applicable taxes. Rigging/Removal of sold equipment is the sole responsibility of the buyer and must be completed by the posted date. Rigging/Removal may not begin until payment has been made in full and the auction sale is complete. All heavy rigging will require a certificate of insurance for \$1,000,000.00 naming Asset Sales, Inc. as the insured. **ALL SALES ARE FINAL, ON AN "AS IS – WHERE IS," "IN PLACE," "WITH ALL FAULTS" BASIS.** A 15% Buyer's Premium will apply to all onsite purchases and a 18% Buyer's Premium for online purchases. **REGISTRATION & BIDDING ONLINE:** If you plan to bid with Bidspotter.com, you must be pre-approved by Asset Sales, Inc. The pre-approval process is easy, but necessary. Asset Sales, Inc. will verify telephone number and confirm agreement to the Terms and Conditions. **ANYONE OUTSIDE OF THE CONTINENTAL UNITED STATES WILL BE REQUIRED TO WIRE TRANSFER A MINIMUM DEPOSIT OF \$5000 TO BE APPROVED FOR ALL NON-ONSITE BIDDING.**

Asset Sales, Inc. Does Not Pack, Ship, Crate, Transport or Rig Items. Buyers May Pick Up Their Items at the Auction Location or Can Arrange for a Third Party Logistics Firm to Manage the Removal Process for Them.

UPCOMING AUCTIONS

THURSDAY, JANUARY 16TH

WILLIAMSON MACHINE

CNC Doosan & Mori Seiki Machining, Weld & Fabricating

Onsite / Online

Tulsa, OK

TUESDAY, FEBRUARY 11TH

MAXCESS INTERNATIONAL

Large Capacity Engine Lathes, Roll Grinding & Bridge

Cranes

Onsite / Online

Chicopee, MA

PUBLIC AUCTION

SURPLUS EQUIPMENT

STEEL SERVICES, INC.

HEAVY STEEL FABRICATING BRAKES,

SHEARS, LASER & FORKLIFTS

MACON, GA

TUESDAY, JANUARY 28TH

@ 10:00 A.M. EST