

ONLINE AUCTION



SURPLUS TO MAJOR MANUFACTURER OF OILFIELD SERVICE EQUIPMENT

BidSpotter TUESDAY, MARCH 1ST, 2022 @ 1:00PM ET



42" X 120" SUMMIT GAP BED MANUAL LATHE



GIDDINGS & LEWIS PC-50 5" CNC HORIZONTAL BORING MILL



5.12" GIDDINGS & LEWIS RT 1250 CNC HORIZONTAL BORING MILL



YOU-JI YV-1200 ATC+C CNC VERTICAL TURNING & MILLING CENTER

INSPECTION: BY APPOINTMENT

Assets Located at: 6750 S. 57th W Avenue, Tulsa, Oklahoma 74131

PRESTIGE EQUIPMENT AUCTIONS
35 Pinelawn Road, Suite 203W,
Melville, NY 11747
631-249-5566
auctions@prestigeequipment.com
www.prestigeequipment.com



REGISTER & BID ONLINE:
BidSpotter

www.prestigeequipment.com/auction/oilfield-service-equipment/

HORIZONTAL BORING MILLS



GIDDINGS & LEWIS PC-50 CNC HORIZONTAL BORING MILL



GIDDINGS & LEWIS RT 1250 CNC HORIZONTAL BORING MILL

HORIZONTAL BORING MILLS:

GIDDINGS & LEWIS PC-50 CNC HORIZONTAL BORING MILL, Fancu 31i-B CNC Control, 5.12" Spindle Diameter, X-120", Y-79.74", Z-36", W-48", 60" x 120" Table, Spindle Speeds 25-1120 RPM, Heidenhain Scales, 50 Taper, Rigid Tapping, Remote Pendant, 30 HP, S/N 445-100-81 [COMPLETE CNC RETROFIT 2012]

GIDDINGS & LEWIS RT 1250 CNC HORIZONTAL BORING MILL, Fancu 310i-A CNC Control, 5.12" Spindle Diameter, X-98.42", Y-82.67", Z-19.68", W-31.49", 49.21" x 62.99" B-Axis Rotary Table, 360,000 Positions, 33,000 Lbs. Table Capacity, Spindle Speeds to 3500 RPM, 60 ATC, Thru Spindle Coolant, CAT 50, Right Angle Head Attachment, Wired for 5th Axis (A-Axis), Chip Conveyor, 60 HP, S/N 480-0018-05 [2005]

SUPERMILL MDR-125 HORIZONTAL BORING MILL, 4.92" Spindle Diameter, X-72", Y-76", W-48", Z-25.5", 55" x 60" Built In Rotary Table, Spindle Speeds 7-1000 RPM, 50 Taper, Accurite 4-Axis DRO, Boring Bar, Tailstock (Outboard Support), 20 HP, S/N 3-125A-2

(2) GIDDINGS & LEWIS CH-8 FACING HEADS



SUPERMILL MDR-125 HORIZONTAL BORING MILL



(2) GIDDINGS & LEWIS CH-8 FACING HEADS

MANUAL LATHES, CNC TURNING CENTERS & MORE



42" X 120" SUMMIT GAP BED MANUAL LATHE



27" X 118" SMITH & LEHMANN MANUAL LATHE

MANUAL LATHES:

42" X 120" SUMMIT GAP BED MANUAL LATHE, Model 42-6x120, 31" Front & Rear Chucks, 42" Swing, 63" Swing In Gap, 120" Between Centers, 29.5" Swing Over Carriage, 6" Spindle Bore, 9-600 RPM, Inch & Metric Threading, Taper Attachment, Steady Rests, Newall D700 2-Axis DRO, S/N 12060 [2013]

27" X 118" SMITH & LEHMANN MANUAL LATHE, Model 25, 24" 3-Jaw Chuck, 27" Swing, 118" Between Centers, Spindle Speeds to 840 RPM, 6" Spindle Bore, Travel Dial, 30 HP, S/N 240615-080 [1980]

CNC VERTICAL TURNING CENTER:

YOU-JI YV-1200 ATC+C CNC VERTICAL TURNING & MILLING CENTER, Fancu Oi-TC CNC Control, 49.21" Table Diameter, 62.99" Swing, 47.2" Max Cutting Height, 2-350 RPM Table Speeds, 11,000 Lbs. Table Capacity, C-Axis, 35.43" Ram Stroke, Live Spindle Speeds to 2400 RPM, 14.7 HP Live Spindle Motor, 16 Position ATC, Thru Spindle Coolant, 60 HP Table Motor, S/N 06V12TC1498 [2006]



YOU-JI YV-1200 ATC+C CNC VERTICAL TURNING & MILLING CENTER



MAZAK INTEGRX E-650H CNC MILLING & TURNING CENTER



GIDDINGS & LEWIS BICKFORD CHIPMASTER RADIAL ARM DRILL

CNC TURNING CENTER & MILLING CENTER:

MAZAK INTEGRX E-650H CNC MILLING & TURNING CENTER, Mazatrol Fusion 640M-Pro CNC Control, B-Axis Milling Spindle, 36.2" Max Swing, 80" Between Centers, Tailstock, Spindle Speeds to 1,000 RPM, B-Axis Milling Spindle, 10,000 RPM Milling Spindle Speeds, -30/+210 Degrees B-Axis Head Tilt, X-40.35", Y- 25.6", Z-82.91", CAT 50, 120 Position ATC, C-Axis Indexing (.001 Degree), Thru Spindle Coolant (1000 PSI), Autoblok Programmable Steady Rest, Chip Conveyor, 50 HP Milling Spindle Motor, 60 HP Main Motor, S/N 162879 [2003]

DRILLS:

GIDDINGS & LEWIS BICKFORD CHIPMASTER RADIAL ARM DRILL, 8' Arm, 19" Column, 24-1250 RPM, T-Slotted Box Table, S/N 956-00400-81

ADDITIONAL EQUIPMENT



2013

78" STROKE

OHIO TOOL WORKS OTW-1000-5-2M HORIZONTAL HONING MACHINE



4-AXIS

SMW INDEXER

FANUC 18i-M CNC

CINCINNATI LANCER 2000 CNC VMC



CARLTON 4A RADIAL ARM DRILL



1997

HEM H160A-DC HORIZONTAL BAND SAW

CNC 4-AXIS VERTICAL MACHINING CENTER:

CINCINNATI LANCER 2000 CNC VERTICAL MACHINING CENTER, FANUC 18i-M CNC Control, 90" x 30" Table, X-80", Y-30", Z-30", SMW 4th Axis Indexer, Spindle Speeds to 6000 RPM, 30 ATC, 50 Taper, Thru Spindle Coolant, Chip Conveyor, S/N 7052-F00-98-0028


ADDITIONAL EQUIPMENT:

OHIO TOOL WORKS OTW-1000-5-2M HORIZONTAL HONING MACHINE, .5" – 22" ID Capacity, 23" Max. OD Capacity, 78" Stroke, Spindle Speeds 10-3500 RPM, 1-100 FPM Stroke Speeds (Infinitely Variable), OTW Control, Banner EZ-Screen Light Curtains, Paper Filtration System, S/N MH1306079 [2013]


CARLTON 4A RADIAL ARM DRILL, 7' Arm, 19" Column Diameter, 15 – 1500 RPM, 50" x 89" T-Slotted Work Surface, 4" Spindle Diameter, #6MT, 30 HP, S/N: 4A-5965 [1980]

HEM H160A-DC HORIZONTAL BAND SAW, 25" Wide x 25" High Capacity, 2.5" Blade Width, 15 HP Motor, 12' Infeed Roller Tables

T-SLOTTED ROTARY TABLES, (1) 48" x 48" Air Lift, (1) 48" x 36" Air Lift
ASSORTED SPARE CHUCKS KITAGAWA, SMW, SAMCHULLY, SEOAM



T-SLOTTED ROTARY TABLES



ASSORTED SPARE CHUCKS



****PAYMENT:** A buyer's premium of 18% will be charged to all purchases. ALL PURCHASES MUST BE PAID IN FULL UPON RECEIPT OF AN INVOICE. An electronic invoice will be sent to the successful bidder at the email address provided during registration, typically within 24 hours after the auction ends. Upon notification of being the successful bidder, Purchasers will have 48 hours to pay in full via wire transfer, certified check or company check. PLEASE NOTE, all company checks MUST be accompanied by a bank letter of guarantee made out to Prestige Equipment Corp. The full purchase price must be paid prior to the removal of any goods.

****RIGGING AND REMOVAL:** Rigging, removal and any duty fees are the sole responsibility of the Purchaser. Purchaser shall be responsible for the safe and proper removal of any assets purchased by Purchaser. Purchaser or its agents must remove all assets purchased before the final removal date and time specified by Prestige (the "Removal Date"). Any assets not removed on or prior to the Removal Date shall be subject to storage charges that Prestige may impose in its sole discretion. ANY ITEMS NOT REMOVED ON OR PRIOR TO THE REMOVAL DATE SHALL BE DEEMED ABANDONED AND PRESTIGE SHALL HAVE NO FURTHER OBLIGATION TO BUYER WITH RESPECT TO SUCH ITEMS.

****FOR MORE INFO:** Please contact Adam Herman at +1-631-249-5566 or adam.herman@prestigeequipment.com



SURPLUS TO MAJOR MANUFACTURER OF OILFIELD SERVICE EQUIPMENT

BidSpotter TUESDAY, MARCH 1ST, 2022 @ 1:00PM ET

INSPECTION: BY APPOINTMENT

Assets Located at: 6750 S. 57th W Avenue, Tulsa, Oklahoma 74131

PRESTIGE EQUIPMENT AUCTIONS
35 Pinelawn Road, Suite 203W,
Melville, NY 11747
631-249-5566
auctions@prestigeequipment.com
www.prestigeequipment.com



REGISTER & BID ONLINE:
BidSpotter

www.prestigeequipment.com/auction/oilfield-service-equipment/