



DECKEL MAHO MDL. DMF-500 LINEAR 5-AXIS VERTICAL MACHINING CENTER



FEELER MDL. FBM110R 5-AXIS CNC HORIZONTAL BORING MILL



DAY ONE: WEDNESDAY, MARCH 13 – LIVE ONSITE W/WEBCAST • 10:00 A.M.



HAAS MDL. UMC-1000 5-AXIS UNIVERSAL MACHINING CENTER

5-AXIS VERTICAL MACHINING CENTER

DECKEL MAHO MDL. DMF-500 LINEAR 5-AXIS TRAVELING COLUMN, new 2012, Siemens 840D "Powerline" CNC control, 220.9" x 35.4" tbl., 11,000-lb. tbl. load, 196.85" X, 36.22" Y, 32.28" Z-axis travels, 3,937 IPM X-axis rapid, SK-50 taper, 10,000 RPM ±90 deg. 1 deg. indexing spdl., 32 kW, 80-pos. ATC, MMK Mdl. MD63UR-80 rotary tbl. w/10-1/2" spdl. hole, 24" dia. thru hole 4-jaw chuck w/tailstock, HP thru spdl. coolant, coolant filtration system, chip conveyor, touch probe, S/N 1515501714 (6,578 Cut time hours).

5-AXIS CNC HORIZONTAL BORING MILL

FEELER MDL. FBM110R, new 2017, installed as new 2019, Fanuc 31i-B CNC control, 55" x 63" pallet, full contouring rotary tbl., 98" X, 71" Y, 59" Z-axis, 27.6" W-axis travels, CAT-50, 60-pos. ATC, 35 HP, 2,500 RPM, S/N H110106 (99 Cut time hours).

5-AXIS UNIVERSAL MACHINING CENTERS

HAAS MDL. UMC-1000, new 2018, Haas CNC control, 40" X, 25" Y, 25" Z-axis travels, 25" platter dia., 1,000-lb. max. platter cap., 360 deg. C-axis rotation, 120 deg. to 35 deg. B-axis tilt, 30 HP, 8,100 RPM, 40 taper, 30-pos. ATC, high pressure thru spdl. coolant, chip conveyor, S/N 1156684 (2,361 Cut time hours).

HAAS MDL. UMC-750SS, new 2018, Haas CNC control, 30" X, 20" Y, 20" Z-axis travels, 19.7" platter dia., 660-lb. max. platter cap., 360 deg. C-axis rotation, 120 deg. to 35 deg. B-axis tilt, 40 taper, 40-pos. ATC, chip conveyor, high pressure thru spdl. coolant, S/N 1157905 (1,496 Cut time hours).

CNC CENTER DRIVE/DUAL TURRET HOLLOW SPINDLE LATHE

IKEGAI MDL. ANC56, new 2000, (installed new in crate in 2014), Fanuc 18T CNC control, 10" bore 60 HP center drive headstock, 42" sw. x 240" btwn. centers right side cap., 36" sw. x 157" left side cap., (1) programmable and (1) manual tailstock, 490" max. part length, steadyrests, chip conveyor, coolant system, S/N A574X3040V (5,235 Cut time hours).



IKEGAI MDL ANC56 CNC CENTER DRIVE/DUAL TURRET HOLLOW SPINDLE LATHE

MULTI AXIS CNC MILLING & TURNING CENTERS

MORI SEIKI 6-AXIS MDL. NZL6000BY/4000, new 2010, Mori Seiki MSX-853IV CNC control, 15" spdl. bore, 47.24" sw. x 157" btwn. centers, 35.43" max. turning dia., 100 HP spdl. motor, twin turrets w/live tooling on upper turret, 25 HP live tooling motor, hyd. steadyrest, long boring bar changer, 5" dia. x 70" long boring bars cap., (2) 32" Bison chucks, S/N NZL60JH0011 (3,350 Cut time hours).

SAMSUNG MDL. SL-45XLY, new 2014, live tooling and Y-axis, 6.5" bar cap., 38.4" sw., 114.8" max. turning length, 50 HP main motor, Samchully 24" pwr. chuck, 12-pos. turret, Schunk hyd. steadyrest, Fanuc Oi-TD CNC control, chip conveyor, S/N 14L770005 (5,108 Cut time hours).

(2) SAMSUNG MDL. SL-45MC/3000, new 2014 and 2011, Fanuc Oi-TD control, live tooling, 30.5" sw. x 118" center distance, 24.4" max. turning dia., 4.6" bar cap., 50 HP 1,800 RPM main motor, 7.5 HP 4,000 RPM live tooling motor, 24" Samchully pwr. chuck, hyd. steadyrest, 12-pos. turret, chip conveyor, S/N 14F480040 (5,088 Cut time hours), S/N 11L480012 (5,050 Cut time hours).

SAMSUNG MDL. SL-25MC/1000, new 2011, installed in 2012, Fanuc Oi-TD control, live tooling, 13.78" max. turning dia., 43" max. turning length, 10" pwr. chuck, 25 HP main motor, 12-pos. turret, chip conveyor, S/N 11J680060 (2,943 Cut time hours).







4-AXIS VERTICAL MACHINING CENTERS

YAMA SEIKI MDL. VMB-1200, new 2006, installed new 2007, Fanuc Oi-MC CNC control, 51" x 26" tbl., 47" X, 25" Y, 25" Z-axis travels, 12" Kitagawa 4th axis, 4" bore, , 24-pos.

KAO MING MDL. KMC-1100V, new 2005, installed as new 2008, Fanuc Oi-MC CNC control 51" x 26" tbl. size, 41" X, 22" Y, 30" Z-axis travels, 12" Yuasa 4th axis, 4" bore, 25

OKK MDL. MCV-660, GE Fanuc 16M CNC control, Tsudakoma 4th axis w/6.75" bore, 67"

ARES SEIKI MDL. R510, new 2004, Fanuc Oi-MB CNC control, 4th axis 12-pos. turret,

30" x 20" tbl. size, 30" X, 20" Y, 20" Z-axis travels, CAT-40, 1,200 RPM spdl., 6" 4th axis,

CNC HORIZONTAL MACHINING CENTER

NIIGATA MDL. SPN-701, new 2004, 25" pallets, auto. pallet changer, Fanuc 16i-MB CNC

control, 39.4" X, 37.4" Y, 33.5" Z-axis travels, 60-pos. ATC, CAT-50, 60 HP spdl., 12,000

CNC HOLLOW SPINDLE CHUCKER

KINGSTON HEAVY DUTY 34 MDL. CK-1500, new 2014, installed new in 2019, Fanuc

Oi-TD control, 40/50 HP, 14.5" thru hole, 34" sw., 63.8" max. cutting length, 32" front and

rear chucks, 6-pos. turret, chip conveyor, S/N 15K021209S (194 Cut time hours)

x 25.5" tbl. size, 59" X, 26" Y, 25" Z-axis travel, CAT-50, 40-pos. ATC, S/N 124.

ATC, CAT-50, chip conveyor, S/N 6046 (10,830 Cut time hours)

S/N E0HB455 (2,454 Cut time hours).

RPM, S/N 46660001.

HP, chip conveyor, 20-pos. ATC, S/N V66001 (4,285 Cut time hours).

YAMI SEIKI MDL. VMB-1200 4-AXIS VERTICAL MACHINING CENTERS



CNC LATHES

(2) SAMSUNG MDL. SL-45A/3000, new 2012, Fanuc Oi-TD control, 6.5" bore, 26.7" max. cutting dia., 118" max. cutting length, 40/50 HP, 24" Samchully pwr. chuck, 12-pos. turret, hyd. steadyrest, programmable tailstock, S/N 12B470019 (7,244 Cut time hours), S/N 12B470020 (4,938 Cut time hours).

(2) DMC MDL. DL-21LA, new 2013, installed as new in 2018, Fanuc Oi-TD control, 8" chuck, 12-pos. turret, 2.56" bar cap., 21.6" sw., 11.02" max. turning dia., 20.87" max. cutting length, 4,000 max. RPM, S/N L2IL0089 (395 Cut time hours), S/N L2IL0084 (541 Cut time hours).

TOPPER MDL. TNL-130AL, new 2006, installed as new in 2010, Fanuc Oi-TC control, 3" bar cap., 16" max. turning dia., 80" btwn. centers, 25 HP, 3,500 RPM, 12" 3-jaw pwr. chuck, 12-pos. turret, tailstock, chip conveyor, mount for steadyrest, S/N 17307 (1,213 Cut time hours).

TAKISAWA MDL. TC-4, new 1998, Fanuc 18T control, 17.7" max. turning dia., 40.16" max. turning length, 20 HP, 3.5" spdl. bore, 12" pwr. chuck, 10-pos. turret, chip conveyor, S/N THXP7440 (5,422 Cut time hours).

IKEGAI MDL. TC25, Fanuc 18i-T control, 19.69" swing, 9.84" X, 15.75" Z-axis travels, 12-pos. turret, 12" 3-jaw pwr. chuck, 3" bore, chip conveyor, S/N 53936V.

MORI SEIKI MDL. SL-35B, new 1997, 15" 3-jaw pwr. chuck, 12-pos. turret, chip conveyor, MSC-516 control, S/N 1689.



FLATBED CNC LATHE

ROMI MDL. C510, new 2013, Siemens 802D CNC control, 20.5" max. cutting dia., 59" max. cutting length, 2" bar cap., 3,000 RPM, 30 HP, S/N 016-016400-458.

FOR BIDDING AT THIS AUCTION. Go to www.pmi-auction.com and click on BidSputter on our calendar page for this auction sale.

NIIGATA MDL. SPN-7 01 CNC HORIZONTAL MACHINING CENTER

(1 OF 2) DMC MDL. DL-21LA CNC LATHES



MDL. C510 FLATBED CNC LATHE (1 OF 2) SAMSUNG SL-45MC/3000 MULTI AXIS CNC MILLING AND TURNING

ROMI

INSPECTION: Monday & Tuesday, March 11 & 12, 9:00 A.M. to 4:00 P.M.





MITSUBISHI MDL. MV4800 ADVANCE TYPE 2 WIRE EDM MACHINE

WIRE EDM MACHINES

MITSUBISHI MDL. MV4800 ADVANCE TYPE 2, new 2021, 31.5" X, 23.6" Y, 20.1"-Z axis travels, 6,600-lb. max. submerged workpiece weight, 42.5" x 34.3" tbl. cap., S/N 08MV4221.

MITSUBISHI MDL. MV1200S ADVANCE TYPE M800, new 2019, 15.7" X, 11.8" Y, 8.7" Z-axis travels, 6,600-lb. submerged tbl. cap., 15 deg. at 8", S/N C1SM0542.

MITSUBISHI MDL. SX-20, new 1998, 19.7" X, 13.8" Y 10.6" Z-axis travels, 2,200-lb. tbl. cap., 5-axis, 15 deg. at 4", S/N 57X20543.

MITSUBISHI MDL. FX-10K, new 1998, 31.5" x 22.65" x 8.45" max. work piece dimension, 1,763lb. tbl., cap., 5-axis, 15 deg. max., S/N 08K10083.

MITSUBISHI MDL. FX-10, new 1997, 33.46" X, 25.59" Y, 8.6" Z-axis travels, 1,763-lb. tbl. cap., 5-axis, 15 deg. max. taper, S/N 56E10497.

VERTICAL TURRET MILLS

BRIDGEPORT SERIES 1, 9" x 42" tbl., 2 HP, longitudinal pwr. feed, Newall C80 2-axis D.R.O., chrome ways, S/N 205111.

LAGUN MDL. FTV-2-E, 10" x 54" tbl., 3 HP, variable spd. head, longitudinal pwr. feed, Acu-Rite D.R.O.

TOOLROOM BED MILL

TRAK MDL. DPM RX7, new 2018, Prototrak RMX control, 76" x 14" tbl. size, 60" X, 23" Y, 24.25" Z-axis travels, 40-taper, 7.5 HP spdl. motor, pwr. draw bar, S/N183ED674.

HOLLOW SPINDLE LATHE

GURUTZPE TIMEMASTER MDL. SUPER RT/API, 10" spdl. bore, 32" sw. x 118" btwn. centers, front and rear chucks, taper attach., Newall 2-axis D.R.O., steadyrest, follower rest, 9 – 500 RPM.



COSEN MDL. SH-5542 SEMI-AUTOMATIC HORIZONTAL BANDSAW



CLAUSING 18" X 80" MDL. V460 ENGINE LATHE

ENGINE LATHES

CLAUSING 18" X 80" MDL. V460, new 2010, 12" 3-jaw chuck, gap bed, Newall DP700 2-axis D.R.O., steadyrest, 20–2,000 RPM, S/N LG4021.

20" X 96" LEBLOND REGAL, taper attach., 12" 3-jaw chuck, Acu-Rite D.R.O., S/N 11E113.

16" X 60" LEBLOND REGAL, 10" 3-jaw chuck, Newall 2-axis D.R.O., S/N 12C-1067.

SEMI-AUTOMATIC HORIZONTAL BANDSAW

COSEN MDL. SH-5542, 16.5" round cap., 16.5" x 21.6" rectangle cap., 7-1/2 HP, 1-1/2" blade size., S/N SH9614203.

SURFACE GRINDER

DOALL G-10, 8" x 18" electromagnetic chuck, S/N 310-511514.



MITSUBISHI MDL. MV1200S ADVANCE TYPE M800 WIRE EDM MACHINE

DON'T MISS THIS SALE




BRIDGEPORT SERIES 1 VERTICAL TURRET MILL



TRAK MDL. DPMRX7 TOOLROOM BED MILL

DAY ONE: WED., MARCH 13 – LIVE ONSITE W/WEBCAST • 10:00 A.M.





NISSAN 9,000-LB. BASE CAP. DIESEL FORKLIFT

GORBEL FREE STANDING GANTRY CRANE SYSTEM



ELECTRIC OVEN LINDBERG OVEN. TYPE 152412-EH, 230 v., 3-phase, electric. HYDRAULIC PRESSES

STRAIGHTNING PRESS, Enerpac hydraulic power pack, 100 T. cap., 15' bed; CUSTOM H-FRAME PRESS, Energac hydraulic power pack, 25 T. cap., mounted on metal tbl.

GANTRY CRANE SYSTEM

GORBEL FREE STANDING GANTRY CRANE SYSTEM, 1/2 T. cap., 18-1/2'W. x 21'L. x 7-1/2' under hoist.

MATERIAL HANDLING - DAY 1 GENIE Z-30/20N BOOM LIFT; (10) FLOOR MOUNTED JIB CRANES, from 1/4 T.-1 T. cap.

ROTARY SCREW AIR COMPRESSORS

INGERSOLL RAND MDL. UP6-15-150, 15 HP, 150 PSIG, S/N UP2415U05332. ROGERS MDL. KIV-20-125, 20 HP, 125 PSIG, S/N 2006525096.

ht., S/N 041-91-04988.

5YJSA1H2XFFP78771.

S/N 1A239253.

double cushion tires on front, S/N YGF03-001832.

SAMPLE VIEW OF FLOOR MOUNTED JIB CRANES



GENIE Z-30/20N BOOM LIFT



15 HP INGERSOLL RAND AND 20 HP ROGERS ROTARY SCREW AIR COMPRESSORS



TESLA S 85D ELECTRIC VEHICLE



2017 FORD F-450XL, 6.7 liter Power Stroke diesel engine, 15' diamond plate bed, 0D0:149.736 miles. VIN: 1FDUF4GTXHEF50338.

FORKLIFTS

NISSAN 9,000-LB. BASE CAP. MDL. YGF03A40TV, diesel pwr., 2-stage mast, 146" lift ht.,

RAYMOND 4,000-LB. BASE CAP. MDL. 41-4DR40TT, electric pwr., 2-stage mast, 250" lift

SHOP SUPPORT EQUIPMENT

BALDOR DOUBLE END GRINDERS; BLAST BOOTH; BELT AND DISC GRINDERS; HEAVY DUTY BOTTLE JACKS UP TO 30 T.; ROTARY TABLES.



FORD F-450XL FLATBED TRUCK



RAYMOND 4,000-LB. BASE CAP. ELECTRIC FORKLIFT

CONSTANTIN PRECISION INSTRUMENTS 7633 CHEROKEE ROAD, KATY, TEXAS 77494

DAY TWO: THURSDAY, MARCH 14 TIMED ONLINE – NO ONSITE BIDDING BIDS START CLOSING AT 10:00 A.M.



KEYENCE MEASURING MACHINES



PRECISION MACHINE ACCESSORIES





DAPRA FLEXMARK MARKING MACHINE



STARRETT AE400 COMPARATOR



KURT VISES



SAMPLE VIEW OF EXECUTIVE OFFICE FURNITURE 2 DAYS • 1 LOCATION • KATY, TX

DON'T MISS THIS SALE





MITUTOYO LH-600 DIGITAL HEIGHT GAGE



SANDVIK DEVIBE BORING BARS



O.D. MIC SETS



SAMPLE VIEW OF TOOLING

QUALITY CONTROL EQUIPMENT

KEYENCE WIDE AREA COORDINATE MEASURING MACHINE MDL. WM-C3000, measurement head. WM-EX1 tripod: MITUTOYO DIGITAL HEIGHT GAGE LH-600. S/N 710124; KEYENCE IM SERIES FLAT PART MEASURING SYSTEM; PIN GAGES; PLUG GAGES; RING GAGES; GAGEMAKER MIC TRAC MDL. MT-01; (2) PRECISION GRANITE CO. GRANITE SURFACE PLATES, 6' x 4' x 6" grade B; (1) PRECISION GRANITE CO. GRANITE SURFACE PLATE, 8' x 4' x 8"; TELESIS PINSTAMP STAMPING MACHINES MDL. TMP1700; WIDE SELECTION OF GAGEMAKER INSTRUMENTS; STARRETT HE400 OPTICAL COMPARATOR AND MUCH MORE.

PRECISION MACHINE ACCESSORIES & TOOLING

SANDVIK AND KENNAMETAL LARGE CAPACITY DEVIBE BORING BARS; HUGE OFFERING OF CAT-40 AND CAT-50 TOOLING; TOOL HOLDERS; CONSUMABLES; TURNING TOOLS; RADIAL AND AXIAL LIVE MILLING HEADS; SUBPLATES; AN-GLE PLATES; LIVE AND DEAD CENTERS; 3- AND 4-JAW CHUCKS; BORING HEADS: TOOLING CARTS: RIP STEADYRESTS: PIPE SUPPORT STEADYRESTS: APPROX. (20) KURT VISES.

MARKING MACHINE

HANDHELD DAPRA FLEXMARK, S/N FXD13140302.

SHOP SUPPORT EQUIPMENT

WIDE SELECTION OF WOOD TOP BENCHES; POWER TOOLS; HAND TOOLS; ARBOR PRESS, FAMCO MDL. 48; ADJUSTABLE PALLET RACK; ROLLER CARTS; BANDING CART; PORTABLE MATERIAL RACKS ON CASTERS; MACHINE SKATES; 55 GAL. DRUM LIFTERS; 175 KVA, 480-208 TRANSFORMER; FLAMMABLE MATERIAL STORAGE CABINETS.

MATERIAL HANDLING - DAY 2 WIDE SELECTION OF ELECTRIC HOISTS, up to 2 T.



24" ROTAB ROTARY TABLE (TO BE SOLD DAY 1)

С.М.М.



YUASA 4TH AXIS (TO BE SOLD DAY 1)



SAMPLE VIEW OF Q.C. AND MEASURING EQUIPMENT





ARTWORK, PHONE SYSTEM & OFFICE FURNITURE COLLECTION OF HOUSTON LIVESTOCK SHOW AND RODEO AWARD WINNING ARTWORK; AVAYA PHONE SYSTEM; DESKS, TABLES; CHAIRS; COMPUTERS; MONITORS; ETC.







RAW MATERIAL WIDE SELECTION OF STAINLESS AND MISC. BAR STOCK AND ASSORTED PIPE.

REAL ESTATE FOR SALE OR LEASE 32,900 SQ. FT., INDUSTRIAL PROPERTY ON 3.71 ACS. IN KATY WEST

Contact Hunter Stockard w/Partners Real Estate for details:

hunter.stockard@partnersrealestate.com 713-629-0500 office • 832-622-7596 cell

DAY ONE: WED., MARCH 13 – LIVE ONSITE W/WEBCAST • 10:00 A.M.

DAY TWO: THURS., MARCH 14 – TIMED ONLINE – NO ONSITE BIDDING • BIDS START CLOSING 10:00 A.M.

PARTIAL TERMS & CONDITIONS:

A 15% Buyer's Premium Will Apply Onsite. An 18% Buyer's Premium Will Appy Online.

Everything will be sold to the highest bidder or bidders for cash in accordance with the auctioneer's Customary Terms of Sale, copies of which will be posted on our website.

ALL PAYMENTS MUST BE MADE BY CASHIER'S CHECK, WIRE TRANSFER OR COMPANY CHECK WITH BANK LETTER GUARANTEEING PAYMENT TO PLANT & MACHINERY INC.

Here is an example of what your letter should be: Mr. "Customer Name" is a customer of this bank. This bank will guarantee unqualified payment to PMI on the account listed herein up to the amount of \$______. This letter is good until April 15, 2024.

In default of payment of bills in full within the time therein specified, the Auctioneer in addition to all other remedies allowed by law, may retain all monies received as deposit or otherwise, as liquidated damages. All items must be removed by the time announced at the start of the sale.

Lots not paid for and/or removed within the time allowed may be resold at public or private sale without further notice, and any deficiency, together with all expenses and charge of resale, will be charged to the defaulting purchaser.

The buyer acknowledges that he or an agent has inspected all of the assets upon which he will be bidding and/or does purchase.

Buyer agrees to accept assets purchased "AS IS," WITH "ALL FAULTS"

AND "WITH REMOVAL AT BUYER'S RISK AND EXPENSE." THE AUCTIONEER EXPRESSLY DISCLAIMS ON THE PART OF THE AUCTIONEER AS AGENT AND THE SELLER, ANY WARRANTY AS TO FITNESS OR USABILITY OF ALL THE ASSETS, AND THE BUYER EXPRESSLY WAIVES ANY CLAIM IN RESPECT TO ANY POSSIBLE FUTURE USE OF ANY ASSET PURCHASED FOR ANY PURPOSE WHATSOEVER.

The buyer does hereby assume and does agree to indemnify and hold the auctioneer harmless from any future claim which shall pertain to the fitness or use of that asset as being purchased. Riggers, movers, electricians and buyers performing work at the Auction Site must provide PMI with evidence of insurance. The insurance coverage must be at a level acceptable to PMI and to the seller. PMI reserves the right to withdraw items, alter the order of the sale, accept bids from the seller, and group lots as it may deem appropriate. This auction may include consignment items.

Although all information has been obtained from sources deemed reliable, the auctioneer and seller make no warranty or guarantee, expressed or implied, as to the accuracy of the information herein contained, or contained in our catalog. It is for this reason that buyers should avail themselves of the opportunity to make inspection prior to the auction. Although it is not likely, auction sales are subject to cancellation or postponement. Kindly contact auctioneer prior to attendance.

These terms and conditions may be modified or supplemented by language in the catalog available online or by announcement at the start of the sale. Bidders should be attentive to those announcements and to the catalog language.

ONLINE REGISTRATION

Register to bid at BidSpotter

- 1. Use the <u>link</u> to Bidspotter.com on PMI's website calendar. <u>www.pmi-auction.com</u> DO IT NOW!
- 2. This auction may require a Cash, or credit card, or debit card, 100% refundable deposit. If by credit or debit card, it can be added through the Bidspotter.com fully secure and PCI compliant registration process and will be assessed a 100% refundable \$3,000 (US Bidder) or a \$10,000 (Foreign Bidder) deposit in order to be approved to bid online with this auction. Cash deposits can be made by wire transfer. DON'T WAIT. If you are unsuccessful in the auction, the refund of your credit/debit card deposit will occur shortly after the auction ends. Cash deposits will be expedited as well.

If you need assistance, don't hesitate to call (713) 691-4401.

ONLINE BIDS ARE SUBJECT TO AN 18% BUYER'S PREMIUM.



DATED MATERIAL – PLEASE DELIVER

PRECISION MANUFACTURER OF **OILFIELD, SEMICONDUCTOR** & AEROSPACE COMPONENTS CLOSING

FEATURING: Mori Seiki NZL6000BY/4000 Horiz. **Turning & Milling Center; Deckel Maho** DMF-500 5-Axis VMC; Feeler FBM110R 5-Axis CNC HBM installed new in 2019: 2018 Haas UMC-1000 & UMC-750; Samsung SL-45XLY, (2) SL-45MC/3000's; QC & Support Equipment; Manual Machine Tools; 2015 TESLA MDL. S85D; 2017 Ford F-450 Flatbed Truck; Raw Material; Award Winning Houston Livestock Rodeo Artwork & Much More! Don't Miss This Sale!



DAY ONE: WED., MARCH 13 – LIVE ONSITE W/WEBCAST • 10:00 A.M.

DAY TWO: THURS., MARCH 14 TIMED ONLINE - NO ONSITE BIDDING **BIDS START CLOSING 10:00 A.M.**







ATTENTION: PLANT MANAGER **OR EQUIPMENT BUYER**

Presorted First Class Mail **U.S. Postage** PAID Eugene, Oregon Permit No. 17





2015

TESLA S 85D ELECTRIC VEHICLE

DAY TWO: THURS., MARCH 14 - TIMED ONLINE







SAMPLE VIEW OF PRECISION ACCESSORIES

DAY ONE: WED., MARCH 13 -LIVE ONSITE W/WEBCAST • 10:00 A.M.

NO ONSITE BIDDING • BIDS START CLOSING 10:00 A.M. **DAYS • 1 LOCATION • KATY, TEXAS**