

ONLINE AUCTION

INOX COMPONENTS – COMPLETE ASSETS OF **MACHINERY PARTS MANUFACTURER**



**COMPLETE MACHINING
& FAB SHOP**



Tuesday, October 28 @ 11:00 AM ET



Location: Glassboro, New Jersey

OWNER RETIRING AFTER 35 YEARS IN BUSINESS – COMPLETE MACHINING & FAB SHOP – FEATURING 10' X 135-TON CINCINNATI PRESS BRAKE, OKUMA BIG BORE CNC LATHE, STRIPPIT CNC TURRET PUNCH PRESS, LVD PRESS BRAKE, JM MONTGOMERY ANGLE & PLATE ROLLS, MANUAL & CNC BRIDGEPORT MILLS, ENGINE LATHES UP TO 80" CENTERS, STRIPPIT CNC LASER, MAHO CNC VMC, ATLANTIC SHEAR, SAWS, WELDING, TOOLING, SHOP SUPPORT, & MUCH MORE!

****ACCEPTING
PRE-AUCTION
OFFERS ON
MAJOR
MACHINES****



**OKUMA CROWN 762S-BB BIG BORE CNC
LATHE**



**CINCINNATI 135CBX8 10' X 135-TON
HYDRAULIC PRESS BRAKE**



**STRIPPIT SUPER 750SG/40 40 TON
HYDRAULIC SINGLE END PUNCH**



**JM MONTGOMERY MODEL 22
HYDRAULIC ANGLE ROLL**



22" X 80" SYDNEY ENGINE LATHE



ATLANTIC HDE-25-10 HYDRAULIC SHEAR

Inspection: By Appointment

Contact Paul Lashin For More Info at 631-249-5566 or paul@prestigeequipment.com

PRESTIGE EQUIPMENT AUCTIONS

35 Pinelawn Road, Suite 203W,
Melville, NY 11747

Phone: 631-249-5566

auctions@prestigeequipment.com
www.prestigeequipment.com



**PRESTIGE
AUCTIONS**

REGISTER & BID ONLINE:

BidSpotter

View Auction Details & Register Now at: www.prestigeequipment.com/auction/inox-components/

CNC MACHINE TOOLS • ENGINE LATHES



OKUMA CROWN 762S-BB BIG BORE CNC LATHE



MAHO MH600S CNC VERTICAL MACHINING CENTER

CNC MACHINE TOOLS:

OKUMA CROWN 762S-BB BIG BORE CNC LATHE, 21.65" Swing Over Bed, 15.75" Swing Over Cross Slide, 10.63" Max. turning Dia., 3.15" Spindle Bore, 65-3500 RPM, J1SA2-8 Spindle, 20.47" Z-Travel, 7.28" Y-Travel, 20HP, OSP700L CNC Control, 10" Chuck, Collet Nose, 12-Position Turret, Tailstock, Chip Conveyor, S/N 09090249

MAHO MH600S 4-AXIS CNC VERTICAL MACHINING CENTER, Maho-Philips CNC 432 Control, 19.7" Diameter Built-In Rotary Table, Compound Slide Traverse – X-23.62", Y-23.62", Headstock Traverse – 19.68", 20-6300 RPM, CAT 40 Taper (with Maho Notch), 20 ATC, S/N 65675



22" X 80" SYDNEY ENGINE LATHE



15/24" X 50" TURNMASTER GAP-BED ENGINE LATHE



15" X 40" SHARP MODEL 1540 LATHE

ENGINE LATHES:

22" X 80" SYDNEY ENGINE LATHE, 15" Chuck, Camloc Spindle, 18" 4-Jaw Chuck, 32 spindle Speeds, 22-1500 RPM, 2-1/16" Approx. Spindle Bore, 7" Dia. Steady Rest, Face Plate, Anilam DRO, S/N 10077

15/24" X 50" TURNMASTER GAP-BED ENGINE LATHE, Approx. 24" Swing In Gap, 9-3/8" Swing Over Cross-Slide, 2-3/16" Spindle Bore, 1-2000 RPM, Anilam DRO, Camloc Spindle, Inch-Metric, Taper Attachment, Camloc Spindle, Steady Rest, S/N 15586020708C

15" X 40" SHARP MODEL 1540 LATHE, Camloc Spindle, (6) Spindle Speeds, 83-1800 RPM, Approx. 1-1/2" Spindle Bore, Inch-Metric, Anilam Wizard DRO, S/N W10308

FABRICATING MACHINERY



STRIPPIT SUPER 750SG/40 40 TON HYDRAULIC SINGLE END PUNCH



CINCINNATI 135CBX8 10' X 135-TON HYDRAULIC PRESS BRAKE

FABRICATING MACHINERY:

STRIPPIT SUPER 750SG/40 40 TON HYDRAULIC SINGLE END PUNCH, 30" x 72" Extended Travel, Smartgauge PC Based CNC, .375" Max. Material, Ball Transfer Support Table, Full Complement of Tooling, (2) Die Holders, Up to 800 IPM, 7.5 Hydraulic Unit, S/N 080022796 [1996]

LVD 45JS-06 HYDRAULIC PRESS BRAKE, 45-Ton x 79" Capacity, Hurco Autobend 5C Single-Axis Back Gauge, 64" Between Housings, Operators Stand and Foot Switch, S/N 16610

CINCINNATI 135CBX8 10' X 135-TON HYDRAULIC PRESS BRAKE, 8" Stroke, Full Length Die Rail, 8'6" Between Housing, Foot Switch and Dual Palms, Hurco Autobend 5C 2-Axis Back Gauge (Controls Ram & Back Gauge), S/N 41112

JM MONTGOMERY MODEL 22 HYDRAULIC ANGLE ROLL, 2" x 2" x 1/4" Leg-out, 1-1/2" x 1-1/2" x 1/4" Leg-in, 1-1/2" Sched 40 Pipe, Tooling for Flat Die Set and Pipe Die Set, Assorted Spacers, 7.5HP, S/N U122918



JM MONTGOMERY MODEL 22 HYDRAULIC ANGLE ROLL



LVD 45JS-06 HYDRAULIC PRESS BRAKE

ADDITIONAL FABRICATING MACHINERY

FABRICATING MACHINERY:

JM MONTGOMERY MODEL 7210H 72" X 10GA INITIAL PINCH BENDING ROLL, 6" Dia. Rolls, Hydraulic Roll Adjustment and Drop End, Pedestal Control, Foot Switch, 7.5 HP, S/N 07210

JM MONTGOMERY MODEL 4R-3610 4-ROLL PLATE BENDING ROLL, 36" x 10GA. Capacity, Hydraulic Roll Adjustment, Hydraulic Drop End, 4" Diameter Rolls, Pedestal Ctrl., Pedestal Control, foot Switch, 7.5 HP, S/N 03610094



JM MONTGOMERY MODEL 7210H 72" X 10GA INITIAL PINCH BENDING ROLL



STRIPPIT HELIOS B 2000-WATT CO2 LASER

STRIPPIT HELIOS B 2000-WATT CO2 LASER, 5' x 10' Capacity, 9" Z-Travel, 1/4" Stainless, 3/8" Steel, Rofin-Sinar 2000 SM Resonator (s/n X166000), Accuchiller LX2 Chiller, Twin 11" Parts Conveyors, CAT# 123378-204, S/N 002122295 [1995]

ATLANTIC HDE-25-10 HYDRAULIC SHEAR, 10' x 1/4" Capacity, 29-1/2" FOPBG, (2) Front Supports, 72" Squaring Arm, Spare Set of Blades, 15 HP Motor, S/N 800761

NIAGARA #180 ROLLER MOTORIZED CRIMPER & BEADER, K-Tron Vari-Speed Controller

THERMAL PAK PLASMA CUTTER

36" NIAGARA INITIAL PINCH SLIP ROLL, 2" Dia. Rolls



JM MONTGOMERY MODEL 4R-3610 4-ROLL PLATE BENDING ROLL



ATLANTIC HDE-25-10 HYDRAULIC SHEAR

SAWS • WELDING EQUIPMENT



DOALL C-260A-2 AUTOMATIC HORIZONTAL BAND SAW



KALAMAZOO VS20 VERTICAL BAND SAW



HABERLE HL5 SERIES B COLD SAW

SAWS:

DOALL C-260A-2 AUTOMATIC HORIZONTAL BAND SAW, 10-1/4" x 12", 24" Indexing Bar Feed, Hyd. Vises, 60-350 FPM Blade Speeds, Vari-Speed, 1-1/4" Blade, Auto Cycle, 10' Roller Conveyor, Length Indicator, S/N 483-90106

KALAMAZOO VS20 VERTICAL BAND SAW, 20" CAPACITY, 5000 FPM, 26" x 31-1/2" Tilting Table, Push Button Vari-Speed, Blade Welder, Grinder, S/N 005

HABERLE HL5 SERIES B COLD SAW, Swivel Head for Miter Cutting, Pneumatic Vises, Apprx. 16" Dia. Blade, 2-Speed, 1.55/3.1KW, S/N 114310985

ABRASIVE METAL CUTOFF SAW, MITER, Apprx. 3HP, Apprx 12" Dia. Blade



ARONSON HD20A-PTVR2 2,000 LB. WELDING POSITIONER



ALPHIL RTA-1 50KVA PNEUMATIC PRESS-TYPE SPOT WELDER



MILLER WELDERS

WELDING EQUIPMENT:

ARONSON HD20A-PTVR2 2,000 LB. WELDING POSITIONER, Variable Speed Rotation, K-Tron Digi-Drive Controller, 24" 3-Jaw Chuck, 24" Diameter Table, S/N: 75499

ATLAS MDL. 200 MOTORIZED BENCH-TYPE WELDING POSITIONER, 10" Dia. Table, 6" 3-Jaw Chuck, S/N 6286

ALPHIL RTA-1 50KVA PNEUMATIC PRESS-TYPE SPOT WELDER, 24" Throat, Weld & Timer, Foot Switch, S/N 7626

MILLER DELTAWELD 451 CONSTANT VOLTAGE DC ARC WELDER with S52E Wire Feeder, S/N KA758742

(3) MILLER 330A/BP CONSTANT CURRENT AC/DC WELDERS, S/N's JJ518494, JH166065, JH172466

SPEIGLEBERG MDL. CD-375 STUD WELDER, S/N 1070289

GRINDING • SANDING • SHARPENING EQUIPMENT CNC & MANUAL KNEE-TYPE MILLS



36" GRINDING MASTER MCSB/B2900 DUAL HEAD BELT GRINDER

GRINDING, SANDING & SHARPENING EQUIPMENT:

36" GRINDING MASTER MCSB/B2900 DUAL HEAD BELT GRINDER, Belt and Scotchbrite Wheel, Setmatic, Vari-Speed Conveyor infeed, Fine Adjustment on Heads, Oscillation and Tracking, Front Pinch Rolls, S/N K040815

TORIT BOTTOM DISCHARGE DUST COLLECTION SYSTEM, Steel Leg Mounted

FALLS METAL D-BUR-R MODEL 111 DEBURRING MACHINE, S/N 1472

BALDOR MDL. 333 ¾ HP DOUBLE END PEDESTAL POLISHER, S/N F385

(2) DOALL 6" VERTICAL BELT SANDER

HAMMOND WD-6 DOUBLE END CARBIDE GRINDER, Single Phase, S/N 9809

DAREX 1/3 HP PEDESTAL DRILL SHARPENER, Single Phase, Work Light, S/N 501617

(3) SUHNER GKM4 PORTABLE FLEX SHAFT GRINDERS

6" DOALL VERTICAL BELT SANDER

CNC & MANUAL KNEE-TYPE MILLS:

BRIDGEPORT SERIES I 2HP CNC 2-AXIS MILL, Proto-Trak MX2 CNC Control, 48" x 9" Table, 60-4200 RPM, Vari-Speed Spindle RPM, R8 Spindle, S/N 12BR-217799

BRIDGEPORT SERIES I MILL, Acu-Rite III DRO, 48" x 9" Power Feed Table, R8 Spindle, 60-4200 RPM, Vari-Speed Spindle RPM, 2HP, Power Feed to Knee, S/N BR-255205

GREAVES #2 PLAIN HORIZONTAL MILL, 12" x 53" Table, #50 Spindle Taper, 16 Spindle Speeds, 40-1250 RPM, Arbor Support



TORIT BOTTOM DISCHARGE DUST COLLECTION SYSTEM



FALLS METAL D-BUR-R MODEL 111 DEBURRING MACHINE



BRIDGEPORT SERIES I 2HP CNC 2-AXIS MILL



BRIDGEPORT SERIES I MILL



DOALL 6" VERTICAL BELT SANDER & BALDOR MDL. 333 ¾ HP DOUBLE END PEDESTAL POLISHER

MATERIAL HANDLING • AIR COMPRESSOR • MISCELLANEOUS MACHINERY, SHOP SUPPORT, ETC.



**CARLTON 4' X 13" RADIAL ARM
DRILL**




**ZERO-BLAST MDL. BNP 220-4
SHOT BLAST UNIT**



NISSAN 3000LB LPG FORKLIFT



**DEVAIR-HDI MODEL
LD247-80V AIR
COMPRESSOR**



ONLINE AUCTION

INOX COMPONENTS - COMPLETE ASSETS OF **MACHINERY PARTS MANUFACTURER**



**COMPLETE MACHINING
& FAB SHOP**



Tuesday, October 28 @ 11:00 AM ET



Location: Glassboro, New Jersey

Inspection: By Appointment

Contact [Paul Lashin](#) For More Info at [631-249-5566](tel:631-249-5566) or paul@prestigeequipment.com

PRESTIGE EQUIPMENT AUCTIONS
35 Pinelawn Road, Suite 203W,
Melville, NY 11747
Phone: 631-249-5566
auctions@prestigeequipment.com
www.prestigeequipment.com

**PRESTIGE
AUCTIONS**

REGISTER & BID ONLINE:

BidSpotter

View Auction Details & Register Now at: www.prestigeequipment.com/auction/inox-components/