ONLINE AUCTION

OVER 1,400 LOTS!

NUTTALL GEAR™

COMPLETE GEAR & CNC MACHINING FACILITY

Thursday, January 15th @ 10:00 AM ET **Location: Niagara Falls, New York**

FEATURING OVER 1,400 LOTS INCLUDING WORM GEAR HOBBERS, CNC THREAD/WORM GRINDERS, CNC MACHINES, FABRICATION, FINISHING, PLANT SUPPORT AND MORE! WIDE ASSORTMENT OF GEAR HOBBERS, GEAR SHAVERS, TESTERS, THREAD MILLS, WORM MILLS, CNC LATHES & MACHINING CENTERS, CNC OD GRINDERS, BLANCHARD GRINDERS, CYLINDRICAL GRINDERS, ENGINE LATHES, HORIZONTAL BORING MILLS, VTLS, WELDING & FINISHING DEPARTMENT, FABRICATING, TOOLROOM EQUIPMENT, MILLS, DRILLS, SHOP SUPPORT, HEAVY DUTY FLOOR PLATES, ANGLE PLATES & SO MUCH MORE!

ACCEPTING PRE-AUCTION OFFERS ON MAJOR MACHINES

DRAKE MITSUI SEIKI TYPE GSN-1000 18" X 60" 5-AXIS CNC THREAD / WORM GRINDER

PFAUTER P1250 VERTICAL GEAR HOBBER

KAPP (NE TECH) AST305B HOB SHARPENER

SUPERTEC G60P-150CNC OD CNC CYLINDRICAL GRINDER

DRAKE (G & E) 70TWG CNC WORM GEAR HOBBER

LIEBHERR L-2500 VERTICAL GEAR HOBBER

Inspection: Wednesday, January 14th from 8:00 AM - 4:00 PM ET

Contact Paul Lashin For More Info at 631-249-5566 or paul@prestigeequipment.com

PRESTIGE AUCTIONS

IN CONJUNCTION WITH:

WISCONSIN METALWORKING MACHINERY INC.

GIBBS MACHINERY

View Auction Details & Register Now at: www.prestigeequipment.com/auction/nuttall-gear/

CNC WORM/THREAD GRINDERS • CNC & MANUAL WORM GEAR HOBBERS

DRAKE MITSUI SEIKI TYPE GSN-1000 18" X 60" 5-AXIS CNC THREAD / WORM GRINDER

CNC WORM/THREAD GRINDERS:

DRAKE MITSUI SEIKI TYPE GSN-1000 18" X 60" 5-AXIS CNC THREAD / WORM GRINDER, GE Fanuc Series 18i-M CNC Control, CNC Dresser, Headstock, Tailstock, Pendant Control, Filtration System, S/N: 130 (2008)

DRAKE (HOLROYD) CNC GRINDER GS:TI-LM 16" X 96" 6-AXIS CNC THREAD / WORM SUPER GRINDER, CNC Dresser, Headstock, Tailstock, GE Fanuc Series 18i-M CNC Controls, Pendant Control, FS Industrial Air Cleaner, S/N: 07303

HOLROYD 84" WORM GEAR HOBBER

CNC & MANUAL WORM GEAR HOBBERS:

DRAKE (G & E) 70TWG CNC WORM GEAR HOBBER, Fanuc Series 31i-Model B5 CNC Controller, Risers, Change Gears, Jorgensen Chip Conveyor, Spare Arbors, Pendant Control, 48" Chuck, Transformer, S/N: 11946 (2012)

HOLROYD 84" WORM GEAR HOBBER, 1150/62, Newall C-80 Digital Readout, Change Gears, Arbors, Risers, 72" Chuck, 10.958" Center Height

(3) HOLROYD 24" WORM GEAR HOBBER, 1145/58, Newall C-80 Digital Readout, 25" Chuck, 36-108 RPM, S/N: N/A

DRAKE (HOLROYD) CNC GRINDER GS:TI-LM 16" X 96" 6-AXIS CNC THREAD / WORM SUPER GRINDER

DRAKE (G & E) 70TWG CNC WORM GEAR HOBBER

HOLROYD 24" WORM GEAR HOBBERS

GEAR HOBBERS

LIEBHERR L-2500 VERTICAL GEAR HOBBER

LIEBHERR L-1500 VERTICAL GEAR HOBBER

GEAR HOBBERS:

LIEBHERR L-2500 VERTICAL GEAR HOBBER, with Hob Arbor and Arbor Support, Change Gears, Single Indexing, Differential, Swing Away Tailstock with Center, Coolant, Arbors & Fixtures, 2500mm Max Gear Diameter, 65" Chuck, Chip Conveyor, Clark Air Articulating Arms Fume Extractor, S/N: 607661

LIEBHERR L-1500 VERTICAL GEAR HOBBER, Hob Arbor and Arbor Support, Single Indexing, Differential, Swing Away Tailstock with Center, Change Gears, Spare Arbor with Spacers,1500mm Max Gear Diamater, 2DP S/N: 606754

PFAUTER P1250 VERTICAL GEAR HOBBER

PFAUTER P1250 VERTICAL GEAR HOBBER, Hob Arbor and Arbor Support, Single Indexing, Differential, Swing Away Tailstock with Center, Chip Conveyor, Coolant, Change Gears, Extra Arbors, 1250mm Max Gear Diamater, 2DP S/N: 20634

LIEBHERR L-1200 VERTICAL GEAR HOBBER, Hob Arbor and Arbor Support, Single Indexing, Differential, Swing Away Tailstock with Center, Coolant, Double Cut, Change Gears, Spare Arbors, 1200mm Max Gear Diameter, 2DP S/N: 606759

PFAUTER P900 VERTICAL GEAR HOBBER, with Hob Arbor and Arbor Support, Differential, Double Cut, Coolant, Swing Away Tailstock with Center, Chip Conveyor, Extra Arbor, Change Gears, 900mm Max Gear Diameter, S/N: 20729

(3) FELLOWS PFAUTER P900 VERTICAL GEAR HOBBER, with Hob Arbor and Arbor Support, Differential, Double Cut, Coolant, Swing Away Tailstock with Center, 900mm Max Gear Diameter, S/N: N/A

PFAUTER P403 VERTICAL GEAR HOBBER, Hob Arbor with Arbor Support, Differential, Tailstock with Center, Magnetic Chip Conveyor, Coolant, 400mm Max Gear Diameter, S/N: 747

PFAUTER P400 VERTICAL GEAR HOBBER, Hob Arbor with Arbor Support, Tailstock with Center, S/N: 22730

LIEBHERR L-1200 VERTICAL GEAR HOBBER

PFAUTER P900 VERTICAL GEAR HOBBER

CNC & CONVENTIONAL GRINDING EQUIPMENT:

SUPERTEC G60P-150CNC OD CNC CYLINDRICAL GRINDER, Oil Cooler, Filtration System, 8" x 48" Work Area, 20" x 3.93" Wheel, Fanuc Series Oi Mate-TP CNC Control, Pendant Control, S/N: GT12002 (2012)

SUPERTEC G32P-100CNC 8" X 36" OD CYLINDRICAL GRINDER, 20" x 3.93" Wheel, Fanuc Series Oi Mate TC CNC Control, Coolant Tank, S/N: GKO6001 (2006)

NORTON 14" X 96" PLAIN CYLINDRICAL GRINDER, 30" x 5" Wheel, Newall DP-700 Digital Readout, US Drives Phoenix Vector Drive, Dynapure Mist Collection Unit, S/N: LCLD27529

BLANCHARD 18K-42 ROTARY SURFACE GRINDER 42" x 1/2" Chuck, Wet Base, Royal Filter Mist Unit, S/N: 11523

BLANCHARD 18K-36" X .25" ROTARY SURFACE GRINDER, Neutrofier Control, S/N: 11343

GALLMEYER & LIVINGSTON A AUTO FEED SURFACE GRINDER, 14" x 72" x 18" Neutrol Electromagnetic Chuck, Coolant, 12" Wheel, S/N: A801472

GALLMEYER &N LIVINGSTON NO. 35 AUTO FEED SURFACE GRINDER, 8" x 24" Electromagnetic Chuck, Miniatron Controls, 8" Wheel, S/N: S-351039

SUPERTEC G60P-150CNC OD CNC CYLINDRICAL GRINDER

SUPERTEC G32P-100CNC 8" X 36" OD CYLINDRICAL GRINDER

NORTON 14" X 96" PLAIN CYLINDRICAL GRINDER

BLANCHARD 18K-42 ROTARY SURFACE GRINDER

GALLMEYER & LIVINGSTON A AUTO FEED SURFACE GRINDER

THREAD/WORM MILLING MACHINES • HOB SHARPENING & WORM/GEAR TESTING

HOLROYD 18" WORM MILL

LEES-BRADNER THREAD MILL

KAPP (NE TECH) AST305B HOB SHARPENER

THREAD/WORM MILLING MACHINES:

HOLROYD 18" WORM MILL, 24" 4-Jaw Chuck, 9" Hole Thru Spindle, Cutter Arbor, Arbor Support, Deep Spindle Bore, Coolant, Change Gears, Cabinet w/ Cutters, 20-120 RPM, S/N: BT9030

LEES-BRADNER THREAD MILL, Universal Head, 30" x 80" Between Centers, 6" Boreo, Headstock w/ Center, Tailstock w/ Center, Crate of Change Gears, S/N: HT-1003 (1942)

HOB SHARPENING & WORM/GEAR TESTING:

KAPP TYPE AST305B HOB SHARPENER, Retrofit by Northeast Technologies, Index Plates, Arbors, Dresser, Allen Bradley Panelview 550 Control Panel, 31" Work Area, Coolant System with Paper Filtration, S/N: 1036.09 (1977)

MAAG SP-160 GEAR TESTER, ES-401 Recorder, Masters, Probes, Centers, S/N: 401348

ILLINOIS TOOL & INSTRUMENT 3924-2C HEAD CHECKER, 32" Between Center Max ITW, Electronic Recorder, S/N: 7946

PARKSON GEAR TESTER, 27" Capacity

MAAG SP-160 UNIVERSAL GEAR TESTER

CNC LATHES • CNC HORIZONTAL & VERTICAL MACHINING CENTERS

CNC LATHES:

MAZAK QT-NEXUS 250-II CNC LATHE, Nexus CNC Control w/ Voice Adviser, 10” Chuck, Tool Eye, 12-Pos. Turret, Tailstock, Chip Conveyor, S/N 213539, [12-09]

MAZAK QT-250 CNC LATHE, 10" Chuck, Tool Eye, 12-Position Turret, Chip Conveyor, PC-Fusion 640T CNC Control, S/N: 158551

MAZAK QT-250 UNIVERSAL CNC LATHE, 10" 3-Jaw Chuck, Mazatrol 640T CNC Control, Mayfran Chip Conveyor, 12-Position Turret, Tailstock, S/N: 139540

MAZAK QT NEXUS 250-II CNC LATHE

MAZAK QT-250 CNC LATHE

MAZAK H-22 POWERCENTER CNC HORIZONTAL MACHINING CENTER

CNC HORIZONTAL & VERTICAL MACHINING CENTERS:

MAZAK POWER CENTER H-22 CNC HORIZONTAL MACHINING CENTER, CAT 50 Taper Spindle, 43.3" x 42.41" x 29.5" Travels, [5] 31.5" x 31.5" Pallets, Fanuc 6M System Controls, 60-Position Automatic Tool Changer, S/N: M51589

(2) MAZAK POWER CENTER H-20 CNC HORIZONTAL MACHINING CENTERS, CAT 50 Taper Spindle, 40-Position Automatic Tool Changer, 43.3" x 42.41" x 29.5" Travels, Dual 31.5" Pallets, Fanuc System 6M CNC Controls, S/N: M-50162

MAZAK POWER CENTER V-20-C VERTICAL MACHINING CENTER, CAT 50 Taper Spindle, 40-Position Automatic Tool Changer, 30" x 68" Table, Fanuc System 6M CNC Controls, S/N: 54129

MAZAK H-20 POWERCENTER CNC HORIZONTAL MACHINING CENTERS

MAZAK V-20 POWERCENTER CNC VERTICAL MACHINING CENTER

PLANER MILL • HORIZONTAL BORING MILLS • VERTICAL TURRET LATHES • ENGINE LATHES

INGERSOLL PLANER MILL

PLANER MILL:

INGERSOLL PLANER MILL, (2) Vertical Heads, (2) Side Head, 92" Between Columns, 72" Under Rail, 21-600 RPM, 100 HP Main Drive Motor, 10 HP Table, Shuttle Motor, Pendant Controls, S/N 2410

WARNER & SWASEY GRAY SINGLE HEAD VERTICAL TURRET LATHE

GIDDINGS & LEWIS 70-65-T HORIZONTAL BORING MILL

BULLARD MAN-AU-TROL SINGLE HEAD VERTICAL TURRET LATHE

HORIZONTAL BORING MILLS:

GIDDINGS & LEWIS 7.0-G5-T HORIZONTAL BORING MILL, 5" Spindle Diameter, 48" x 98" Table, 60" Vertical Travel, 50 Taper Spindle, Acu-Rite 2033X Digital Readout, Console Control, S/N: 410-52-68

DEVLIEG SPIRAMATIC 4B-60 HORIZONTAL JIG MILL BORING MILL, 60" x 36" Table, 32" x 48" Sub Table, 50 Taper Spindle, Acu-Rite Digital Readout, 21-1000 RPM, Holddowns, S/N: 13-231

VERTICAL TURRET LATHES:

WARNER & SWASEY GRAY SINGLE HEAD VERTICAL TURRET LATHE, Pendant Control, 54" Chuck, Dynapath Delta Series CNC Control Panel

BULLARD MAN-AU-TROL SINGLE HEAD VERTICAL TURRET LATHE, 54" Chuck, Side Head, 4.39-160 RPM, S/N: N/A

BULLARD 36" CUTMASTER SINGLE HEAD VERTICAL TURRET LATHE, 36" Diameter Chuck, Side Head, Pendant Controls, Newall C-80 Digital Readout, S/N: 25812

WARNER & SWASEY #2A M-3470 TURRET LATHE

MONARCH 2516 19" X 144" ENGINE LATHE

ENGINE LATHES:

MONARCH 2516 19" X 144" ENGINE LATHE, 28" Swing, 18" 4-Jaw Chuck, Inch / Metric Threading, Steady Rest, 12-1500 RPM, Newall C-80 Digital Readout, S/N: 51411

MONARCH 610 ENGINE LATHE, 12" 4-Jaw Chuck, Inch / Metric Threading, Tailstock, 24" Swing, 12-1500 RPM, S/N: 48050-ET

SIDNEY 20" X 50" ENGINE LATHE, Tailstock, 16" 4-Jaw Chuck, 0-1500 RPM, S/N: 9118

JET GHB-1340A GEARED HEAD ENGINE LATHE, 13" x 40" Capacity, 6" 3-Jaw Chuck, 70-2000 RPM, 1.5" Index, Newall 2-Axis Digital Readout, S/N: 15033194A

JG WEISSER UNIVERTOR 18 ENGINE LATHE, 8" 6-Jaw Chuck, Taper Attachment, Steady Rest, S/N: 180-49-399 (1963)

WARNER & SWASEY #2A M-3470 TURRET LATHE, 6-Position Automatic Tool Changer, 18" 3-Jaw Chuck, 16-818 RPM, 4" Bore, S/N: 2503461

SPLINE ROLLER • FACING & CENTERING MACHINE • BROACHING MACHINES • FINISHING EQUIPMENT

SPLINE ROLLER:

MICHIGAN TOOL CO. 1551 ROTO-FLO SPLINE ROLLER, S/N: N/A

MICHIGAN TOOL CO. 1551 ROTO-FLO SPLINE ROLLER

HEY NO. 3 AUTOMATIC FACING & CENTERING MACHINE

FACING & CENTERING MACHINE:

HEY NO. 3 AUTOMATIC FACING & CENTERING MACHINE, 80-1175 RPM, S/N: 2824-876

BROACHING MACHINES:

AMERICAN HYDRAULIC BROACHING MACHINE, Type M-20-60, 20 HP Drive Motor, S/N: 3760

SUNDSTRAND AN ENGINEERED PRODUCTION TYPE TR-10-36 BROACHING MACHINE, 10 Ton Capacity, S/N: 6921

COLONIAL FS5-48N-E-57 BROACH SHARPENER, 8" x 25" Magna-Lok Electromagnetic Chuck, 4" Diamond Wheel Cup, S/N: 72-0077

AMERICAN HYDRAULIC BROACHING MACHINE

PROCECO TYPHOON HD 72-606-5000 GAS FIRED PARTS WASHER

FINISHING EQUIPMENT:

PROCECO TYPHOON HD 72-606-5000 GAS FIRED PARTS WASHER, 400,000 BTU, 72" Table, Digital Timers, S/N: 90-207

LEWCO EURO8FD-60-60-60 800° MAX TEMPERATURE GAS FIRED OVEN, 60" x 60" x 60", w/ Digital Thermometers, 400,000 BTU, S/N: 058551-001 (2014)

CENTRAL PNEUMATIC 39170 REACH-IN TYPE SAND BLAST CABINET

WHEELABRATOR REACH-IN TYPE SAND BLAST UNIT, Pangborn Dust Collection Unit, 6' x 36" x 33" Cavity, S/N: A102759

FABRICATING EQUIPMENT • PRESSES • SAWS • WELDING EQUIPMENT

HTC 250-10A 1/4" X 10' CAPACITY HYDRAULIC POWER SHEAR

DREIS & KRUMP 10' MECHANICAL PRESS BRAKE

FABRICATING EQUIPMENT:

HTC 250-10A 1/4" X 10' CAPACITY HYDRAULIC POWER SHEAR, 3' Squaring Arm, [2] Front Arm Supports, S/N: 99178

72" INITIAL TYPE PINCH ROLL, MOTORIZED

NIAGARA 340 14/16-GAGE CAPACITY 36" INITIAL TYPE PINCH ROLL, S/N: 59339

DREIS & KRUMP 10' MECHANICAL PRESS BRAKE, 127" Between Housings, Manual Back Gauge, S/N: 5121

PIRANHA P3 IRONWORKER, Single End Punch, 2.75" Notcher, 5" x 5" Angle Capacity, 12" Flats, S/N: P3-3324

TENNSMITH U4812 12-GAGE 48" FINGER BRAKE, S/N: 13300

AMERICAN PULLMAX CO. P-9/9007 NIBBLER, 48" Throat

DANLY 100 TON HYDRAULIC STRAIGHTENING PRESS

MARVEL 81/M5/M9/S VERTICAL BANDSAW

48" WELD PLUS PT-5000 WELDING POSITIONER

PRESSES:

DANLY 100 TON HYDRAULIC STRAIGHTENING PRESS, 106" x 20" Bed, Adjustable Supports, S/N: 9010

HANNIFIN F-250-22-PB-3+4 C-FRAME DOWNACTING PRESS, 15" Throat, S/N: D-50422

GREENERD NO. 4 ARBOR PRESS

MILLER SHOPMASTER 300 AC/DC ARC WELDING POWER SOURCE

SAWS:

MARVEL 81/M5/M9/S VERTICAL BANDSAW, 55-340 FPM, Tilting Head, 18" Throat, Pneumatic Clamping, S/N: E-1269

MILFORD MILBAND HORIZONTAL BANDSAW, 16" Wide Conveyor, Power Feed, Hydraulic Clamping, Hydraulic Head, 40-250 SPM, S/N: 9046

POWERMATIC 87 19" VERTICAL BANDSAW, Blade Welding / Grinding Attachment, 24" x 24" Work Area, 75-4000 SPM, S/N: 67-7743

MILLER SHOPMASTER 300 AC/DC CC/CV ARC WELDING POWER SOURCE

LINCOLN INVERTEC V350-PRO POWER SUPPLY

WELDING EQUIPMENT:

48" WELD PLUS PT-5000 WELDING POSITIONER, Pendant Controls, S/N: Z09003

HEBELER CORP. 2500LB. 6' X 6' WELDING POSITIONER, Foot Controls, 36" Diameter Table, 18" 3-Jaw Chuck, S/N: 21228-6

MILLER SHOPMASTER 300 AC/DC CC/CV ARC WELDING POWER SOURCE, Miller S-21E Wire Feeder, Miller HF-251D-1 Arc Starter, S/N: KB094614 (no tanks)

MILLER SHOPMASTER 300 AC/DC ARC WELDING POWER SOURCE, Miller HF-251D-1 Arc Starter, Miller Chiller, Miller 20 Series 24V Wire Feeder, S/N: KA770019

LINCOLN INVERTEC V350-PRO POWER SUPPLY, Lincoln Electric LF-72 Wire Feeder, S/N: U1060101007

ENORMOUS QUANTITY OF TOOLING, ANCILLIARY EQUIPMENT & SHOP SUPPORT



ONLINE AUCTION

OVER 1,400 LOTS!

NUTTALL GEAR™

COMPLETE GEAR & CNC MACHINING FACILITY

Thursday, January 15th @ 10:00 AM ET **Location: Niagara Falls, New York**

Inspection: Wednesday, January 14th from 8:00 AM - 4:00 PM ET

Contact Paul Lashin For More Info at 631-249-5566 or paul@prestigeequipment.com

PRESTIGE AUCTIONS

IN CONJUNCTION WITH:

WISCONSIN METALWORKING MACHINERY INC.

GIBBS MACHINERY

View Auction Details & Register Now at: www.prestigeequipment.com/auction/nuttall-gear/