

ONLINE AUCTION

Relocation Sale – Surplus to Ongoing Operations of

**OVER
500 LOTS!**



SencorpWhite

Tuesday, January 20th @ 11:00 AM ET **Location: Hyannis, Massachusetts**

COMPLETE HYANNIS FACILITY – MANUFACTURER OF STORAGE & PACKAGING SYSTEMS – FEATURING (9) CNC VERTICAL MACHINING CENTERS, CNC LATHES, CNC PRESS BRAKES, CNC MILLS, 60" BLANCHARD GRINDER, GAP BED ENGINE LATHES, CNC LASER, BENDING ROLL, SAWS, LARGE WELDING, FINISHING, & HEAT TREAT DEPARTMENTS, JIB CRANES, MATERIAL HANDLING, TOOLING, INSPECTION, SHOP SUPPORT, & MUCH, MUCH MORE!

****ACCEPTING
PRE-AUCTION
OFFERS ON
MAJOR
MACHINES****

2017



VISION 8-AXIS CNC

ACCURPRESS ACCELL MODEL 425014 PRESS BRAKE

2015



DOOSAN DNM-500 II CNC VERTICAL MACHINING CENTER

2018



MARVEL 8-MARK-II-V VERTICAL BANDSAW

2014



DOOSAN PUMA GT2100 CNC LATHE

2012



FEELER VB-2200 CNC VERTICAL MACHINING CENTER

86.6" X-TRAVEL



CINCINNATI 175 X 10 FT PF PROFORM 2-AXIS CNC PRESS BRAKE

Inspection: Monday, January 19th from 8:00AM - 4:00PM ET

Contact Paul Lashin For More Info at 631-249-5566 or paul@prestigeequipment.com

PRESTIGE EQUIPMENT AUCTIONS
35 Pinelawn Road, Suite 203W,
Melville, NY 11747
Phone: 631-249-5566
auctions@prestigeequipment.com
www.prestigeequipment.com



IN
CONJUNCTION
WITH:



View Auction Details & Register Now at: www.prestigeequipment.com/auction/sencorpwhite/

CNC VERTICAL MACHINING CENTERS

2012



86.6" X-TRAVEL

FEELER VB-2200 CNC VERTICAL MACHINING CENTER

2015



DOOSAN DNM 500 II CNC VERTICAL MACHINING CENTER

CNC VERTICAL MACHINING CENTERS:

2012 FEELER VB-2200 CNC VERTICAL MACHINING CENTER, Travels: X-86.6", Y-39.4", Z-31.5", Table Size 94.4"x37.8", 5,940 Lb. Max. Work Weight, 30-Position Automatic Tool Changer, CAT 50 Taper, 6000 RPM, 30 HP Spindle, Box Way Construction, Dual Chip Conveyors, S/N VHC074 [2012], with LNS SC 2 330 Spray Cabinet [2020]

2015 DOOSAN DNM 500 II VERTICAL MACHINING CENTER, Fanuc i CNC Control with Hand Pendant, X-40.2", Y-21.3", Z-20.1", Table Size 47.2" x 21.3", 1760 Lb. Load, 40 Taper, 12,000 RPM, 20 HP, 30-Position ATC, LNS Chip Conveyor, KEM Oil Skimmer, 14,330 Lb. Approx. Machine Weight, S/N MV0010-003612 [2015]

2014 YCM NXV1020A VERTICAL MACHINING CENTER, Fanuc MXP-200FA CNC Control, Hand Pendant, Travels: X-40", Y-20", Z-21", Table Size: 44" x 20.47", 24-Position ATC, CAT 40 Taper, 12,000 RPM, 25 HP, 1102 Lb. Max. Work Weight, 1890 IPM Rapids, Chip Conveyor, MistBuster, S/N 0400 [2014]

HURCO VMX64/50T CNC VERTICAL MACHINING CENTER, Utimax Dual Screen CNC Control, Travels: X-64", Y-34", Z-30", 66" x 35" Table, 6000 Lb. Work Weight, 40-Position Automatic Tool Changer, CAT 50 Taper, 24 HP Motor, Barnes Chip Conveyor, Mist Buster, S/N M653-06005076EHA

DAEWOO DMV4020 VERTICAL MACHINING CENTER, Fanuc Series 21iT CNC Control, X-40", Y-20", Z-24", Table Size 47" x 20", 24 ATC, CAT 40 Taper, Turbo Chip Conveyor, S/N AV5E 2105 [2004]

DAEWOO DMV 3016 VERTICAL MACHINING CENTER, Fanuc i CNC Control, X-32", Y-16", Z-20", Table Size 47" x 20", 24 ATC, CAT 40 Taper, 8000 RPM, 15 HP Motor, MistBuster, Turbo Systems Chip Conveyor, Cooljet Systems HP Coolant, S/N AV4E0410 [2004]

MORI SEIKI MV80 CNC VERTICAL MACHINING CENTER, X-60", Y-32", Z-29.5", Table Size 74.8"x31.5", 40 ATC CAT 50 Spindle Taper, 3500 RPM, 25 HP, Fanuc 11M CNC Control, Chip Conveyor, Daikin Oil Hydraulic Unit, S/N 205

2014



YCM NXV1020A VERTICAL MACHINING CENTER



64" X-TRAVEL

HURCO VMX64/50T CNC VERTICAL MACHINING CENTER

CAT 50 TAPER



DAEWOO DMV4020 CNC VERTICAL MACHINING CENTER

PRESS BRAKES • SAWS • FABRICATING EQUIPMENT

2017



VISION 8-AXIS CNC

ACCURPRESS ACCELL 425014 CNC PRESS BRAKE



CINCINNATI 175 X 10 FT PF PROFORM 2-AXIS CNC PRESS BRAKE

PRESS BRAKES:

2017 ACCURPRESS ACCELL 425014 8-AXIS CNC PRESS BRAKE, Vision 8-Axis Control, 250 Ton Capacity, 168" Overall Bed Length, 154" Between Housings, Elite6-Axis Back Gauge, American Style Wila Power Ram Tool Clamping, Lower Die Holder with Crowning, (2) Front Support Arms, Laser Light Curtain, Flush Floor Design S/N 12785 [2017]

CINCINNATI 175 X 10 FT PF PROFORM 2-AXIS CNC PRESS BRAKE, Pro-Form Gen 5 2-Axis Control (Upgraded 2020) , 175 Ton, 144" Overall Bed Length, 126" Distance Between Housings, 10" Stroke, Power Ram Tool Clamping, Single Axis Heavy Duty Back Gauge, Flush Floor Design, S/N 53179 [2005]

2018



MARVEL 8-MARK-II-V VERTICAL BANDSAW

SAWS:

2018 MARVEL 8-MARK-II-V VERTICAL BANDSAW, 18" Throat, 20" Work Height, Variable Blade Speed, Power Tilt Table, Hydraulic Feed, ~1" Blade Capacity, Heavy-Duty Vertical Contour Saw, S/N 831808 [2018]

2014 KALAMAZOO KC1016W HORIZONTAL BANDSAW, 10" x 16" Capacity, Swivel Head, Coolant System, Variable Blade Speed, Hydraulic Down Feed, 1" Blade Width Capacity, In-Feed and Out-Feed Conveyors, S/N 10311486 [2014]

DOALL 3613-0 VERTICAL BANDSAW, 36" Throat, 13" Work Height, 36" Wheels, ~17 ft 6" Blade Length, 1/8"-1" Blade Width Capacity, Variable 50-5,000 SFPM, ~30"x30" Tilting Table, 3-5 HP Motor



TRUMPF L 3030 CO2 LASER



AMADA VIPROS 357 CNC PUNCH

FABRICATING EQUIPMENT:

TRUMPF L 3030 CO2 LASER, 60" x 120" Travel, Dual Pallets, TLF 3000 Watt Laser Resonator, S/N 920271

AMADA VIPROS 357 CNC PUNCH, 33-Ton Capacity, 45-Station Thick Turret, Auto-Index, 50" x 72" Travel, Fanuc O4PC CNC, S/N 305072

DT PEER P-50 SPOT WELDER, 100 KVA, 440 Pri. Volts, 5.5-10.0 Sec. Volts, Entron EN1000 Control, Sterling Sterlco Model SMCA150 Portable Chiller, S/N 1517

HAEGER MODEL 618-1L 6-TON INSERTION PRESS, 6-Ton, 54 kN, 18" Throat, 7.4 Amps, 208/240/3/60, S/N 06L00579

STRIPPIT CUSTOM 30/30 PUNCH PRESS, Table Size 72" Wide X 48" Deep, Stock Thickness 3/4" Maximum, Power Stroke 5/8", Strokes Per Minute 165, Throat Depth 30", Shut Height 5 15/32", Die Height (From Floor) 39", 1 HP Motor, 1200 RPM, 220/440/3/60, Width Overall 98 3/4", Height Overall 68", Length Overall 77", Shipping Weight 6500 Lbs.

ROUND AB MODEL IP 110/5 ROLL, 60" x 10 GA Capacity, Mach. No. 1349

ENERPAC HYDRAULIC H-FRAME PRESS



HAEGER MODEL 618-1L 6-TON INSERTION PRESS

CNC LATHES & MANUAL LATHES

2014



DOOSAN PUMA GT2100 CNC LATHE




DAEWOO PUMA 12L-C CNC LATHE

CNC LATHES:

2014 DOOSAN PUMA GT2100 CNC LATHE, 15.35" Turning Diameter, 22.13" Turning Length, 8" 3-Jaw Chuck, A2-6 Spindle, Part Catcher, Tool Eye, 12-Station Turret, Tailstock, Chip Conveyor, 4500 RPM, 20 HP Spindle Motor, 9.05" X-Travel, 22.83" Z-Travel, 7937 Lb. Machine Weight, S/N ML0228-000610 [2014]

DAEWOO PUMA 12L-C CNC LATHE, Fanuc Series 16T CNC Control, 22.8" Swing, 40" Turning Length, 12" 3-Jaw Chuck, A2-8 Spindle, 3" Bore, 2500 RPM, 30 HP Spindle Motor, 12-Station Turret, 10.2" X-Travel, 41.3" Z-Travel, Turbp Chip Conveyor, Box Way Construction, Approx 11,000–13,900 Lb. Machine Weight, S/N PL120723



WHACHEON 20-1/2"GX80 ENGINE LATHE

120" CENTERS



VICTOR 29120T ENGINE LATHE

MANUAL LATHES:

VICTOR 29120T ENGINE LATHE, 29" Swing, 120" Centers, 4-1/8" Spindle Bore, D1-11 Spindle Nose, 25–1200 RPM (12 Speeds), 20 HP Main Motor, 16-1/2" Bed Width, 10,500 Lb. Machine Weight, With Sony DRO, Center Rest, Tailstock, 12" Chuck, 16" Faceplate, S/N 96056


1985 WHACHEON 20-1/2"GX80 ENGINE LATHE, 21" Swing, 80" Centers, 2" Spindle Bore, 10 HP Motor, 28–1850 RPM, Geared-Head Gap-Bed Design, 11.75" Cross-Slide Swing, 7300 Lb. Machine Weight, S/N 12851109

FEELER SERIES II SECOND OPERATION LATHE, 9" Swing, 18" Centers, 5C Spindle, 135–3500 RPM, 6-Station Turret, 3-3/4" Cross-Slide Travel, 4" Turret Travel, 36" Bed, 1000 Lb. Machine Weight, S/N 740906

HARRISON AA MODEL VS CENTER LATHE, 13" Swing, 25" Centers, 3 HP Variable-Speed Drive, 35–3000 RPM, 1.5" Collet Capacity, Universal Inch/Metric Gearbox

GRINDING MACHINES • CNC & MANUAL MILLING MACHINES

66" DIAMETER CHUCK



BLANCHARD 32-60 ROTARY SURFACE GRINDER

GRINDING MACHINES:

60" BLANCHARD NO. 32-60 ROTARY SURFACE GRINDER, 66" Diameter Chuck with 60" Diameter Magnetic Rings, 72" Swing, 24" Vertical Range, 32" Diameter Segmented Wheel, 100 HP Motor, 10,000 Lb. Max Workload, .004"-.080"/Min Power Downfeed, External Coolant, S/N 11844

MHT MITSUI MSG SERIES 6" X 12"

HORIZONTAL SURFACE GRINDER, Walker Smart Chuck Control, 1.3 HP Spindle Motor, 7" Wheel, Ultra-Precision Hand Feeds, 0.0001" Increments

RAMCO MODEL 37T60 36" WIDE BELT SANDER, Filtration System, 460V/3/60, S/N 3302


GORTON 375-4 TOOL & CUTTER GRINDER, 5/8" Capacity, 6" Cup Wheel, Multi-Axis Adjustments, Precision Spindle



RAMCO MODEL 37T60 36" WIDE BELT SANDER



2016 ACER E-MILL 5VK VERTICAL MILLING MACHINE



2016 KENT KTM-3VS VERTICAL KNEE MILL

CNC & MANUAL MILLING MACHINES:

2016 ACER E-MILL 5VK VERTICAL MILLING MACHINE, 10" x 50" Table, Travels: X-27.5", Y-17", Quill-5", 5 HP Variable-Speed Spindle, 50-3750 RPM, 4" Quill Diameter, NST-40 Taper, With Acu-Rite DRO, Power Traverse, 3500 Lb. Machine Weight, S/N N14120780 [2016]

2016 KENT KTM-3VS VERTICAL KNEE MILL, 9" x 49" Table, Travels: X-35", Y-12", Knee-15", Quill-5", 3 HP Variable-Speed Spindle, 60-4200 RPM, R-8 Taper, Hardened Dovetail Ways, With Acu-Rite DRO

2010 KENT TW-32QI CNC BED MILL, With Anilam 5000M CNC Control, 12"x50" Table, X-34", Y-20", Z-20", 7.5 HP Spindle, 60-6000 RPM, CAT 40 Taper, Box Way Construction, Approx 4200 Lb. Machine Weight, S/N 9911872 [2010]

ACER 3VK ULTIMA VERTICAL TURRET MILLING MACHINE, 10" x 50" Table, Travels: X-34", Y-15"-16", Knee-16", Quill-5", 3 HP Variable-Speed Spindle, 60-4200 RPM, R-8 Taper, with Acu-Rite DRO, Kool-Mist Coolant Generator, Dynamic Braking Resistor, Approx 3100 Lb. Machine Weight

WELDING DEPARTMENT • WELDING TABLES HEAT TREAT, FINISHING & PAINTING DEPARTMENT



VIEW OF WELDING DEPARTMENT



LARGE QUANTITY OF ASSORTED WELDING TABLES



CINCINNATI PARTS DEGREASER



SURFACE COMBUSTION MODEL 38 X 48 X 30 HCD-W OVEN



GRIEVE MODEL AA-650 ELECTRIC INDUSTRIAL CONVECTION OVEN

HEAT TREAT, FINISHING & PAINTING DEPARTMENT:

CINCINNATI PARTS DEGREASER Heat Type: Electrical, Industrial Solvent-Type Parts Cleaner, Batch-Style Operation, Steel Tank Construction, For Precision Component Degreasing and Shop Maintenance, Control Panel, Electrical Cabinet, Voltage: 460V, 3-Phase, S/N B-123-C874

SURFACE COMBUSTION MODEL 38 X 48 X 30 HCD-W OVEN, 38" x 48" x 30" Chamber, With In-feed Table Cart, S/N BC408071 [Rebuilt 2014]

GRIEVE MODEL AA-650 ELECTRIC INDUSTRIAL CONVECTION OVEN, 31" x 30" x 24" Chamber, 9 kW Heat Input, 600 Deg. Max Temperature, S/N 330003

INDUSTRIAL SPRAY PAINT BOOTH BINKS COMPLETE FINISHING SYSTEMS, Exhaust Fans, Lighting, Heating/Cooler, Monorail System

KALAMAZOO VIBRATORY FINISHER

MISCELLANEOUS MACHINERY & SHOP SUPPORT



HYSTER S80FT FORKLIFT



GORBEL JIB-CRANE



TOYOTA 7FGCU70 FORKLIFT



MANUAL HYDRAULIC STACKER



ONLINE AUCTION

Relocation Sale – Surplus to Ongoing Operations of

**OVER
500 LOTS!**



SencorpWhite



Tuesday, January 20th @ 11:00 AM ET



Location: Hyannis, Massachusetts

Inspection: Monday, January 19th from 8:00AM - 4:00PM ET

Contact Paul Lashin For More Info at 631-249-5566 or paul@prestigeequipment.com

PRESTIGE EQUIPMENT AUCTIONS
35 Pinelawn Road, Suite 203W,
Melville, NY 11747
Phone: 631-249-5566
auctions@prestigeequipment.com
www.prestigeequipment.com


**PRESTIGE
AUCTIONS**

IN
CONJUNCTION
WITH:



View Auction Details & Register Now at: www.prestigeequipment.com/auction/sencorpwhite/