

ONLINE AUCTION

COMPLETE PLANT CLOSURE DAYTON CHEMINEER FACILITY



Thursday, March 12th @ 11:00 AM ET




Location: Dayton, Ohio

FEATURING 2017 DMG MORI NT6600DCG/4000CS CNC MILL-TURN CENTER, 2015 TACCHI HD/3 90L HEAVY DUTY CNC LATHE, MONARCH 32" X 240" ENGINE LATHE, CNC VERTICAL MACHINING CENTERS, WHEELABRATOR DOUBLE WHEEL SAND BLAST DEBURR SYSTEM, WELDING DEPARTMENT, FLOW CNC WATERJET, LEISTRITZ CNC KEYSEATER, BULLARD VTL, SAWS, EDMS, TOOLROOM, INSPECTION, LARGE QUANTITY OF LISTA & VIDMAR CABINETS, SHOP SUPPORT, ROLLING STOCK, PALLET RACKING AND MORE!



DMG MORI NT6600DCG/4000CS CNC MILL-TURN CENTER



48" X 393" TACCHI HD/3 600 X 10000 CNC LATHE



MONARCH VMC175-B CNC VERTICAL MACHINING CENTER



WARNER & SWASEY 2A HORIZONTAL TURRET LATHE



WHEELABRATOR ROTARY BLAST SAND BLAST DEBURR SYSTEM

Inspection: Wednesday, March 11th or By Appointment

Contact **Adam Herman** For More Info at **631-249-5566** or adam.herman@prestigeequipment.com

PRESTIGE EQUIPMENT AUCTIONS
35 Pinelawn Road, Suite 203W,
Melville, NY 11747
Phone: 631-249-5566
auctions@prestigeequipment.com
www.prestigeequipment.com



IN
CONJUNCTION
WITH:



View Auction Details & Register Now at: www.prestigeequipment.com/auction/nov-dayton-chemineer/

MULTI-AXIS CNC MILL-TURN CENTER • CNC LATHE WITH LIVE MILLING & Y-AXIS



MULTI-AXIS CNC MILL-TURN CENTER:

**2017 DMG MORI
NT6600DCG/4000CS CNC
MILL-TURN CENTER, 42.1" Max.
Turning Diameter, 160.4" Max.
Turning Length, B-Axis Tool Spindle
with 8000 RPM & +/-120 Degree
Swivel, 140-Position Automatic
Tool Changer, 3-Station Long
Boring Bar Attachment Changer,
24" SMW Hollow Chucks on Left &
Right Spindles, C-Axis L & R
Spindles, 10.31" Spindle Bore,
SMW Autoblok Double
Programmable Steady Rests,
Spindle Bore, 15,400 Lb. Max.
Chucking Work Weight, Renishaw
Touch Sensor, Thru-Spindle
Coolant, Chip Conveyor, with
Siemens 840D CNC Control with
Celos, Only 5,500 Run Time Hours,
S/N NT660160902 [2017].
Professionally Decommissioned
and Prepped for Shipping by OEM
(DMG MORI)**



DMG MORI NT6600DCG/4000CS CNC MILL-TURN CENTER

CNC LATHE WITH LIVE MILLING & Y-AXIS

**48" X 393" TACCHI HD/3
600 X 10000 CNC LATHE,
47.24" Swing Over Bed Ways,
393.70" Between Centers,
19,800 Lbs. Max. Weight
Between Centers
(Unsupported), 24.8" Chuck,
12-Station Baruffaldi
Turret with Live Milling,
Y-Axis, (3) CNC Programmable
Self-Centering Steady Rests,
Spindle Speeds 3-1000 RPM,
Live Milling Spindle Speeds to
3000 RPM, 67 HP Spindle
Motor, Heidenhain Scales on
X & Z-Axes, Renishaw Tool
Probe, Tool Presetter,
Tacchi 12" – 34" Manual
Steady Rest with 7,000 Lbs.
Capacity, Coolant System,
Chip Conveyor, with Siemens
840D Solutionline CNC
Control, S/N 7347.**



48" X 393" TACCHI HD/3 600 X 10000 CNC LATHE

CNC HORIZONTAL MACHINING CENTER • CNC VERTICAL MACHINING CENTERS



CINCINNATI MILACRON T-40 CNC HORIZONTAL MACHINING CENTER

CNC HORIZONTAL MACHINING CENTER:

CINCINNATI MILACRON T-40 4-AXIS HORIZONTAL MACHINING CENTER, (6) 39.4 x 39.4" Pallets, B-Axis Table, Spindle Speeds to 8,000 RPM, 50 Taper, Acramatic 950 Control, 130- Position Automatic Tool Changer, Renishaw OMP-60 Probe, Chip Conveyor, Coolant Filtration Unit. S/N 3124Y0189-0002



MONARCH VMC175-B CNC VERTICAL MACHINING CENTER



MONARCH VMC75-B CNC VERTICAL MACHINING CENTER

CNC VERTICAL MACHINING CENTERS:

MONARCH VMC 175-B CNC VERTICAL MACHINING CENTER, GE Fanuc 15-M CNC Control, 84" x 30" T-Slotted Table, Travels: X-75", Y-30", Z-44", CAT 50 Taper, Tsudakoma 4th Axis Rotary Table with 12" Chuck, 30-Position Automatic Tool Changer, Turbo Chip Conveyor, S/N 95612B

MONARCH VMC 75-B CNC VERTICAL MACHINING CENTER, GE Fanuc Series 16-M CNC Control, 48" x 20" T-Slotted Table, Travels: X-40", Y-20", Z-20", Spindle Speeds 30-6000 RPM, 40-Position Automatic Tool Changer, Monarch Dual Pallet Loader, CAT 50 Taper, Renishaw Probe, Turbo Chip Conveyor, Flood Coolant, S/N 96012B

ENGINE LATHES • VERTICAL TURRET LATHE



32" X 240" MONARCH SERIES 80 ENGINE LATHE

ENGINE LATHES:

MONARCH SERIES 80 ENGINE LATHE, 24" 4-Jaw Chuck, 32" Swing, 240" Between Centers, Spindle Speeds 8-1000 RPM, 3" Spindle Bore, Taper Attachment, 4-Way Tool Post, (4) Steady Rests, Tailstock, Newall DP700 DRO, 230V 3PH. SN# 51819


30" X 360" LANG GAP BED ENGINE LATHE, 24" 4-Jaw Chuck, 30" Swing, 40" Swing In Gap, 360" Between Centers, 4" Hole Through Spindle, 16-1425 RPM, (5) Steady Rests, Tailstock, Newall DP700 DRO. SN# 67D14

WARNER & SWASEY 2A HORIZONTAL TURRET LATHE, 20" Swing, 6-Position Turret, 16" 3-Jaw Chuck, 4-3/4" Hole Through Spindle, 16-1117 RPM Spindle Speed, (2) Newall DP700 DROs, 460V 3PH. SN# 2699571

EDELSTAAL PRN-12-1/2" ENGINE LATHE, 12-1/2" Swing, 30" Between Centers, 56-1800 RPM Spindle Speed, 8" 6-Jaw Chuck, Tailstock, Steady Rest, 220V 3PH



30" X 360" LANG GAP BED ENGINE LATHE



WARNER & SWASEY 2A HORIZONTAL TURRET LATHE



BULLARD 36" DYNATROL VERTICAL TURRET LATHE

VERTICAL TURRET LATHE:

BULLARD 36" DYNATROL VERTICAL TURRET LATHE, 36" 3-Jaw Chuck, 5-Position Turret, Side Head, 30" Height Under Cross Rail, 40 HP, (2) Sony LU10A-1G5 DROs, 480V 3PH. SN# 32442

FINISHING • WATERJET • CNC KEYSEATER

REFURBISHED 2024



WHEELABRATOR ROTARY BLAST DEBURR SYSTEM

FINISHING:

WHEELABRATOR ROTARY BLAST DEBURR SYSTEM, 48" Dia. Table, 48" Max Part Height, (2) 38 HP Blast Wheels, Reclaim System, Dust Collector, Clockwise and Counterclockwise Table Rotation, Blast Reclaim System, Schematic# 10354073, S/N 600183 [2012 - Refurbished 2024]

BETTER ENGINEERING MFG FRD4000LXP 3-STAGE HEATED PARTS WASHER, 40" Chain driven Turntable, Watlow EZ-Zone Temperature Controller, Timer, Oil Skimmer, (3) Chromalox MTI-3XX Heating Elements, 7-1/2HP Pump, 460V 3PH s/n-21725

DEVILBISS DYNACLEAN PAINT BOOTH, 14' x 12' x 12' Chamber, Overhead Crane Access, Air Systems CO-91 CO Airline Monitor, Nano Purification Solutions Breathing Air Purifier

NATURAL GAS PAINT DRYING OVEN S18-60 FM-26151, 8' x 10' x 10' Chamber, Overhead Crane Access, (8) The Bruest Flameless Gas Infrared Catalytic Heaters, (6) Spare Bruest Flameless Gas Infrared Catalytic Heaters, Partno 1160+ Temperature Controller, Allen Bradley Touchscreen HMI. Rebuilt 2021. s/n-289377

WATERJET:

FLOW MACH 4 CNC WATERJET, Flow PC-Based CNC Control, 5-Axis Cutting Head, 157" x 72" Cutting Area, HyperJet Intensifier Pump 100 HP, 87,000 PSI, 6,000 Bar, Temptek Chiller, Barton 4400 Lb. Garnet Abrasive Removal System, Model # 044917-1, S/N 28661



FLOW MACH 4 CNC WATERJET

2021



NATURAL GAS PAINT DRYING OVEN

2013



LEISTRITZ POLYMAT 70/600 CNC HYDRAULIC KEYSEATER

CNC KEYSEATER:

2013 LEISTRITZ POLYMAT 70/600 CNC HYDRAULIC KEYSEATER, 2.75" Max. Key Width, 35.4" x 44.8" T-Slotted Table, .0787" Min. Key Width., 23.6" Max Stroke, Vidmar 8-Drawer Cabinet and 2-Door Cabinet with Spare Tooling and Accessories, 8.5kW Rexroth Hydraulic Power Unit, Siemens CNC Controls, SN 13.08.02

PLASMA CUTTING • EDM MACHINES

2017



2018



OTC DAIHEN CUSTOM 2-STATION DT-ARC FD WELDING SYSTEM WITH CAMFIL GSP4 PLASMA FUME DUST COLLECTOR

PLASMA CUTTING:

2017 OTC DAIHEN CUSTOM 2-STATION DT-ARC FD WELDING SYSTEM, OTC Daihen A II-1PB250 Robot Positioner, NV202-NEFU Robot Manipulator, FD11-UL0000 Robot Controller, Teach Pendant, TRC-121 Plasma Cutting Power Source, Lincoln Electric INOVA, SMC IDFB6E Air Dryer, Welding Curtains and Safety Fence. SN# 1M0684YZ750

CAMFIL GSP4 PLASMA FUME DUST COLLECTOR WITH DUCTWORK, S/N J03022001 [2018]

PLASMA CUTTING STATION, SMT 35 Downdraft Table, Plasma Torch Positioner, Hypertherm Powermax 85 Plasma Cutting Unit, Welding Curtains



PLASMA CUTTING STATION

EDM MACHINES:

ONA TECHNO H 600 CNC SINKER EDM, 47.2 x 31.4" Table Size, Travels: 66.9" x 31.4" x 23.6", Tank Size: 66.9" x 31.4" x 23.6", ONA Techno 60 Controls, Fluid Chillers Inc PT1000 Chiller, Techno F-120 Amp Control Cabinet, 480V 16.5KVA 3PH. S/N 990400

ONA TECHNO H 400 CNC SINKER EDM, 31.4" x 23.6" Table Size, Travels: 2 .6" x 15.7" x 15.7", Tank Size: 47.2" x 31.4" x 15.7", ONA Techno 60 Controls, Fluid Chillers Inc PT1000 Chiller, Techno F-60 Amp Control Cabinet, 480V 9.5KVA 3PH. S/N 10148



ONA TECHNO H 600 CNC SINKER EDM



ONA TECHNO H 400 CNC SINKER EDM

WELDING DEPARTMENT • TURNING ROLLS • STEEL FABRICATION TABLES

WELDING DEPARTMENT:

MILLER CONTINUUM 350 400A MIG WELDING POWER SOURCE, 20A/15V-400A/34V 60% Duty Cycle Output, 230-575V 50/60Hz 3PH Input, Miller Continuum Dual Feeder, (2) MIG Welding Guns, Grounding Clamp. SN# MH480519C

MILLER DYNASTY 300DX 300A MULTI-PROCESS WELDING POWER SOURCE, 5A/10V-300A/22V 15% Duty Cycle Output, 230/460V 1/3PH Input, Miller Coolmate Chiller, Foot Pedal, TIG Welding Gun, Grounding Clamp. S/N LG320336L

LINCOLN ELECTRIC POWER WAVE 455M ARC LINK 450A MIG WELDING POWER SOURCE, Lincoln Electric Power Feed 10M Wire Feeder, MIG Welding Gun, Grounding Clamp

LINCOLN ELECTRIC 256 POWER MIG 250A MIG WELDING POWER SOURCE, 30A/10V-250A/26V 40% Duty Cycle Output, 208/230V 1PH Input, MIG Welding Gun, Grounding Clamp. SN# M3131001515

LINCOLN ELECTRIC PRECISION TIG 375 375A TIG WELDING POWER SOURCE, 2A/10V-420A/37V Output, 230/460/575V 1PH Input, Miller Coolmate 4 Chiller, TIG Welding Gun, Grounding Clamp. SN# U1140603815

PANDJIRIS 15-4 24"X 24" WELDING POSITIONER, SN# 800-4566-2

PANDJIRIS 15-4 24"X 24" WELDING POSITIONER With Pandjiris TJ Gripper, SN# 800-3868-5

PANDJIRIS 30-6 30"X 30" WELDING POSITIONER With Pandjiris TJ Gripper, SN# 800-7261-8

PANDJIRIS 30-6 30"X 30" WELDING POSITIONER With Pandjiris TJ Gripper, SN# 800-5664-7



MILLER CONTINUUM 350 MIG WELDER



MILLER DYNASTY 300DX TIG WELDER



LINCOLN ELECTRIC POWER WAVE 455M WELDER



LINCOLN ELECTRIC PRECISION TIG 375 WELDER



PANDJIRIS 15-4 WELDING POSITIONER



PANDJIRIS 30-6 WELDING POSITIONER



PANDJIRIS 15-4 WELDING POSITIONER



MILLER DYNASTY 280 MULTI-PROCESS WELDER

TURNING ROLLS:

IRCO AUTOMATION INC 20,000 LB POWER 72" TURNING ROLL SET, SN# 30197

ARONSON 60" TURNING ROLL SET, Penta Drive DC Motor Speed Controller



IRCO AUTOMATION INC 20,000LB POWER 72" TURNING ROLL SET



ARONSON 60" TURNING ROLL SET

STEEL FABRICATION TABLES:

48"X 36" PORTABLE STEEL FABRICATION TABLE, Ridgid 4" Benchtop Vise

60"X 48"X 1-1/2" STEEL FABRICATION TABLE

84"X 48"X 1-1/4" STEEL FABRICATION TABLE

48"X 48" STEEL FABRICATION TABLE



48" X 36" PORTABLE STEEL FABRICATION TABLE



60" X 48" X 1-1/2" STEEL FABRICATION TABLE



68" X 52" STEEL FABRICATION TABLE

ADDITIONAL EQUIPMENT

ADDITIONAL EQUIPMENT:

SHARP KMA-3 VERTICAL MILLING MACHINE, 86" x 20" T-Slotted Table, Align Power Drawbar, Newall DP1200 DRO, 45-1500 RPM Spindle Speed, 20HP 220/440V 3PH. SN# 5504

BRIDGEPORT SERIES 1 VERTICAL KNEE MILL, 42" x 9" T-Slotted Table, 7" Machine Vise, 5" Stroke, R8 Spindle, 50-4200 RPM Spindle Speed, 2-HP, Sony Millman LH30-2 DRO. SN# 200926

RODGERS KDS 75 75-TON HYDRAULIC H-FRAME PRESS, 42" Between Columns, Traversing Ram Head, Enerpac Electric Hydraulic Power Unit. SN# 1209-K66

MARVEL 8 MARK II 18" AUTOMATIC VERTICAL BANDSAW, 230V 3PH. SN# 830314

PARTS ASSEMBLY SYSTEM, Hytrol 14'x36" Roller Conveyor, Hytrol 40'x40" Powered Roller Conveyor with (4) Transfer Stations and Pneumatic Actuated Stops, (2) Chart-Tech Tools 36"x30" and (2) 48"x30" Parts Assembly Conveyor Sections with Overhead Tool Balancers, (2) Abell-Howe 1/4-Ton Jib Cranes with 500-Lb. Chain Hoists



SHARP KMA-3 VERTICAL MILLING MACHINE



MARVEL 8 MARK II 18" AUTOMATIC VERTICAL BANDSAW MACHINE



J.V. MFG. INC CRAM-A-LOT DHR-60-LU 2001 VERTICAL CARBOARD BALER



ANVER VPF-57-AC 3,200-LB. VACUUM PLATE LIFTING ATTACHMENT

ANVER VPF-57-AC 3,200-LB. VACUUM PLATE LIFTING ATTACHMENT, 12' x 6' Capacity, 11GA Minimum Thickness. With (4) VP1220 Spare Vacuum Pads

J.V. MFG. INC CRAM-A-LOT DHR-60-LU 2001 VERTICAL CARBOARD BALER, 60"x48"x30 Bail Size, 1400-Lb Capacity, 10HP, S/N-BD10731-01

3-TON FREE STANDING OVERHEAD GANTRY CRANE, Approx 24' Span, 19' Runway, 12' Bridge Height, Coffing 2-Ton Electric Chain Hoist with Manual Chainfall Trolley and Bridge, 2-Button Control Pendant

MAGNE-TECH 1540 NONDESTRUCTIVE TESTING UNIT, 230/460V 300/150A 60Hz 1PH Input. SN# 831008



3-TON FREE STANDING OVERHEAD GANTRY CRANE

MONARCH 10" EE ENGINE LATHE, 12-1/2" Swing, 20" Between Centers, 50-2500 RPM Spindle Speed, 8" 3-Jaw Chuck, 8" 4-Jaw Chuck, and 5" 3-Jaw Chuck, Tailstock, Acu-Rite Turnmate DRO. SN# 14802

EDELSTAAL PRN-12-1/2" ENGINE LATHE, 12-1/2" Swing, 30" Between Centers, 56-1800 RPM Spindle Speed, 8" 6-Jaw Chuck, Tailstock, Steady Rest, 220V 3PH

BRIDGEPORT SERIES 1 VERTICAL KNEE MILL, 42" x 9" T-Slotted Table, 7" Machine Vise, 5" Stroke, R8 Spindle, 50-4200 RPM Spindle Speed, 2-HP, Sony Millman LH30-2 DRO. SN# 200926

BRIDGEPORT VERTICAL MILLING MACHINE

RODGERS HYDRAULIC INC. KDS 75 75-TON HYDRAULIC H-FRAME PRESS, 42" Between Columns, Traversing Ram Head, Enerpac Electric Hydraulic Power Unit. SN# 1209-K66

OWATONNA TOOL CO 100-TON HYDRAULIC H-FRAME PRESS, 48" Between Columns, Traversing Ram Head, OTC Electric Hydraulic Power Unit

WOOD-MIZER PC100 14" UPCUT SAW, 16' and 12' Roller Conveyor Tables, 208-230V 3PH

DOALL ML 16" VERTICAL BANDSAW, 24" x 24" Tilting Cutting Table, 50-1600 FPM Band Speed, DBW-1A Blade Welder, 220V 3PH. SN# 5216328

GROB 18" VERTICAL BANDSAW, 24" x 24" Tilting Cutting Table, 50-2030 FPM Band Speed, 230/460V 3PH

CRESCENT 36" VERTICAL BANDSAW, 32" x 28" Tilting Cutting Table, 3 HP 220/440V 3PH. SN# C-1096



MONARCH 10" EE ENGINE LATHE



EDELSTAAL PRN-12-1/2" ENGINE LATHE



BRIDGEPORT SERIES 1 VERTICAL KNEE MILL



RODGERS KDS 75 75-TON HYDRAULIC H-FRAME PRESS



OWATONNA TOOL CO 100-TON HYDRAULIC H-FRAME PRESS



WOOD-MIZER PC100 14" UPCUT SAW



DOALL ML 16" VERTICAL BANDSAW



CRESCENT 36" VERTICAL BANDSAW

ROLLING STOCK

12,000 LBS.




CLARK C500-120 TYPE G LP FORK TRUCK

4,800 LBS.



YALE GLC050VXNVSE083 LP FORKLIFT

4,500 LBS.



TOYOTA 42-6FGCU25 LP FORKLIFT

ROLLING STOCK:

CLARK C500-120 TYPE G 12,000-LB. LP FORK TRUCK, 6' Forks, 147" Mast, Back Tilt, Solid Tires, Extra Counter Weights, 4617-Hrs. s/n-915-175-3030

YALE GLC050VXNVSE083 4,800-LB. LP FORK TRUCK, 42" Forks, 189" Mast, 5 Degree Back Tilt, Side Shift, Solid Tires, 13,435-Hrs. s/n-A910V07518D

RAYMOND 750 R35TT 3,500-LB. 36V ELECTRIC STAND-UP REACH TRUCK, 36" Forks, Back Tilt, Side Shift, Solid Tires, 17161-Hrs. s/n-750-12-AA35403

TOYOTA 42-6FGCU25 4,500-LB. LP FORK TRUCK, 42" Forks, 189" Mast, 5 Degree Back Tilt, Side Shift, Solid Tires, 10,354-Hrs. s/n-66459

YALE GLC050VXNVSE083 4,800-LB. LP FORK TRUCK, 42" Forks, 189" Mast, 5 Degree Back Tilt, Side Shift, Cushion Tires, 13,235-Hrs. s/n-A910V07620D

YALE GLC050VXNVSE083 4,800-LB. LP FORK TRUCK, 42" Forks, 189" Mast, 5 Degree Back Tilt, Side Shift, Cushion Tires, 7384-Hrs. s/n-A910V01802C

YALE ERP035VTN36TE082 3,900-LB. 36V ELECTRIC 3-WHEEL FORK TRUCK, 36" Forks, 187" Mast, 5 Degree Back Tilt, Side Shift, Solid Tires. s/n-G807N0297XX

YALE J30XM 2,950-LB. 36V ELECTRIC 3-WHEEL FORK TRUCK, 36" Forks, 177" Mast, 5 Degree Back Tilt, Side Shift, Solid Tires, 11529-Hrs. s/n-C160H01795S

YALE J40XMT2 3,550-LB. 36V ELECTRIC 3-WHEEL FORK TRUCK, 42" Forks, 189" Mast, 5 Degree Back Tilt, Side Shift, Fork Spreaders, Solid Tires, Out of Service. s/n-H160N02876Y

YALE GLC030AFNUAE082 2,450-LB. LP FORK TRUCK, 42" Forks, 189" Mast, 5 Degree Back Tilt, Side Shift, Solid Tires, 11,186-Hrs. s/n-A809N10142X


KOMATSU FG15-14 2,780-LB. LP FORK TRUCK, 42" Forks, 169" Mast, Back Tilt, Cushion Tires. s/n-124588

4,800 LBS.




YALE GLC050VXNVSE083 LP FORK TRUCK

3,900 LBS.



YALE ERP035VTN36TE082 36V ELECTRIC 3-WHEEL FORK TRUCK

3,550 LBS.



YALE J40XMT2 36V ELECTRIC 3-WHEEL FORK TRUCK

3,500 LBS.



RAYMOND 750 R35TT 36V ELECTRIC STAND-UP REACH TRUCK

2,450 LBS.



YALE GLC030AFNUAE082 LP FORK TRUCK

PALLET RACKING • INSPECTION TOOLING • SHOP SUPPORT AND MUCH MORE!



LARGE QUANTITY OF PALLET RACKING (150-200 SECTIONS)



FARO GAGE PORTABLE CMM ARM



ACCO WILSON 5TT ROCKWELL HARDNESS TESTER



MAGNE-TECH 1540 MAGNETIC PARTICLE INSPECTION UNIT




EZSET 600 TOOL PRESETTER



RAHN 36"X24"X5" GRANITE SURFACE TABLE



LISTA CAT 50 STORAGE RACKS & LISTA 5-DRAWER WOOD-TOP WORKBENCHES



ONLINE AUCTION

COMPLETE PLANT CLOSURE DAYTON CHEMINEER FACILITY



Thursday, March 12th @ 11:00 AM ET



Location: Dayton, Ohio

Inspection: Wednesday, March 11th or By Appointment

Contact **Adam Herman** For More Info at **631-249-5566** or adam.herman@prestigeequipment.com

PRESTIGE EQUIPMENT AUCTIONS
35 Pinelawn Road, Suite 203W,
Melville, NY 11747
Phone: 631-249-5566
auctions@prestigeequipment.com
www.prestigeequipment.com



IN
CONJUNCTION
WITH:



View Auction Details & Register Now at: www.prestigeequipment.com/auction/nov-dayton-chemineer/